



## Dell™ Colour Multifunction Printer - C2665dnf

Get the world's smartest colour multifunction printer with 30 features in one device. Designed to improve collaboration in the workforce, this printer supports a range of scan-to destinations, including cloud storage services.

Featuring Dell Document Hub cloud service, you can access a gamut of cloud services directly from your printer. Simply scan and convert hardcopies to editable, searchable content with optional Optical Character Recognition (OCR)<sup>2</sup>, and store and share the content via the cloud.

Conveniently access printer functions by personalising the control panel settings on the intuitive 4.3-inch colour touch screen. You can also connect your Near Field Communication (NFC)-enabled Windows 8.1 devices to this NFC-enabled printer with a simple tap.

With an integrated solution for document collaboration and easily accessible features, the Dell Colour Multifunction Printer – C2665dnf is versatile and reliable, ideal for your varied business needs.

<sup>1.</sup> Based on 30 features of Dell C2665dnf, compared against product features from manufacturers' published specifications of comparative colour A4 laser MFPs < \$1,499 with printing speeds of 21-44ppm (Letter), as of Aug 2013 (based on market models as reported by IDC Hardcopy Peripheral Tracker Q2, 2013).

<sup>2.</sup> For a limited period, you will enjoy Optical Character Recognition (OCR) and/Or other features within Dell Document Hub for free. This introductory offer is available until 31 March 2014.

# **Dell Colour Multifunction** Printer | C2665dnf





## Seamless collaboration with direct cloud connectivity

- Conveniently access a variety of popular cloud services through Dell Document Hub - direct from your printer.
- Search for files across multiple clouds simultaneously with Dell Document Hub's aggregate search function1.
- · Convert hardcopies into editable files (such as Microsoft Word, Excel, and PowerPoint) and searchable PDFs with cloud Optical Character Recognition (OCR)2.
- · Easily scan documents to a variety of destinations, such as email, network folder, FTP, and USB drives.
- Get fast connection to your network with Gigabit Ethernet connectivity.
- Connect to a wireless network with the optional External Wireless Adapter (sold separately).



## Simple to use

- Customise the 4.3-inch colour touch screen with personalised layout. Your shortcuts to different cloud services and settings stays with your Dell Document Hub account<sup>3</sup>. Tap and swipe to access the printer functions, just like a smart phone or tablet screen.
- Preview up to 10 files (with up to 3 pages per file) on the control panel touch screen before printing.
- · Easily scan and copy two-sided documents with the 50-page Duplex Automatic Document Feeder (DADF).
- · Reduce paper consumption with automatic two-sided printing. The C2665dnf also supports printing on recycled, renewable content, and chlorine-free paper.



## Mobile convenience

- Automatically connects your printer with NFC-enabled Windows 8.1 devices using the built-in Near Field Communication (NFC) technology.
- Create your personalized Dell Document Hub account<sup>3</sup> and gain access to your account on the C2665dnf printer and compatible devices4.
- · Print directly from a variety of mobile devices with:
  - Dell Mobile Print app (for Android $^{\mathsf{TM}}$ mobile devices)5
  - AirPrint (for iOS mobile devices)6
  - Google Cloud Print™
- · Preview and print your files conveniently from your USB drives with the printer's front USB port.

A user account is required for Dell Document Hub access. For registration, visit dell.com/dochub. Relevant cloud accounts are required for access to differing cloud services. Search capability subject to individual cloud service For a limited period, you will enjoy Optical Character Recognition (OCR) and/or other features within Dell Document Hub for free. This introductory offer is available until 31 March 2014. Access to Dell Document Hub accounts may be affected by geographical differences and limited to the country in which the user registered the account. Compatible with Microsoft® Windows® 8, 8.1 and RT devices.

The printer and the mobile device must be connected to the same network

<sup>6.</sup> AirPrint-enabled printers work with iPad, iPhone (3GS or later), and iPod touch (3rd generation or later) running iOS 4.2 or later.

Meet the world's smartest colour multifunction printer with 30 features in one device. This versatile device is the first colour multifunction printer in its class with personalised colour touch screen and is NFC enabled.1



# 30 features in one device

- Print (Colour/Mono) 1
- 2. Сору
- ID Copy 3.
- 4. Scan to PC
- 5. Scan to USB
- 6. Scan to Email
- Scan to FTP
- Scan to Web Service for devices<sup>2</sup>
- 9. Scan to Network Folder
- 10. Fax
- 11. PC Fax
- 12. NFC Tap and Print
- 13. 4.3" capacitive colour touch
- 14. Secure Print
- 15. Two-side scanning/printing
- 16. Mobility printing

- 17. Scan to and print from SkyDrive
- 18. Scan to and print from Google Drive
- 19. Scan to and print from Dropbox
- 20. Scan to and print from Box
- 21. Scan to and print from Microsoft SharePoint Online 2013
- 22. Single sign-on to cloud services
- 23. Smart OCR3
- 24. Business Card Reader<sup>3</sup>
- 25. Aggregated search across multiple clouds simultaneously
- 26 Fmail Me
- 27. Print Microsoft Office documents directly from the cloud
- 28. App Manager
- 29. Scan to Secure PDF
- 30. Print Preview



## 4.3" intuitive colour touch screen

Tap, swipe, drag and drop to access and personalise the control panel on the intuitive 4.3-inch colour touch screen—just like a smartphone.



## Near field communication (NFC) technology

Automatically connects your NFC-enabled Windows 8.1 devices to this NFC-enabled printer with a simple tap.



### On-screen print preview

With Dell Document Hub, you can preview up to 10 files (with up to 3 pages per file) on the colour touch screen before printing or sharing.



## 50-page DADF

Scan and copy two-sided documents hands-free with the 50-sheet Duplex **Automatic Document** Feeder (DADF).



#### Secure Print

Keep unauthorised persons from accessing sensitive prints with Secure Print, which requires users to enter a 4-digit PIN on the printer before releasing the prints.



#### Secure data transmission

Secure network data transmission with Secure Socket Layer (SSL), Internet Protocol Security (IPSec) and LDAP with Kerberos authentication.

<sup>1.</sup> Based on 30 features of Dell C2665dnf, compared against product features from manufacturers' published specifications of comparative colour A4 laser MFPs < US \$1,499 with printing speeds of 21-44ppm (Letter), as of Aug 2013 (based on market models as reported by IDC Hardcopy Peripheral Tracker Q2, 2013).

2. Web Service for devices (WSD) refers to Microsoft WSD.

<sup>3.</sup> For a limited period, you will enjoy Optical Character Recognition (OCR) and/or other features within Dell Document Hub for free. This introductory offer is available until 31 March 2014



## About Dell Document Hub

Today's business environment is shifting rapidly. Paper documents are being converted to digital files, and cloud storage services are being swiftly adopted by businesses for improved collaboration, more efficient document routing, and to reduce unnecessary printing.

Dell understands the benefits of cloud computing, and offers a solution that takes the possibilities even further

Dell Document Hub is your gateway to digital collaboration, mobile convenience, and one-stop access to your digital files on the cloud.

To register for a free account, visit dell.com/dochub

- A single sign-on to Dell Document Hub provides access to a variety of popular cloud services: Box<sup>®</sup>, Dropbox<sup>®</sup>, Google Drive™, Microsoft<sup>®</sup> SkyDrive® and Microsoft® SharePoint® Online 2013.
- Convert scanned hardcopy documents to editable digital files with optional Optical Character Recognition (OCR)1.
- Search through and within documents across multiple cloud services simultaneously with the aggregate search function<sup>2</sup>.
- Simplify your operation with personalised Dell Document Hub profile and settings.
- Gain peace of mind with proven security standards<sup>3</sup> to safeguard your data transfer











## Warranty and service options

Standard service4

1 Year Limited Hardware Warranty and 1 Year Next Business Day On-site Service after Remote Diagnosis

Service upgrade options<sup>4</sup>

- 2 5 Years Next Business Day Service after Remote Diagnosis
- 1 5 Years Dell ProSupport™ available during the term of warranty

## Consumables



Ship-with toner cartridge capacity<sup>5</sup>

Standard capacity toner cartridge<sup>5</sup>

High capacity toner cartridge<sup>5</sup>

Extra high capacity toner cartridge<sup>5</sup>

**Imaging Drum** 

Toner waste container capacity

1,200 pages (black); 1,200 pages (colour - CMY)

1,200 pages (black); 1,200 pages (colour - CMY)

3,000 pages (black); 4,000 pages (colour – CMY)

6,000 pages (black)

55,000 pages (black); 55,000 pages (colour)

Up to 30,000 pages

## **Accessories**



## Optional 550-sheet lockable input drawer

Increase the input capacity of the C2665dnf printer to 950 sheets with the optional 550-sheet input drawer.



#### **External Wireless Adapter**

Connect the C2665dnf printer to a WiFi network with the optional wireless adapter.

## Configurations



## **Standard Configuration**

Standard input tray: 250-sheet; Multipurpose tray: 150-sheet

Total input capacity: 400-sheet



## **Extended Configuration**

Standard input tray: 250-sheet; Multipurpose tray: 150-sheet

#### **Optional**

550-sheet input drawer: 550-sheet

Total input capacity: 950-sheet

- 1. For a limited period, you will enjoy Optical Character Recognition (OCR) and/or other features within Dell Document Hub for free. This introductory offer is available until 31 March 2014.

  2. A user account is required for Dell Document Hub access. For registration, visit dell.com/dochub. Relevant cloud accounts are required for access to differing cloud services. Search capability subject to individual cloud service.

  3. Data centre is compliant to ISO27001, SAS70, SSAE16, SOC1, SOC2. Content transmission is secured with AES265bit SSL encryption. 128bit RC4 encrypted PDF. Routine security maintenance.

  4. For copy of Limited Hardware Warranty, write Dell Products, Dell House, The Boulevard, Cain Road, Bracknell, Berkshire, RG12 1LF, UK or see www.dell.com/warranty. For warranty information for other countries, see website: www.dell.com/servicecontracts and then select the country. Service may be provided by third party. Technician will be dispatched if necessary following phone-based troubleshooting. Subject to parts availability, geographical restrictions and terms of service contract. Service timing dependent upon time of day call placed to Dell. Defective unit must be returned. Replacements may be refurbished.

  5. Toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions.

| Jp to 27 ppm¹ (A4)   |
|--|
| Jp to 18 ppm¹ (A4)   |
| Less than or equals to 14 seconds (simplex)  |
| 500 x 600 dpi  |
| 4.3" Colour Touch Screen (Capacitive), 272 x 480 pixel; Viewing Area: 4.3"; Backlight: White backlight;<br>Status LED: 2 LEDs ("Ready" and "Error")  |
|  |
| PCL6, PostScript™ 3, XPS   |
| PCL5C, PCL 6 (PCLXL 2.1), PostScript 3, PDF v1.6   |
| HP PCL® 6 Emulation: 80 scalable fonts, PostScript® Level 3: 80 scalable fonts   |
| 525 MHz  |
| L024 MB <sup>2</sup>   |
| Jp to 50,000 pages per month <sup>3</sup>  |
| 700 - 4,000 pages per month  |
| (iOS). Google Cloud Print  |
| olourTrack 2.2, Dell Toner Management System, Dell Open Print Driver (OPD),<br>MPM)  |
| Secure Print with 4 Digit PIN, Virtual Mail Box, Print Job   |
| NTLM (Scan to SMB only), SNMP v3, Kerberos with Digital certificate  |
| Data Security – Ipsec (IKev1), 802.1x Wired Security   |
| Network access control to printer settings, reports; Walk up access features lock to copy, scan, fax and USB nost printing   |
| P Filtering-EWS – up to 5 IP addresses, IP Filtering-Control Panel – up to 5 IP addresses (IPv4 only), Direct I/C<br>Port (USB, USB Front) Disable/Enable, Network Protocol (Enable/Disable), Fax/I/O control (Enable/Disable)   |
| Dell ColourTrack 2.2   |
| WPA – TKIP or AES, WPA2 - Personal, WPA2 - Enterprise, WEP – 64/128 bit, IEEE 802.1x (Wireless)  |
| - PEAPv0 supported (wireless connectivity is optional)   |
| Copy/Scan/Print feature lock using Operator Panel's common Password, Address book with LDAP Kerberos   |
| Jser Authentication Secure Fax received, No Fax-LAN bridging   |
| Kensington lock for printer, Kensington lock for primary input tray, Kensington lock for optional input drawer,  |
| Kensington lock for printer, Kensington lock for printary input tray, Kensington lock for optional input trawer,   |
| Scan to compatible cloud services, Search across cloud services, Browse folders of cloud services, Scan to em<br>limited to Dell Document Hub registered email address), Smart scan (OCR, convert to editable files), Business<br>Card Reader (Convert hardcopy business card to vcard files)  |
| Services: Google Drive™, SkyDrive®, SharePoint® Online 2013, Dropbox®, Box®; Output format: JPEG, TIFF; Mic<br>soft® Office 2007-2013 (XLS, XLSX, PPT, PPTX, DOC, DOCX), PDF, Secured PDF, RTF   |
| Services: Google Drive™, SkyDrive®, Microsoft® SharePoint® Online 2013, Dropbox®, Box®<br>Print format: Microsoft® Office 2003, 2007, 2010, 2013 (XLS, XLSX, PPT, PPTX, DOC, DOCX), TIFF,<br>Multi-TIFF, JPEG, PNG, PDF, Google Doc, ODT/FODT, ODS/FODS, ODP/FODP  |
| $^{ m All}$ printable file format $^6$ , display up to 3 pages for up to $10$ selected files, Show generic icon for files which counct preview   |
| CCD (flat bed / scroll feed), illumination (LED)   |
| Optical: 1200 x 1200 dpi; Software Enhanced: 9600 x 9600 dpi (max)   |
| Pull scan: Lighter/Darker, Sharpness, Contrast, Auto Exposure, Margin; Push Scan: File format (PDF/TIFF/Multi-<br>TIFF/JPEG), Colour Mode: Colour/Grayscale/BW, Resoultion: 200/300/600 dpi, Document size, Lighter/Darke<br>Sharpness, Contrast, Auto Exposure, Margin Top/Bottom, Left/Right, Middle; Scan to USB: File format (PDF/TIF<br>Multi-TIFF/JPEG), Colour Mode: Colour/Grayscale/BW, Resoultion: 200/300/600 dpi, Document size, Lighter/<br>Darker, Sharpness, Contrast, Auto Exposure, Margin Top/Bottom, Left/Right, Middle, Save File Management: AL<br>Prefix/Suffix, Folder creation |
| TIFF (Single/Multi), JPEG, PDF (V1.6)  |
| Client support: Application dependent; Device support: PDF (v1.6), TIFF, Multi-TIFF, JPEG  |
| Scan to: Email, FTP (Network server ), SMB (Network folder), USB, WSD  |
| Scan to Dell Document Hub Services (Google Drive™, SkyDrive®, Sharepoint® Online 2013, Dropbox®, Box®)   |
| Email address: 100 (configurable via Embedded Web Server (EWS), Address Book Editor); Email group: 10<br>configurable via EWS, Address Book Editor) Common scan to FTP/SMB: 32 (configurable via EWS, Address Bo<br>Editor)  |
| Active Directory access through LDAP   |
| Scan Platen: 216 mm x 297 mm; ADF: 216 mm x 356 mm   |
| Jp to 27 copies per minute (cpm) (1 to N) and 18 cpm (Duplex)  |
| From Ready Mode: 20 seconds (colour) and 16 seconds (mono)   |
| 500 x 600 dpi  |
| 99   |
| 25% - 400%   |
| N-up (2 in 1 only), Collate, ID copy, Job cancel, Sharpness, Colour balance, Background removal, Colour satura   |
| Jp to 33.6 Kbps  |
| Up to 200 entries  |
| Transmit: Broadcast, Delay/Schedule, Forward Fax from PC to Printer via USB/Network<br>Receive: Secure, Remote, Polling, Receive and Forward to email  |
| Duplex Automatic Document Feeder (DADF)  |
| 50 sheets  |
| 50 - 125 gsm   |
| _  |

| Connectivity                | Standard interfaces                    | High speed USB 2.0, Gigabit Ethernet port, USB Embedded Host Port for USB Direct Print and Scan to, Net   |
|-----------------------------|--|---|
| Operating Systems           | Windows                                | Field Communication (NFC), Wireless & Wifi Direct (Optional Wireless Adapter)  Microsoft® Windows XP/2003 Server, Windows 8, Windows 8 RT, Windows 7 (32/64 bit), Windows Vista (32/64 bit), Windows Server 2008 R1 & R2, Windows 8.1 (available in Nov, 2013), Windows XP (32/64 bit),                               |
|                             | Marketak                               | Windows 2003 Server, Windows Cluster Server Environment, Windows 2012 Server  |
|                             | Macintosh                              | Macintosh OS 10.5 to 10.8  SUSE® Linux Enterprise Deckton 10, 11: Bod Hat Linux Enterprise Deckton E. 6: Neurall® Natures Supports  |
|                             | Others                                 | SUSE® Linux Enterprise Desktop 10, 11; Red Hat Linux Enterprise Desktop 5, 6; Nowell® Netware Support; SAP R/3 Release 4.6B onwards; Citrix® Presentation Server™ 4.5, Citrix XenApp 5.0 to 6.5   |
| Standard media types, sizes | Standard tray                          |   |
|                             | Media types and weights supported      | Plain paper (60-90 gsm), Thicker paper (91-105 gsm), Heavier paper-L (106-163 gsm), Heavier paper-H (164 - 216 gsm), Preprint (60 - 163 gsm), Letterhead (60-163 gsm), Prepunched (60-105 gsm), Cardstock (106-216 gsm), Coated paper, Coated paper (95-216 gsm), Recycled paper                                      |
|                             | Media sizes                            | A4 SEF, B5 SEF, A5 SEF, US Letter SEF, Executive SEF, Foilio (8.5°x 13°) SEF, US Legal SEF;<br>Custom size: 148 mm - 215.9 mm (W), 210 mm - 355.6 mm (L)  |
|                             | Multipurpose tray                      |   |
|                             | Media types and weights supported      | Plain paper (60-163 gsm), Preprinted (60-163 gsm), Letterhead (60-163 gsm), Prepunched (60-105 gsm), Cardstock (106-216 gsm), Coated paper-L (95-216 gsm), Heavier paper (164-216 gsm), Recycled, Label paper, Envelope, Hagaki cards   |
|                             | Media sizes                            | A4 Short Edge Feed (SEF), B5 SEF, A5 SEF, US Letter SEF, Executive SEF Folio (8.5" x 13") SEF, US Legal SEF, Envelope Com-10 (SEF), Envelope Monarch (SEF), Envelope DL (LEF/SEF), C5 (SEF), Post Card; Custom size: 76.2 mm – 216 mm (W), 127 mm – 355.6 mm (L)  |
|                             | Optional tray                          |   |
|                             | Media types and weights supported      | Plain paper (60-90 gsm), Thicker paper (91-105 gsm), Heavier paper-L (106-163 gsm), Heavier paper-H (164 - 216 gsm), Preprint (60 - 163 gsm), Letterhead (60-163 gsm), Prepunched (60-105 gsm), Cardstock (106-216 gsm), Coated paper, Coated paper (95-216 gsm), Recycled Paper, Labels                              |
|                             | Media sizes                            | A4 SEF, B5 SEF, A5 SEF, US Letter SEF, Executive SEF, Foilio (8.5"x 13") SEF, US Legal SEF<br>Custom size: 148 mm - 215.9 mm (W), 210 mm - 355.6 mm (L)   |
|                             | Duplexer                               |   |
|                             | Media types and weights supported      | Plain paper (60-90 gsm), Thicker paper (91-105 gsm), Heavier paper-L (106-163 gsm), Recycled paper, Coatled paper-L (95-105 gsm), Coated paper-M (106-163 gsm)  |
|                             | Media sizes                            | US Letter SEF, Executive SEF, A5 SEF, A4 SEF, B5 SEF, US Legal 13 SEF, US Legal 14 SEF<br>Custom size: 148.5 mm - 215.9 mm (W), 210 mm - 355.6 mm   |
|                             | Printable area                         | 207.9 mm x 347.6 mm   |
| aper handling               | Standard input sources                 | 250-sheet standard tray, 150-sheet multipurpose tray  |
|                             | Additional input capacity              | 550-sheet option drawer   |
|                             | Maximum input capacity                 | 950 sheets (via addition of one 550-sheet optional drawer)  |
|                             | Duplexer                               | Automatic two-side printing (default)   |
|                             | Output capacity                        | 250 sheets  |
| Physical specifications     | Dimensions (W x D x H)                 | Printer: 439 mm x 529.5 mm x 558 mm; Shipping: 570 mm x 686 mm x 706 mm   |
|                             | Weight                                 | Printer: 32.6 kg with consumable; Shipping: 37.5 kg   |
|                             | Operating environment                  | Temperature: 5°C to 32°C; Relative humidity: 15% to 85% RH, non-condensing; Altitude: $\leq$ 3,100 m  |
|                             | Storage                                | Temperature: 0°C to 35°C; Relative humidity: 5% to 90% RH, non-condensing; Altitude: ≤ 3,100 m  |
|                             | Acoustic (Pressure/Power)              | Printing - 52.5 dB <sup>7</sup> /6.95 B <sup>7</sup> ; Standby - 27 dB <sup>7</sup> /4.3 B <sup>7</sup>   |
| Power specifications        | Voltage (230 VAC model)                | 220 to 240 VAC, 50 Hz ± 3 Hz/60 Hz ± 3 Hz   |
|                             | Power consumption                      | Printing mode: 750 W; Power saver mode: 3.5 W (Deep sleep)  |
|                             | Typical power consumption <sup>8</sup> | 2.7 kWh   |
|                             | Environmental compliance               | ErP Lot 4 and 6, RoHS-compliant <sup>9</sup> , ENERGY STAR® qualified <sup>10</sup> , Blue Angel (Germany) UZ171, WEEE, GS Mar  |
| Sa                          | English French German Italian Spanis   | (Germany)<br>sh, Dutch, Danish, Norwegian and Swedish   |
|                             | Safety certifications                  | IEC60950-1:2005 2 <sup>nd</sup> Edition (International); EN60950-1:2006/A11:2009/A1:2010/A12:2011; EC60825-1 2 (Laser); SEMKO (Nordic); CE Mark (EU); UL/cUL listed (UL60950-1 2 <sup>nd</sup> Edition, US/Canada); FDA/DHHS (21 CFR, Chapter 1, Subchapter J)  |
|                             | Other certifications                   | CE mark (EU countries) EMC/Safety Standard Class B, EN55022:2006; EN55022:2010; EN61000-3-2:2006; + A1:2009 + A2:2009; EN 61000-3-3:2008; EN 55024:1998+A1:2001/A2:2003; FCC CFR Titl 47, Part 15 Class B (USA); ICES-003, Issue 4 (Canada); WHQL, Citrix, SAP, Novell, USB, WiFi, Google Cloud Print, Apple Airprint |





- Measured in accordance with ISO IEC 27434/35 methodology. Actual print speed may vary depending upon system configuration, software application and document complexity.

  1 MB means 1 million bytes, 1 GB means 1,000 megabytes or 1,000,000,000 bytes; total accessible capacity varies depending on operating environment.

  Duty cycle is defined as the maximum number of imaged outputs a device could deliver in a month. This metric provides a comparison of robustness in relation to other Dell printers and multifunction printers. Configuration of the printer and the mobile device must be on the same authorized wireless network.

  AirPrint-enabled printers work with iPad, iPhone (3GS or later), and iPod touch (3rd generation or later) running iOS 4.2 or later.

  Supports the following file formats: Microsoft Office (XLS, XLSX, PPT, PPTX, DOC, DOCX), JPEG, TIFE, PNG, PDF, Google Docs, ODT/FODT, ODS/FODS, ODP/FODP.

  Tested in accordance with ISO 7779 and reported in accordance with ISO 9296. Acoustics Declared noise emission values of computer and business equipment For the Typical Energy Consumption value calculation details please visit: www.energystar.gov/ia/products/fap/IE\_TEC\_Test\_Procedure.pdf

  Meets the requirements of the EU RoHS Directive 2011/65/EU on the Restriction of the use of certain Hazardous Substances (RoHS).

  For details on energy efficiency of ENERGY STAR® qualified products, refer to: www.energystar.gov

  Toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions.

©2013 Dell Corporation Limited. Dell, the Dell logo and Dell Toner Management System are registered trademarks or trademarks of Dell Inc. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. Microsoft, Windows and Windows NT are registered trademarks of Microsoft Corporation. Android and Google Cloud Print are registered trademarks of Google Inc. iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Dell Products, Dell House, The Boulevard, Cain Road, Bracknell, Berkshire, RG12 1LF, UK. Product availability varies by country. Please contact your Dell representative for more information.

Specifications are subject to change without notice. Dell cannot be responsible for errors and omissions in typography or photography.