

Affordable High Performance Printing for Workgroups



Aficio[®]SP 4100n/SP 4110n

High Performance Competitive Cost



If you are looking for high quality black and white laser printing, then take a good look at the AficioTMSP 4100_N and SP 4110_N. Whatever your printing needs, these workhorses can handle them fast. Every month, they can print up to 100,000 and 150,000 pages respectively at speeds of up to 31 and 36 pages per minute. Equipped with a 400 MHz PCU controller, both models can easily handle your demanding workload. The AficioTMSP 4100_N and SP 4110_N are productive network printers that offer dependability, superior paper handling and a low cost of ownership. They are ideal for small companies and workgroups at larger companies.

Speed, dependability, competitive cost

- Aficio[™]SP 4100_N: 31 pages per minute up to 100,000 pages per month
- Aficio[™]SP 4110_N: 36 pages per minute up to 150,000 pages per month
- Low Total Cost of Ownership (TCO)



Quality and Innovation

Every year, Ricoh invests in research & development, keeping us at the forefront of innovation. Few corporations have ever won the esteemed Deming Award for Quality Control. Ricoh is the only office equipment manufacturer that has won twice. We strive for quality in everything we do. This is evident in products like the Aficio[™]SP 4100_N and SP 4110_N. Their clean and quiet operation contributes to a safe and comfortable work environment while their low power consumption and toxic free materials contribute to a safe environment at large.





Value from a Trusted Name

The AficioTMSP 4100_N and SP 4110_N were designed with customer value in mind. Both models offer features you would typically expect from a high end device for only a fraction of the price. Long life cartridges contribute to low maintenance costs. With the energy saver mode, it is easy to minimise power consumption to less than 6.5 W. This further reduces the Total Cost of Ownership. Moreover, Ricoh printers are built to last. As a leading global manufacturer of office solutions, Ricoh guarantees the excellent quality of its AficioTM products while offering you the benefits of the most extensive service network in the industry.

Minimise your power consumption: less than 6.5 W in energy saver mode

- High value features
- Competitive purchase price
- · Long lasting consumables



Ease of Use

The Aficio[™]SP 4100_N and SP 4110_N are easy to use and maintain. Once an option is installed, the printer driver detects it automatically. The remote monitoring function continuously shows the machine status on all user desktops. For easy operation, Ricoh has developed a printer driver with a unique one click printing interface, also known as RPCS[™]. Customer-specific settings can be saved under dedicated icons. You only need to select your settings once. For example, you can save special settings for invoices under a dedicated icon. When you print invoices, simply click the icon and the SP 4100_N/SP 4110_N will automatically select the proper paper tray and settings for the exact output you need.

- · Easy to use
- Unique one click printing
- · Custom paper settings



Superior Media and Envelope Handling

The AficioTMSP 4100_N and SP 4110_N can print on a wide range of media. The standard and optional trays handle various sizes up to A4 with weights up to 130 g/m². With the bypass tray, you can print on media up to 162 g/m². Thanks to an intelligent paper pass, all printing is fast and dependable. A dedicated envelope mode enables envelope printing. Automatic double-sided printing is available as an option.

- Wide range of media types
- Intelligent paper pass
- · Dedicated envelope mode





Aficio[™]SP 4100n/SP 4110n

Specifications

GENERAL Laser beam scanning, electro photographic Technology: printing & dual component toner development Continuous print speed: SP 4100N: 31 prints per minute

	SP 4110 _N :	36 prints per minute
Recovery time:	Less than 12 secon	nds
First print speed:	Less than 6.9 seco	nds
Dimensions		
(W x D x H):	388 x 450 x 345 m	m
Weight:	15.5 kg	
Power source:	220 - 240 V, 50/60	Hz
Power consumption:	Maximum:	970 W (main unit)
		990 W (full option)
	Energy saver mode:	:
	L	ess than 6.5 W (main unit)
	Les	ss than 12.5 W (full option)
Duty cycle:	SP 4100n:	100,000 pages per month
	CD 4110	150 000 neares ner menth

uty cycle:	SP 4100N:	100,000 pages per month
	SP 4110 _N :	150,000 pages per month

CONTROLLER

ୖୄୄୄୄୄ୶ Standard:

Option:

Processor:	400 MHz	
Printer language/	PCL5e:	600 x 600 dpi
resolution:	PCL6:	1,200 x 600 dpi
	RPCS™, Adobe [®] PostScri	ot® 3™:
		1,200 x 600 dpi
Memory:	Standard:	192 MB
	Maximum:	384 MB
Drivers:	PCL5e, PCL6, RPCS™:	Windows® 95/98/
	Me/NT4.0/20	000/XP/Server 2003
	Adobe [®] PostScript [®] 3 [™] :	Windows® 95/98/
	Me/NT4.0/20	000/XP/Server 2003
	Macintosh 8.6 or	later (OS X Classic)
	Macintosh X v10.1 or	r later (native mode)
Fonts:	PCL:	35 intelli fonts
		10 true type fonts
		1 bitmap font
	(31 fonts (can be downloaded)
	Adobe [®] PostScript [®] 3 [™] :	
	136	Adobe [®] type 1 fonts
	Option:	OCR
		Barcode

CONNECTIVITY

Network protocol:	TCP/IP, IPX/SPX, SMB, AppleTalk
Supported environments:	Windows® 95/98/Me/NT4.0/2000/
	XP/Server 2003
	Novell® NetWare® 3.12/3.2/4.1
	4.11/5.0/5.1/6/6.5
	UNIX Sun® Solaris 2.6/7/8/9/10
	HP-UX 10.x/11.x/11i v2
	SCO OpenServer 5.0.7/6.0
	RedHat [®] Linux 6.x/7.x/8.x/9.x/Enterprise
	IBM® AIX v4.3/5L v5.1/5L v5.2/5L v5.3



	Ma	acintosh 8.6 or later (OS X Classic)	
	Macint	osh X v10.1 or later (native mode)	
		IBM [®] System i5™ HPT	
		SAP [®] R/3 [®] 3.x or later	
		NDPS Gateway	
	AS/400® ເ	ising OS/400 Host Print Transform	
Interface:	Standard:	Ethernet 10 base-T/100 base-TX	
		USB 2.0	
		Bi-directional IEEE 1284	
	Option:	Wireless LAN (IEEE 802.11b)	
		Gigabit Ethernet	
Additional feature:	PDF Direct F	Print	

SOFTWARE SOLUTIONS

DeskTopBinder[™] Lite,

SmartDeviceMonitor™ for Admin/Client, Web Image Monitor, Printer utility for Mac, Font Manager 2000 Document management utilities & professional software solutions, @Remote Service, IPDS/SCS printing, Web SmartDeviceMonitor™ 2

PAPER	HANDLING
-------	----------

Paper input capacity:	Standard:	500-sheet paper tray 100-sheet bypass tray
	Maximum:	1,600 sheets
Paper output capacity:	250 sheets face down	
Paper size:	Paper trays:	A4 - A5
	Bypass tray:	A4 - A6
Paper weight:	Paper trays:	60 - 130 g/m ²
	Bypass tray:	60 - 162 g/m ²
	Duplex tray:	64 - 105 g/m²
Media:	Plain paper, thick paper, recycled paper,	
	transparencies, envelo	pes

CONSUMABLES

All-in-one cartridge:	Black:	15,000 sheets	
The Aficio™SP 4100N	' SP 4110n	ship with a 6,000 sheets ¹ starter kit.	

OPTIONS

Internal options:	40 GB Hard Disk Drive, 128/256 MB SDRAM
	DIMM, Wireless LAN (IEEE 802.11b), Gigabit
	Ethernet, Data Overwrite Security Unit, VM
	Card, Data Storage Card
External options:	1 x 500-sheet paper tray ²
	Envelope feeder (60 envelopes)
	Duplex unit

¹ Declared yield value in accordance with ISO/IEC 19752. $^{2}\ \mathrm{Maximum}\ \mathrm{2}\ \mathrm{paper}\ \mathrm{trays}\ \mathrm{can}\ \mathrm{be}\ \mathrm{attached}\ \mathrm{to}\ \mathrm{the}\ \mathrm{main}\ \mathrm{unit}.$

For availability of models, optional apparatus and software, please consult your local Ricoh supplier.

For more information, please contact:









IS09001: 2000 certified IS014001 certified

Ricoh has designed these products to meet EC ENERGY STAR guidelines for energy efficiency.

Ricoh believes in conserving the earth's precious natural resources. This brochure is printed on environmentally friendly paper: 50% recycled fibres, 50% chlorine free bleached pulp.

This product complies with EU RoHS directive (RoHS: Restriction of Hazardous Substances, July 2006).

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure.

Copyright © 2007 Ricoh Europe B.V. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe B.V.

RICOH EUROPE B.V. P.O. Box 114, 1180 AC Amstelveen. The Netherlands. Phone: +31 (0)20 54 74 111 Fax: +31 (0)20 54 74 222

www.ricoh-europe.com