

## Colour Laser Printer

**i-SENSYS**  
LBP7750Cdn

you can



## High performance and versatile colour print solution for busy workgroups

This robust colour and mono print solution offers outstanding performance and reliability – with the flexibility, security and control that busy corporate and business workgroups require.

30 PPM  
COLOUR AND  
MONO PRINTING

PAPER CAPACITY  
MAX. 850-SHEET

UP TO  
9600 X 600 DPI  
PRINT RESOLUTION

QUICK  
FIRST-PRINT

AUTOMATIC  
DOUBLE-SIDED  
PRINTING

### Key features

- 30 ppm colour and mono professional laser printing
- Up to 9600 x 600 dpi print resolution
- No waiting with Quick First-Print technologies
- Fast 10.4 sec First Print Out Time
- Productive automatic double-sided printing
- Network ready and optional wireless connectivity
- PCL5c/6 and UFR II support, optional PostScript Level 3
- 256 MB memory expandable up to 768 MB, optional Hard Disk Kit
- Workgroup security; including optional encrypted secured printing
- 250-sheet cassette, 100-sheet multi-purpose tray and optional 500-sheet cassette (max. A4)
- Energy efficient – only 1.7 watts in sleep mode
- Convenient All-in-One colour cartridges

### What's in the Box

Main unit, Cartridge 723 starter C/M/Y/K, waste toner box, power cord, setup sheet and warranty card - with starter guide, user software and manual CDs.

### Dimensions (W x D x H)

517 x 530 x 374 mm

### Supported OS

Windows 2000/Server 2003/  
Server 2008/XP/Vista  
Mac OS X 10.4.9 - 10.5.x  
(Web distribution only)



PRINT



COPY



FAX



SCAN

**Canon**

Specifications



- 1** 5-line LCD display
- 2** 100-sheet multi-purpose tray
- 3** 250-sheet cassette
- 4** Optional 500-sheet cassette
- 5** Cartridge 723  
(4 colours available: Cyan, Magenta, Yellow and Black)

<p><b>PRINTER ENGINE</b></p> <p>Print speed Printing method Print quality Print resolution Warm-up time First Page Out Time</p> <p>Duty cycle Print margins</p>	<p>Up to 30 ppm colour and mono (A4) Colour laser beam printing Up to 9600 x 600 dpi with Automatic Image Refinement Up to 600 x 600 dpi Approx. 60 seconds or less from power on Mono: Approx. 10.2 seconds or less Colour: Approx. 10.4 seconds or less Max. 75,000 pages per month 5 mm-top, bottom, left and right</p>
<p><b>MEDIA HANDLING</b></p> <p>Paper input (Standard)  Paper input (option) Paper output Media types  Media sizes          Media weights  Double sided printing</p>	<p>250-sheet cassette 100-sheet multi-purpose tray 500-sheet cassette 200-sheet face down Plain paper, Recycled paper, Heavy Paper, Transparency, Label, Envelope Cassette (Standard): A4, B5, A5, Letter, Executive, 16K, Custom sizes: Width 148 to 215.9 mm; Length 210.0 to 297mm</p> <p>Multi-purpose tray: A4, B5, A5, Legal, Letter, Executive, Statement, 16K, Envelope DL, Envelope COM10, Envelope C5, Envelope Monarch, Envelope B5, Custom sizes: Width 98.4 to 215.9 mm; Length 148.0 to 355.6mm</p> <p>Cassette (Optional): A4, B5, A5, Legal, Letter, Executive, 16K Custom sizes: Width 148 to 215.9 mm; Length 210.0 to 355.6mm</p> <p>Cassette (Standard): 60 to 163 g/m<sup>2</sup> Multi-purpose tray: 60 to 176 g/m<sup>2</sup> Cassette (Optional): 60 to 176 g/m<sup>2</sup> Automatic</p>
<p><b>GENERAL FEATURES</b></p> <p>Power requirements Power consumption</p> <p>Noise level</p> <p>Dimensions (W x D x H) Weight Operating environment Control panel</p>	<p>220-240V (±10%) 50/60Hz (±2Hz) Maximum: 1185 W or less Active: Approx. 569 W or less Standby: Approx 44 W Sleep mode: Approx 18 W Deep sleep mode: Approx 1.7 W Typical Electricity Consumption (TEC): 4.919 kWh/week</p> <p>Sound power<sup>1</sup>: Active: 7 B or less Standby: 5 B or less</p> <p>Sound pressure<sup>1</sup>: Active: 53 dB(A) or less Standby: 50 dB(A) or less 517 mm x 530 mm x 374 mm Approx. 35 kg Temperature: 10 to 30°C (50 to 86°F) Humidity 20 to 80% RH (no condensation) LCD 22 characters X 5 line graphical display 9 LED indicators 10 Operation keys</p>


<p><b>CONTROLLER</b></p> <p>Processor Speed Memory Printer languages</p> <p>Fonts Interface and connectivity</p> <p>Software and printer management</p> <p>Operating systems compatibility</p>	<p>400 MHz + 533 MHz 256 MB expandable up to 768 MB UFR II (Ultra Fast Rendering), PCL5c, PCL6, PostScript Level 3 Emulation(optional)<sup>2</sup>, Direct PDF printing v1.4 (optional)<sup>3</sup> 93 Scalable fonts, 10 Bitmap fonts, 136 PS fonts (option) USB 2.0 High-Speed, 10BASE-T/100BASE-TX, IEEE802.11b/g Wireless Print Server (optional)</p> <p>NetSpot Device Installer, Remote User Interface (RUI), Secure Print and Encrypted Secure Print with optional Hard Disk Kit HD-723, Department ID Management</p> <p>2000/ Server 2003/ Server 2008/ XP/ Vista Mac OS X version 10.4.9 - 10.5.x<sup>4</sup></p>
<p><b>CONSUMABLES</b></p> <p>All-in-One cartridges</p>	<p>Cartridge 723 Black (5,000 pages<sup>5</sup>)<sup>6</sup> Cartridge 723H Black (10,000 pages<sup>5</sup>)<sup>6</sup> Cartridge 723 Cyan (8,500 pages<sup>5</sup>)<sup>6</sup> Cartridge 723 Magenta (8,500 pages<sup>5</sup>)<sup>6</sup> Cartridge 723 Yellow (8,500 pages<sup>5</sup>)<sup>6</sup> Waste Toner Box: WT-723 (Approx. 18,000 A4 pages)</p>
<p><b>ACCESSORIES/OPTIONS</b></p> <p>Items</p>	<p>PAPER FEEDER PF-723 (500-sheet cassette) HARD DISK KIT HD-723 (60 GB Hard Disk Drive) RAM ER-128A (128 MB RAM memory module) RAM ER-256A (256 MB RAM memory module) RAM ER-512A (512 MB RAM memory module) PS ROM-A723 (PostScript 3 Emulation ROM module) PS/Barcode ROM-A723A (PostScript 3 Emulation and Barcode ROM module) Wireless Network Interface Board NB-W2 (IEEE802.11b/g Wireless Print Server)</p>
<p>All specifications subject to change without notice</p> <p><sup>1</sup> Declared noise emission in accordance with ISO 9296 <sup>2</sup> PostScript Level 3 Emulation support requires either PS ROM-A723 or PS/Barcode ROM-A723A option <sup>3</sup> PDF Direct Print requires the following accessories RAM (ER-256A or ER-512A), Hard Disk Kit HD-723 and PS ROM-A723 or PS/Barcode ROM-A723A <sup>4</sup> Web distribution only <sup>5</sup> Based on ISO/IEC 19798 <sup>6</sup> Printer ships with 3,000 pages K (Black) and 4,100 pages CMY (Cyan, Magenta and Yellow) starter cartridges</p>	



# Colour Laser Printer

**i-SENSYS**  
LBP7750Cdn

you can



- 1 5-line LCD display
- 2 100-sheet multi-purpose tray
- 3 250-sheet cassette
- 4 Optional 500-sheet cassette
- 5 Cartridge 723  
(4 colours available: Cyan, Magenta, Yellow and Black)

## High performance and versatile colour print solution for busy workgroups

The i-SENSYS LBP7750Cdn is part of the Canon Colour Laser Printer range.

**Sales Start Date: September 2009**

### The whole range consists of:

Colour: LBP5050, LBP5050n, LBP7200Cdn, LBP5300, LBP5360, LBP7750Cdn

### Box Dimensions (W x D x H)

649 x 642 x 495mm

### Box weight

Approx. 41 kg

### Packet style                      Quantity

Pallet                      8  
20ft Container                      —  
40ft Container                      —

### MERCURY CODES

#### PRODUCT

Name	Mercury Code	EAN Code
i-SENSYS LBP7750Cdn	—	—

#### OPTIONS

Accessories	Mercury Code	EAN Code
Paper Feeder PF-723	3338B001AA	4960999626833
Hard Disk Kit HD-723	0666A015AA	4960999630328
PS ROM-A723	0660A014AA	4960999630359
PS/Barcode ROM A723A	0660A015AA	4960999630366
Wireless Network Interface Board NB-W2	0642A039AA	4960999573885
RAM ER-128A	0646A041AA	4960999536200
RAM ER-256A	0646A042AA	4960999610269
RAM ER-512A	0646A043AA	4960999536217

#### CONSUMABLES

Toner	Mercury Code	EAN Code
Waste Toner Box WT-723 (Approx.18,000 pages)	3338B003AA	4960999642116
Cartridge 723 C Cyan (8,500 pages*)	2643B002AA	4960999572055
Cartridge 723 M Magenta (8,500 pages*)	2642B002AA	4960999572031
Cartridge 723 Y Yellow (8,500 pages*)	2641B002AA	4960999571997
Cartridge 723 B Black (5,000 pages*)	2644B002AA	4960999572062
Cartridge 723H B Black (10,000 pages*)	2645B002AA	4960999872086

#### EASY SERVICE PLAN

Details	Mercury Code	EAN Code
3yr on-site next day service-S5	093ZZ338	8714574979847
Installation Service N2	093ZZ326	8714574979755

\* Based on ISO/IEC 19798



PRINT



COPY



FAX



SCAN

**Canon**