

FS-C2026MFP/FS-C2126MFP

FS-3040MFP/FS-3140MFP

COMPACT A4 MULTIFUNCTIONALS

▶ print ▶ copy ▶ scan ▶ fax

HIGH-SPEED PROFESSIONALS IN COLOUR AND MONOCHROME



BRINGING ECOLOGY AND ECONOMY TO YOUR OFFICE

Ecosys® ECOSYS is the business approach to environmentally sustainable office operations. Our hardware and toner technology have been designed to consume only the absolute minimum and still deliver the highest quality. When toner finally does run out all you have to replace is the toner kit, not an entire cartridge including the drum and/or developer. This saves resources, reduces your company's environmental impact and means even lower costs for you. Double-sided printing is standard, saving you money and reducing your paper consumption by simply allowing you to print on both sides of the paper. And ECOSYS does more than just reducing the use of consumables and energy to give you exceptionally low printing costs. With KYOCERA's long-life technology you enjoy the benefits of longer maintenance cycles and exceptional reliability. Designed to avoid ozone emissions and to reduce noise levels, ECOSYS also helps to achieve an excellent office environment. ECOSYS: where economy and ecology meet. For the environment. For your budget. For your office.

POWERFUL TEAM PLAYERS FOR PROFESSIONAL DOCUMENT MANAGEMENT

Workgroups seeking efficient document output need effective team players. With their powerful processors these compact ECOSYS devices produce professional quality copies and prints at up to 26ppm in colour*. With a truly impressive scan speed of 35ipm, these multifunctional devices have the capacity to handle heavy document management workflows. Operating these multifunctional devices is just as fast and smooth thanks to an operation panel with a highly intuitive structure that provides fast and easy access to all of the device's capabilities. With their reduced power and toner consumption, reduced waste thanks to the highly-reliable long-life components and quiet operation, these devices help to create a perfect working environment – inside and outside the office.

HIGHLIGHTS – COMPACT MULTIFUNCTIONALS FOR A4 FORMAT

FS-C2026MFP/FS-C2126MFP

- ▶ Up to 26 pages per minute in A4 in colour and monochrome
- ▶ Up to 35 scans per minute via 50-sheet document processor
- ▶ Time to first copy 10 seconds in monochrome ; 12 seconds in colour
- ▶ Up to 9,600 dpi printing quality with multibit technology
- ▶ Double-sided print, copy, scan and fax* functionality
- ▶ Active Directory support offers ease of use
- ▶ High security through SSL, IPsec and Private Print functionality
- ▶ Compact design with ease of use and low noise
- ▶ Exceptionally low printing costs in their class

FS-3040MFP/FS-3140MFP

- ▶ Up to 40 pages per minute in A4
- ▶ First copy time of 7 seconds
- ▶ High resolution of 1,200 dpi
- ▶ Double-sided print, copy, colour scan and fax** functionality
- ▶ Standard reversing automatic document processor
- ▶ Up to five paper feeders for up to 2,100 sheets
- ▶ Active Directory support, IP sec and SSL encryption
- ▶ Exceptionally low printing costs in their class

*Only FS-3140MFP **Only FS-C2126MFP

A STEP UP IN YOUR OFFICE PRODUCTIVITY

Speed and efficiency are the keywords for these high-speed multifunctional devices – and that means you save time. With a 50-sheet reversing document processor that scans double-sided originals as standard, all you need to do is insert the documents to be scanned or copied and let the machine do the rest. With an impressive warm-up time and a really fast first copy time, waiting is a thing of the past. Conveniently compact, these multifunctional devices offer you a lot of advanced features. Full-colour scans can be saved as a TIFF, PDF, JPEG or XPS files and saved directly to a USB memory stick, to any PC in your network, or attached

to an e-mail and sent right from the device. With double-sided functionality for print, copy, scan and fax*, these multifunctional devices can reduce your paper consumption and the need for office filing space, another great boost when it comes to optimizing office workflow. And with up to five* different paper feeders the paper capacity of these fast multifunctional devices can be expanded from the large standard 500-sheet* capacity up to a total of 2,100 sheets*. No matter how large the job, you can get it done quickly and without unnecessary interruptions.

* Technical specifications depend on the device



BUSINESS DOCUMENTS

PROCESSED BY A PROFESSIONAL


Whatever your document-processing needs, these multifunctional devices will handle them quickly, easily and in truly professional quality. Whether it is printing, copying, scanning or faxing*, with these office professionals everything always comes across with clarity and precision. Easy to integrate in almost every network environment, these devices perform as secure network products with professional output.

* Technical specifications depend on the device

QUALITY – YOUR BUSINESS NECESSITY

Highly robust and very reliable, you can always count on these multifunctional devices to deliver superior print quality. The combination of improved hardware and toner technology provides a resolution that's sharp and clear, and the FS-3040MFP/FS-3140MFP even delivers impressive 1,200 dpi resolution. The FS-C2026MFP/FS-C2126MFP also come with advanced colour technology that includes improved calibration, colour optimisation and trapping to remove unwanted shadows. Their extended range of colours is produced with a vibrancy and clarity that sends a very clear message to anyone who deals with your documents.





EASE OF USE – DESIGNED TO SIMPLIFY YOUR DOCUMENT WORKFLOWS

Designed for heavy daily office use, all of these multifunctional devices are very easy to operate. The control panel has a highly intuitive layout that gives the user simple and convenient access to all of the different functions that a busy office needs in the course of a workday. That saves time at the device and ensures that you can make optimal use of all the functionalities the device has to offer. The operation panel also includes convenient program keys, with which you can reduce a whole series of processing steps to one simple click. It is ideal for carrying out complex and recurring company-specific tasks. By programming a button to handle office workflow demands, you can save a lot of time and avoid the confusion and human error that often come with complex processes.

These intuitive displays are already being used successfully in other KYOCERA multifunctional devices. That is a big advantage for employees who have access to several different devices since there is no need users to learn numerous control panels.

The USB host interface is positioned at the front of the device for easy accessibility. Printing from and scanning to a USB stick can be carried out just as easily as it can from a computer in a network, giving the user complete independence from their computer and opening up printing capabilities throughout the company.



KEEPING YOUR INFORMATION SECURE

These multifunctional devices offer the latest safety standards needed in modern network environments. Easily integrated into your company's IT, the IPsec and the SSL suite of encryption protocols guarantee that the data travelling through your network is secure. Active Directory authentication delivers further security without the need to create new user accounts for each every user. Simply use your existing network user database to manage access rights.



COMPACT SIZE, BIG CAPABILITIES

Conveniently compact, these monochrome and colour multifunctional devices offer the advanced functionality needed to be an efficient part of your workgroup. Their durable components and easy-to use operation panels,

the front-positioned USB interface as well as the reversing document processor and the expandable paper capacity all combine to guarantee efficient, reliable operation.

Reversing document processor

offering 50-sheet capacity as standard.

Easy-to-use operation panel

for simple and convenient access.

USB host at the front of the device

for direct printing from and scanning to a USB stick.

Up to 5 paper feeders

for up to 2,100 sheets.

FS-3040MFP/FS-3140MFP



Reversing document processor

offering 50-sheet capacity as standard.

Easy-to-use operation panel

for simple and convenient access.

USB host at the front of the device

for direct printing from and scanning to a USB stick.

Easy replenishing of toner and waste toner box.

Up to 4 paper feeders

for up to 1,300 sheets.

FS-C2026MFP/FS-C2126MFP



COUNT ON US.

As one of the leading manufacturers of office document solutions, KYOCERA is committed to delivering consistently high-quality products and services. We not only provide you with the most reliable hardware and software, but also offer exceptional service, comprehensive consulting and tailor-made financing. Whatever your needs – you can count on us. Want to know more? Simply get in touch with your local KYOCERA Business Partner.

FS-3040MFP/FS-3140MFP

MONOCHROME A4 MULTIFUNCTIONALS

ECOSYS stands for **ECO**logy, **ECON**omy and **SY**stem-printing. With their long-life components, ECOSYS devices are designed to maximise durability and minimise the total cost of ownership with regard to maintenance, administration and consumables. The cartridge-free system means that only the toner has to be replaced regularly. The modular design concept allows you to add workflow enhancing functions as required. Integrated system software provides long-term cross-network compatibility. Kyocera's long-life components cost you and the environment less.

PRESCRIBE IIe

With PRESCRIBE IIe, Kyocera's page design and control language, even complex graphics, logos and multipart forms can be created independently on a computer and stored in the printer. They can be recalled from the printer's memory as needed, reducing network congestion

The KM NetViewer

KM Net Viewer enables complete monitoring and control of all ECOSYS printers and digital KYOCERA multifunctionals from any Windows® PC and thus provides ideal network administration. It also supports other devices using the SNMP protocol.

Status Monitor and Command Center

The Status Monitor shows a printer's current condition and gives direct access to the web-based Command Center for the configuration of settings that are not contained in the drivers (e.g. network settings, adjustment of sleep mode and blocking of access to the control panel).

USB Host Interface for USB Flash Memory

PDF files can be printed directly from USB Flash Memory (e.g. a USB stick) via the USB host interface. Documents are selected directly via the printer's control panel. No computer is required.

General

Technology: KYOCERA ECOSYS Laser, Mono component

Engine speed: Up to 40 pages A4 per minute

Resolution: 1,200 x 1,200 dpi (print), 600 x 600 dpi, 256 greyscales (scan/copy)

Duty cycle: Max. 200,000 pages per month

Recommended monthly printing volume: up to 8,000 pages**

Warm-up time: Approx. 22 seconds or less

Time to first print: Approx. 9.5 seconds or less

Time to first copy: Approx. 7 seconds

CPU: PowerPC 440/667 MHz

Memory: Standard 256 MB (2 x 128 MB DIMM), max. 768 MB (256 MB + 512 MB DIMM)

Integrated accounting: 20 department codes

Dimensions (W x D x H): 494 x 497.1 x 545.5 mm

Weight: Approx. 25.5 kg (FS-3040MFP), approx. 25.8 kg (FS-3140MFP)

Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption:

Copying/Printing 3in1: 676.6 W; 4in1: 677.4 W

Stand-by 3in1: 95.8 W; 4in1: 97.9 W

Sleep-mode 3in1: 6.9 W; 4in1: 10.6 W

Noise (ISO 7779 / ISO 9296):

Copying/Printing: 55 dB(A)

Stand-by: 30 dB(A)

Safety standards: TÜV/GS, CE

This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

Paper handling

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.

Input capacity: Max. 100-sheet multi-purpose tray, 60-220 g/m², (70 x 148 to 216 x 356 mm)

Max. 500-sheet universal paper cassette, 60-120 g/m²; custom (105 x 148 to 216 x 356 mm), max. input capacity with options: 2,100 sheets

Duplex unit: Duplex as standard supports 60-120 g/m²

Reversing document processor: 50-sheet, Simplex scan 50-120 g/m², Duplex scan 50-110 g/m², custom (140 x 210 to 216 x 356 mm)

Output capacity: Max. 500 sheets face-down

Print functions

Controller language: PRESCRIBE IIe

Emulations: PCL6 (5e/XL), KPDL 3 (PostScript 3-compatible), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630, PRESCRIBE, XPS, PDF Direct Print

Interface: USB 2.0 (Hi-Speed), USB Host, Fast Ethernet 10/100Base-TX standard, slot for optional CompactFlash®-Card, slot for optional internal print server (FS-3040MFP only)

Operating systems: All current Windows operating systems, MAC OS X version 10.2 or higher, Unix, Linux as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL6, HP compatible) + 8 (Windows Vista), 101(KPDL3), 1 bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)

Features: PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3

Copy functions

Max. original size: A4/legal

Continuous copying: 1-999

Zoom range: 25-400% in 1% steps

Preset magnification ratios: 7 Reductions/5 Enlargements

Digital features: Scan-once-copy-many, electronic sort, 2in1, 4in1, ID-card copy, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change, copy density control

Exposure mode: Auto, manual: 7 steps

Image adjustments: Text + photo, text, photo

Scan functions

Functionality: Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, TWAIN, WSD

Interface: USB 2.0 (Twain only), USB Host, Fast Ethernet 10/100Base-TX

Scan speed: 35 ipm (300 dpi, A4, monochrome)

Scan resolution: 600, 400, 300, 200 dpi (256 greyscales)

Max. scan size: A4, legal

Original recognition: Text, photo, text + photo OCR

Network protocol: TCP/IP, NetWare, AppleTalk, NetBEUI

File types: TIFF, PDF, JPEG, XPS

Compression method: MMR/JPEG

Features: Colour scan, integrated address book, LDAP support, encrypted data transfer, multi-send (e-mail, fax, SMB/FTP folder, print) at once

Fax functions (FS-3140MFP only)

Compatibility: ITU-T G3

Modem speed: Max. 33.6 kbps

Transmission speed: Less than 3 seconds

Scanning speed: 2.5 seconds

One touch dial: 22 numbers

Address book: 100 entries

Interface: Fast Ethernet 10/100Base-TX

Scanning density:

Normal: 8 dot/mm x 3.85 line/mm

Fine: 8 dot/mm x 7.7 line/mm

Superfine: 8 dot/mm x 15.4 line/mm

Ultrafine: 16 dot/mm x 15.4 line/mm

Maximum original size: A4, legal

Compression method: JBIG, MMR, MR, MH

Memory reception: 256 sheets or more

Features: Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

Options

Paper handling

PF-310 Paper feeder: Max. 500 sheets, 60-120 g/m², A4, B5, A5, letter, legal, custom (148 x 210 mm to 216 x 356 mm)

Memory upgrade: MDDR2-128: 128 MB; MDDR2-256: 256 MB; MDDR2-512: 512 MB

CompactFlash® card: CF-4 (4 GB) for printing forms, fonts, logos, macro storage

Others

USB Flash Memory: Supports direct printing of PDF, XPS, TIFF files via USB Host interface

Optional interfaces (FS-3040MFP only):

PS159: Wireless LAN (802.11b/g)

PS1109 Gigabit Ethernet: 10BaseT/100BaseTX/1000BaseT (RJ-45)

PS129 Fibre Optic: 100BaseSX (SC)

PS1129 Gigabit Fibre Optic: 1000BaseSX (SC)

CB-310: High wooden desk with storage capacity, including castors (wheels)

CB-320: Low wooden desk with storage capacity, including castors (wheels)

Consumables

TK-350 Toner-Kit: Microfine toner for 15,000 pages in accordance with ISO /IEC 19752

Capacity of starter toner is 7,500 pages in accordance with ISO /IEC 19752

Warranty

2-year warranty as standard. Kyocera guarantees the drum and developer for 3 years or 300,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions.

KYO LIFE Up to 3-year on-site warranty extensions available for printer and options.



Product depicted includes optional extras.

FS-C2026MFP/FS-C2126MFP

COLOUR A4 MULTIFUNCTIONALS

ECOSYS stands for **ECO**logy, **ECON**omy and **SY**stem-printing. With their long-life components, ECOSYS devices are designed to maximise durability and minimise the total cost of ownership with regard to maintenance, administration and consumables. The cartridge-free system means that only the toner has to be replaced regularly. The modular design concept allows you to add workflow enhancing functions as required. Integrated system software provides long-term cross-network compatibility. Kyocera's long-life components cost you and the environment less.

PRESCRIBE IIc

With PRESCRIBE IIc, Kyocera's page design and control language, even complex graphics, logos and multipart forms can be created independently on a computer and stored in the printer. They can be recalled from the printer's memory as needed, reducing network congestion.

The KM NetViewer

KM Net Viewer enables complete monitoring and control of all ECOSYS printers and digital KYOCERA multifunctionals from any Windows® PC and thus provides ideal network administration. It also supports other devices using the SNMP protocol.

Status Monitor and Command Center

The Status Monitor shows a printer's current condition and gives direct access to the web-based Command Center for the configuration of settings that are not contained in the drivers (e.g. network settings, adjustment of sleep mode and blocking of access to the control panel).

USB Host Interface for USB Flash Memory

PDF files can be printed directly from USB Flash Memory (e.g. a USB stick) via the USB host interface. Documents are selected directly via the printer's control panel. No computer is required.

General

Technology: KYOCERA ECOSYS, Colour Laser

Engine speed: Up to 26 pages A4 per minute in colour and monochrome

Resolution: 600 x 600 dpi multibit for 9,600 x 600 dpi (print), 600 x 600 dpi, 256 greyscales per colour (scan/copy)

Duty cycle: Max. 65,000 pages per month

Recommended monthly printing volume: up to 10,000 pages**

Warm-up time: Approx. 29 seconds or less

Time to first print: Approx. 9/10.5 seconds or less in monochrome / colour

Time to first copy: Approx. 10/12 seconds or less in monochrome / colour

CPU: PowerPC 464 / 667 MHz

Memory: Standard 768 MB, max. 1,792 MB

Integrated accounting: 20 department codes

Dimensions (W x D x H): 514 x 550 x 580 mm

Weight: Approx. 36.5 kg including toner container

Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption:

Printing: FS-C2026MFP – 466 W / FS-C2126MFP – 477 W

Copying: FS-C2026MFP – 470 W / FS-C2126MFP – 479 W

Stand-by: FS-C2026MFP – 79 W / FS-C2126MFP – 79 W

Sleep-mode: FS-C2026MFP – 16 W / FS-C2126MFP – 17 W

Noise level (sound pressure level ISO 7779/ISO 9296):

Copying/Printing: 50 dB(A)

Stand-by: 30 dB(A)

Safety standards: TÜV/GS, CE

This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

Paper handling

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.

Input capacity: Max. 50-sheet multi-purpose tray, 60–220 g/m², A4, A5, A6, B5, letter, legal, folio, envelopes, custom (70 x 138 to 216 x 356 mm),

max. 250-sheet universal paper cassette, 60–163 g/m², A4, A5, A6, B5, letter, legal, folio, custom (105 x 148 to 216 x 356 mm), max. input capacity with options: 1,300 sheets

Duplex unit: Duplex as standard supports 60–163 g/m²

Reversing document processor: 50-sheet, Simplex scan 50–120 g/m², Duplex scan 50–110 g/m², A4, A5, B5, letter, legal, custom (140 x 210 to 216 x 356 mm)

Output capacity: Max. 150 sheets face-down

Print functions

Controller language: PRESCRIBE IIc

Emulations: PCL 6 (5c/XL), KPDL 3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print

Interface: USB 2.0 (Hi-Speed), USB Host 2.0, Fast Ethernet 10/100Base-TX, slot for optional print server, slot for optional CompactFlash®-Card

Operating systems: All current Windows operating systems, MAC OS X Version 10.2 or higher, Unix, Linux as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL 6, KPDL3) + 8 (Windows Vista), 1 bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)

Features: encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3 and Private print (requires memory expansion)

Copy functions

Max. original size: A4/legal

Continuous copying: 1–999

Zoom range: 25–400% in 1% steps

Pre-set magnification ratios: 7 Reductions / 5 Enlargements

Features: Scan-once-copy-many, electronic sort, 2in1, 4in1, ID-card copy, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change, copy density control

Exposure mode: Auto, manual: 7 steps

Image adjustments: Text, Photo, Mix, Map, Printed photo mode

Scan functions

Functionality: Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Network TWAIN, WSD scan

Interface: Fast Ethernet 10/100Base-TX, USB Host 2.0

Scan speed: 35 ipm (300 dpi, A4, monochrome), 25ipm (600 dpi, A4 monochrome, 300 dpi, A4, colour)

Scan resolution: 600, 400, 300, 200 dpi (256 grey scales per colour)

Max. scan size: A4, legal

Original recognition: Text, photo, text + photo, OCR

File types: TIFF, PDF, JPEG, XPS

Compression method: MMR/JPEG

Features: Integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once

Fax functions (FS-C2126MFP only)

Compatibility: ITU-T Super G3

Modem speed: Max. 33.6 kbps

Transmission speed: Less than 3 sec

Scanning speed: 2.5 seconds

One touch dial: 22 numbers

Address book: 100 entries

Interface: Fast Ethernet 10/100Base-TX

Scanning density:

Normal: 8 dot/mm x 3.85 line/mm

Fine: 8 dot/mm x 7.7 line/mm

Superfine: 8 dot/mm x 15.4 line/mm

Ultrafine: 16 dot/mm x 15.4 line/mm

Halftone: 256 grey scales

Maximum original size: A4, legal

Compression method: JBIG, MMR, MR, MH

Memory reception: 256 sheets or more

Features: Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

Options

Paper handling

PF-520 Paper feeder: Max. 500 sheets; 60–163 g/m²; A4, A5, B5, letter, legal, custom (148 x 210 mm – 216 x 356 mm)

PF-530 Paper feeder: Max. 500 sheets; 60–220 g/m²; A4, A5, B5, letter, legal, custom (148 x 210 mm – 216 x 356 mm)

Memory upgrade: MDDR2-256: 256 MB; MDDR2-512: 512 MB, MDDR2-1024: 1,024 MB

CompactFlash®-Card: CF-4 (4 GB) for printing forms, fonts, logos, macro storage

Others

USB Flash Memory: Supports direct printing and scanning of PDF, XPS, TIFF, JPEG files via USB Host interface

UG-33: ThinPrint support

Optional Interfaces:

PS159: Wireless LAN (802.11b/g)

PS1109 Gigabit Ethernet: 10BaseT/100BaseTX/1000BaseT (RJ-45)

PS1129 Fibre Optic: 100BaseSX (SC)

PS1129 Gigabit Fibre Optic: 1000BaseSX (SC)

CB-520 Cabinet: Wooden desk with storage capacity, including castors (wheels)

Consumables

TK-590K Toner-Kit: Microfine toner black for 7,000 pages A4 in accordance with ISO/IEC 19798

TK-590C, TK-590M, TK-590Y Toner-Kits: Microfine toner cyan, magenta, yellow for 5,000 pages A4 each in accordance with ISO/IEC 19798

Capacity of starter toner is black 3,500 pages, cyan, magenta, yellow 2,500 pages in accordance with ISO/IEC 19798

Warranty

2-year warranty as standard. KYOCERA guarantees the drum and developer for 3 years or 200,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions.

KYO LIFE Up to 5-year on-site warranty extensions available for product and options.



Product depicted includes optional extras.

Your KYOCERA Business Partner:

Kyocera Mita (UK) Ltd, 8 Beacontree Plaza, Gillette Way, Reading, RG2 0BS
Tel: 0118 931 1500, Fax: 0118 931 1108
www.kyoceramita.co.uk, info@kyoceramita.co.uk

* KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged. **Based on 36 months' usage.

KYOCERA