

# Lexmark E360 Professional Series

Lexmark E360d

Lexmark E360dn



PRINT



38 PPM



DUPLEX



NETWORK



Bring some power  
to your business!



**LEXMARK**

# Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their turnover on printing, and that active print management can cut office print costs by up to 30%<sup>(1)</sup>, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

<sup>(1)</sup> Source: InfoTrends/CapVentures, "Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service", August, 2008

**Rapid and reliable laser printing is essential for any office, whether it's for an individual desktop user or to be shared in a small-workgroup environment. The Lexmark E360d offers you the added boost in performance and versatility you need, with high-speed printing as fast as 38 pages per minute, plus a flexible range of features and options geared to your unique needs.**



## The little printer with big ambitions!

Looking for significant results without the significant price tag? The Lexmark E360 is the perfect team player for your business, delivering outstanding quality, fast print speeds and reliable, hassle-free operation.

- High-speed printing up to 38 ppm
- First page out as fast as 6.5 seconds thanks to the instant warm-up fuser
- Intuitive 2-line LCD display
- True 1200 x 1200 dpi print quality



## Flexible and versatile

Use the multiple input sources to print on various media types. And choose from an attractive range of options to configure your printer to your specific needs, including versatile paper handling and expanded memory for printing graphics-intensive documents.

- 50-sheet multipurpose feeder
- Optional paper drawers to boost input capacity
- Expandable memory up to 288MB
- Network-ready model for easy workgroup sharing



## A robust and reliable partner

Built for the long haul, the Lexmark E360 takes your workload seriously and provides you with confidence-boosting dependability. Robust and fully reliable, it keeps you running smoothly and maximises your uptime!

- Strong, sturdy design that's built to last
- Smooth, reliable paper feed to stay productive
- Maximum monthly duty cycle of up to 80,000 pages
- Backed by a comprehensive guarantee



## Prints black, thinks green

Printing responsibly means everyone wins – your business, your budget and the environment! The Lexmark E360 is designed with eco-conscious features to help you reduce paper and save energy.

- Paper-saving duplex printing standard
- Eco-Mode reduces power consumption
- Instant warm-up fuser saves energy
- Lexmark Cartridge Return Programme for easy recycling



## Lexmark's guarantee to you

At Lexmark, we are always working hard to ensure you achieve maximum productivity and minimum downtime. Our E360d includes our service guarantee of Three-year On-site repair for an even greater level of peace of mind. For more information on this, and all our other service offerings, just contact your local dealer or visit us today at [www.lexmark.com/services](http://www.lexmark.com/services).

# Lexmark E360 Series

## Accelerated performance for demanding small workgroups

Small in size, BIG on performance!




### Convenient multi-purpose feeder

Print on different paper types, like envelopes, card stock or transparencies, without having to reload the drawer.



### Simplified use

The intuitive 2-line operator panel guides you through printing and maintenance tasks with ease.



### Expandable input

Add an extra input drawer to load a second paper type, or to boost your total input capacity to 850 sheets.



### Extra power

With up to 288MB of memory and a 400 MHz processor, complex print jobs are delivered quickly.



Get exactly the performance you need



### Lexmark E260

Convenient desktop printing for individual users or small workgroups

- Up to 33 ppm print speeds
- Integrated duplex-printing and network models available
- Optional input drawers
- 3.5K toner cartridges available
- Recommended monthly volume: 250 to 2,500 pages

Available models: Lexmark E260, Lexmark E260d, Lexmark E260dn



### Lexmark E360d

Faster, more-versatile printing with duplex printing

- Up to 38 ppm print speeds
- 50-sheet multipurpose feeder
- Intuitive 2-line LCD display
- 3.5K and 9K Lexmark Toner Cartridges available
- Recommended average volume: 740 to 6,000 pages

Available models: Lexmark E360d, Lexmark E360dn




### Lexmark E460dn

Compact yet built for demanding higher volume workgroup printing

- User-friendly 4-line operator panel with numeric pad
- Enhanced security and service features
- Compatible with Lexmark Forms and Bar Code Card Solution
- 3.5K, 9K and 15K Lexmark Toner Cartridges available
- Recommended average volume: 1,500 to 10,000 pages

Available models: Lexmark E460dn, Lexmark E460dw\*  
\* Wireless model not available in all countries

<b>Printing</b>	
<b>Print Technology</b>	Laser, Monochrome
<b>Print Speed (A4 mono): Up to</b>	38 ppm
<b>Time to First Page (Black)</b>	As fast as 6.5 seconds
<b>Print Resolution, Black</b>	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi
<b>Memory, standard</b>	
<b>Memory network model, maximum</b>	32 MB
<b>Noise Level, Operating</b>	288 MB
<b>Noise Level, Idle</b>	53 dBA
<b>Maximum Monthly Duty Cycle: Up to</b>	inaudible dBA
<b>Recommended Monthly Page Volume</b>	80000 pages per month
<b>Supplies</b>	740 - 6000 Pages
<b>Supplies Yield</b>	
(*Average standard page yield value declared in accordance with ISO/IEC 19752)	9,000*-page High Yield Toner Cartridge, 3,500*-page Toner Cartridge
<b>Cartridge(s) Shipping with Product</b>	2,300*-page Starter Return Program Toner Cartridge
<b>Paper Handling</b>	
<b>Paper Handling Standard</b>	150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multipurpose Feeder
<b>Paper Handling Optional</b>	550-Sheet Drawer, Only one drawer may be installed at a time, 250-Sheet Drawer
<b>Paper Input Capacity, Standard</b>	300 pages at 80 gsm bond
<b>Paper Input Capacity, Maximum</b>	850 pages at 80 gsm bond
<b>Paper Output Capacity, Standard</b>	150 pages at 80 gsm bond
<b>Paper Output Capacity, Maximum</b>	150 pages at 80 gsm bond
<b>Media Types Supported</b>	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide
<b>Media Sizes Supported</b>	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, A6 Card, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio
<b>Compatibility</b>	
<b>Printer Languages (Standard)</b>	PCL 5e Emulation, PCL 6 Emulation, PPDS, PostScript 3 Emulation
<b>Standard Ports</b>	Centronics IEEE 1284 Bidirectional Parallel, USB 2.0 Specification Hi-Speed Certified
<b>Microsoft Windows Operating Systems Supported</b>	2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Vista, Vista x64, Server 2008, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services
<b>Apple Macintosh Operating Systems Supported</b>	Mac OS X, Mac OS 9.x
<b>General</b>	
<b>Product Guarantee</b>	3 Year on-site repair, next business day response time
<b>Product Certifications</b>	www.lexmark.co.uk
<b>Size (mm - H x W x D)</b>	260 x 406 x 370 mm
<b>Weight (kg)</b>	13.83 kg
<b>Specified Operating Environment</b>	Temperature: 16 to 32°C (60 to 90°F), Altitude: 0 - 2500 Meters (8,200 Feet), Humidity: 8 to 80% Relative Humidity for Temperatures less than 25.5°C (78°F)



■ Paper Handling Standard

■ Paper Handling Optional

<b>Part #</b>	<b>Model</b>
008049341	Lexmark E360d

<b>Part #</b>	<b>Laser Toner/Print Cartridge</b>
0E360H11E	E360, E460 High Yield Return Program Toner Cartridge
0E260A11E	E260, E360, E460 Return Program Toner Cartridge
0E360H21E	E360, E460 High Yield Toner Cartridge
0E260A21E	E260, E360, E460 Toner Cartridge
0E260X22G	E260, E360, E460 Photoconductor Kit

<b>Part #</b>	<b>Paper &amp; Transparencies</b>
0012A5010	Lexmark Laser Printers - A4 Transparency

<b>Part #</b>	<b>Paper Handling</b>
0034S0550	550-Sheet Drawer
0034S0250	250-Sheet Drawer

<b>Part #</b>	<b>Memory Options</b>
001022298	128MB DDR1-DRAM
001022299	256MB DDR1-DRAM
001021209	64MB Flash Card

<b>Part #</b>	<b>Connectivity</b>
001021231	Parallel (10') Cable
001021294	USB (2 Meter) Cable
0014T0050	Lexmark N4000e for Ethernet 10/100BaseTX
0014T0165	Lexmark N4050e 802.11g Wireless Print Server
0014T0230	MarkNet™ N7000e Fast Ethernet Print Server - USB
0014T0240	MarkNet™ N7002e Fast Ethernet Print Server - Parallel
0014T0220	MarkNet™ N7020e Gigabit Ethernet Print Server

<b>Part #</b>	<b>Extended Warranties</b>
002350236	E360 2-Years Total Return-to-Base, 5-7 Business Days
002350237	E360 3-Years Total Return-to-Base, 5-7 Business Days
002350240	E360 1-Year Return-to-Base Renewal, 5-7 Business Days
002350216	E360 2-Years Total Onsite Service, Next Business Day
002350217	E360 3-Years Total Onsite Service, Next Business Day
002350218	E360 4-Years Total Onsite Service, Next Business Day
002350220	E360 1-Year Renewal Onsite Service, Next Business Day

**In the box**  
Lexmark E360d Laser Printer, Up to 2,300 pages\* Starter Return Program Cartridge, Photoconductor Kit, Software and documentation CD, Setup Guide or sheet (local attachment), Power cord(s), Statement of limited warranty / guarantee, Operator panel language overlay, Safety sheet or booklet, Cartridge Return Program Information

**Other models available**  
E260d: Lexmark E260 + integrated duplex  
E260dn: Lexmark E260d + built-in network



#### Environmental commitment

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programmes please visit [www.lexmark.com/recycle](http://www.lexmark.com/recycle)

#### Cost saving and environmental features

- Energy Star compliant
- Duplex printing, print and hold (verify print), multi-up printing and quality printing on recycled paper help reducing paper consumption
- Selectable toner saving modes help reducing the amount of toner used on a page.
- Return programme cartridges and end-of-life product management help reducing landfill



#### Maximum Monthly Duty Cycle

«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPS.

#### Recommended Monthly Page Volume

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

#### Trademarks

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.