


Cost-effective and compact A3 colour printer



Fast, versatile and environmentally-friendly

The Aficio™GX e7700N is a high-performance, surprisingly compact and extremely versatile A3 colour printer. Based on Ricoh's unique and successful GelSprinter™ technology, it offers quick warm-up in less than 35 seconds, a first B/W print in only 6.5 seconds, and a high print speed of 29 full-colour or B/W prints per minute. All this comes with a low Total Cost of Ownership: ECoNomy Color reduces colour print costs to almost that of B/W prints, while in Energy Saver mode the device consumes less than 2.7 W. The device is network-ready with a standard Network Interface Card, and supports 100BASE-TX as standard.



- Print speeds up to 29 pages per minute.
- Low Total Cost of Ownership due to ECoNomy Color and Energy Saver.
- Tilting LCD operating panel and full front access for easy use.
- NIC and 100BASE-TX as standard.
- GelSprinter™ technology for dynamic colours.

The A3 printer that saves time and money



FAST AND EFFICIENT FOR OPTIMAL PRODUCTIVITY

With its short warm-up time, quick first print and fast speed of 29 full-colour or B/W prints per minute, the Aficio™GX e7700N leads to high office productivity and fast turnaround of print jobs. Save paper by creating double-sided prints thanks to standard duplexing.




LOW TOTAL COST OF OWNERSHIP

The GX e7700N saves costs at every stage of its lifecycle. Its high-yield cartridges last significantly longer than conventional ones – and require fewer user interventions. In ECoNomy Color mode, colour prints cost approximately the same as B/W prints. The already low power consumption of the device is further reduced in Energy Saver mode to less than 2.7 W.



EASY TO OPERATE AND MAINTAIN

The tilting 2-line LCD operating panel is attractive, easy to view and easy to use. Bright, animated menus provide clear user instructions. Full front access to the paper trays and cartridges enhances convenience as the machine can be placed in a small space e.g. on a counter desk. It also speeds up maintenance and replacement procedures.



NETWORK-READY

The standard Network Interface Card simplifies connectivity, while the high-speed USB 2.0 interface enables quick and troublefree local printing. The GX e7700N supports the Fast Ethernet standard 100BASE-TX/10BASE-T for easy networking.



WIDE MEDIA HANDLING

The GX e7700N is much more than just a standard A3 document printer. It handles a wide range of paper sizes, types and weights, including glossy paper and thick paper up to 256 g/m², so it is ideal for printing larger items such as banners and posters. Standard and optional high-capacity trays take up to 600 sheets. These features allow you to print your own professional-quality business documents and marketing collateral quickly and inexpensively from the comfort of your own office.



BENEFIT FROM GEL TECHNOLOGY

GelSprinter™ technology has significant advantages over traditional systems. The GX e7700N runs on Ricoh's latest Liquid Gel™ cartridges. The quick-drying gel guarantees high productivity. In addition, prints are waterproof and UV resistant. GelSprinter™ gives you fast and affordable solutions for your business colour workflow.



ENVIRONMENTALLY-FRIENDLY

At Ricoh we help you lower the environmental impact of your office as well as lower your cost. The Aficio™GX e7700N has eco-friendly and money-saving features such as short warm-up time, ECONomy Color, increased consumable yield, standard duplexing and Energy Saver mode. The main unit is partially made from plant-based recyclable materials, which contribute less to global warming than the petroleum-based counterpart. GelSprinters™ also operate cleanly and quietly, and do not emit dust. In addition, Ricoh products are Energy Star compliant. This means less CO₂ is produced in providing the energy needed to run Ricoh devices.

GENERAL

Print speed:	Full colour: 29 prints per minute B/W: 29 prints per minute Less than 35 seconds
Warm-up time:	Less than 35 seconds
First print speed:	Full colour: Less than 9 seconds B/W: Less than 6.5 seconds
Dimensions (W x D x H):	540 x 552 x 259 mm
Weight:	19.1 kg
Power source:	220 - 240 V, 50 - 60 Hz
Power consumption:	Maximum: Less than 35 W Energy saver mode: Less than 2.7 W
Duty cycle:	Up to 10,000 pages per month

CONTROLLER

Print resolution:	Maximum: 3,600 x 1,200 dpi (equivalent)
Memory:	16 MB
Bundled drivers:	RPCS™ raster

CONNECTIVITY

Network protocol:	TCP/IP
Supported environments:	Windows® XP/Vista/7/Server 2003/Server 2008/Server 2008 R2 Macintosh 10.3-10.6
Interface:	USB 2.0 Ethernet 10 base-T/100 base-TX

PAPER HANDLING

Paper input capacity:	Standard: 1 x 250-sheet paper tray Option: 1 x 250-sheet paper tray 100-sheet bypass tray Maximum: 600 sheets
Paper output capacity:	100 sheets (face up)
Paper size:	Standard tray: A6 - A3 Optional tray: B5 - A3 Bypass tray: A6 - A3
Paper weight:	Standard tray: 60 - 157 g/m ² Optional tray: 60 - 105 g/m ² Multi-bypass tray: 60 - 256 g/m ² Duplex unit: 60 - 163 g/m ²
Media:	Paper trays: Plain paper, inkjet paper, recycled paper, thick paper, glossy paper Multi-bypass tray: Plain paper, inkjet paper, recycled paper, thick paper, glossy paper, envelopes
Duplexing:	Standard

CONSUMABLES

Cartridges:	Black: 4,290 sheets ¹ Cyan: 4,360 sheets ¹ Magenta: 4,090 sheets ¹ Yellow: 4,090 sheets ¹
-------------	--

OPTIONS

250-sheet paper tray
100-sheet bypass tray

¹ Yield measuring method: ISO/IEC 24711.

For availability of models, options and software, please consult your local Ricoh supplier.

RICOH

www.ricoh-europe.com

For more information, please contact

