



A3

Colour Multifunction



ColourXpression

www.samsung.com/uk/printer

MultiXpress CLX-9250ND / CLX-9350ND

A3 COLOUR MULTIFUNCTION DEVICE

CLX-9250ND / CLX-9350ND

A3 COLOUR MULTIFUNCTION DEVICE

35 PAGES PER MINUTE. NETWORKABLE. DUPLEX

The MultiXpress CLX-9250ND / CLX-9350ND extends Samsung's renowned functionality, ease of use and low total cost of ownership to A3 colour printing, copying and scanning. The introduction of this powerful A3 MFD allows customers to standardise on Samsung MFDs throughout their organisation, from the desktop to large departments with complex and varied document management requirements.

With fast print speeds and impressive media handling and finishing, the CLX-9250ND / CLX-9350ND is the ultimate workgroup MFD. Use it to produce large format documents, from complex spreadsheets to A4 colour booklets, or take advantage of the scanner and workflow solutions to transform business processes and productivity.

Easy Integration & Expandability

Modular design and XOA open architecture platform make it easy to add new functionality and integrate office MFDs into enterprise workflows.

User-Friendly Design

Enjoy unrivalled ease of use from the adjustable touch-screen display, customisable user interface and user-replaceable toners.

Maximised Productivity

A print speed of 25ppm or 35ppm, media handling up to oversize A3 (SRA3) and powerful finishing ensure rapid completion of even complex documents.

Powerful, Built-in Security Features

Network and data security features included as standard for true peace of mind, with PIN and password authentication to control MFD use.

Configuration Options

With its modular design, the MultiXpress CLX-9250ND / CLX-9350ND can be expanded to meet a customer's changing needs. At any time, the basic configuration can be enhanced with a fax option, extra paper trays, a standard finisher and even a booklet-maker. Customisation is not limited to hardware. Using Samsung's open development platform (XOA), customers can personalise the user interface or, for maximum versatility, add web-based or embedded document solutions.



Basic *

Main Unit + Stand
Max Input: 1,140 sheets
Max Output: 650



Advanced *

Main Unit + 1,250 Standard Finisher +
Dual Cassette Feeder
Max Input: 2,180 sheets
Max Output: 1,400



Full Featured *

Main Unit + 3,250 Booklet Finisher +
High Capacity Feeder
Max Input: 3,140 sheets
Max Output: 3,400





PURE PERFECTION



Colour Xpression

www.samsung.com/uk/printer

INTUITIVE AND EFFICIENT USABILITY

Sitting at the heart of key business processes from invoice print runs to the scanning of sales orders into electronic workflows, MFD ease of use is paramount.

In designing the MultiXpress CLX-9250ND / CLX-9350ND, Samsung has brought to bear all its experience in business printing and the consumer electronics industry to create an MFD that is supremely simple to use and maintain. From the intuitive user interface to push-in, pull-out toner cartridges, everything is designed to maximise office productivity and minimise machine downtime.

User-Friendly Design

With an attractive touch-screen display, all print, scan, copy and fax options are easy to select, minimising the risk of queues and bottlenecks at MFDs. As well as aiding productivity, the clear lay-out of the control panel makes it easy for users to select cost-saving features, such as power save settings or eco-print mode, at the press of a button. Maintenance is just as easy. The MFD's comfortable drawer handles and easy-to-reach toner cartridges make it more likely that busy workers will replace empty consumables when they run out.

Simple Operation

A colour touch-screen display makes it easy for busy office workers to format even complex copy jobs at the MFD itself. For the ultimate in time-saving simplicity, a Quick Copy menu provides short-cuts to common copy jobs. Another useful time-saver is the Direct Printing Utility, which lets you send a PDF directly to the MFD for output without having to open it first.

Easy Maintenance and Management

Samsung's award-winning software makes it easy for IT managers to install, monitor and manage multiple MFDs on the network via a simple web interface. From the automatic distribution of drivers to job accounting and print controls, Samsung's MFD management software puts you in charge. LED status lights and user replaceable consumables reduce downtime and keep servicing needs to a minimum.

www.samsung.com/uk/printer

EASILY EXPAND AND INTEGRATE

The Samsung MultiXpress CLX-9250ND / CLX-9350ND is a truly versatile MFD for document production and distribution. Whether you need a high speed mono or colour printer with document finishing or a high speed scanner for inserting paper documents into electronic processes, it has the power and flexibility to perform the most demanding tasks. And because it is based on a modular design and open architecture, it can adapt to each customer's unique and evolving needs.

Versatile Product Options

With A3 print, copy and scan functions, the MultiXpress CLX-9250ND / CLX-9350ND is a powerful workgroup MFD 'out of the box'. Users with more demanding or complex requirements can add a fax capability, extra paper trays and a choice of finishing units to meet their specific needs. There is even the option of a work table, giving operators an additional surface on which to prepare copy/scan jobs.

XOA Software (eXtensible Open Architecture)

Further customisation is possible with Samsung's SDK development platform. Based on open standards, XOA allows customers and developers to create embedded or web-based applications that make use of the MFD's capabilities to improve business processes.

Choice	Implement your print solutions your preferred way – embedded or web-based.
OOB Access	Solution partners have the freedom to access 'Out Of Box (OOB)' features, such as print, copy and scan, to either customise or provide completely seamless modification.
Customisable UI	Change the user interface to suit your company's exact needs in terms of function controls, user shortcuts and GUI skin design.
User Extensibility	Reach every user and tailor controls and programmes to suit their bespoke needs.

The implementation of the XOA platform can make integration simple and effective allowing workgroups to achieve a tailored multifunctional print environment.



CLX-9250ND / CLX-9350ND

A3 COLOUR MULTIFUNCTION DEVICE



Adjustable Display

The control panel tilts and moves side-to-side for comfort and ease of use. An 8.9", colour LCD touch-screen provides easy navigation of menus. Designated buttons for power save and eco printing help cut toner, paper and energy use.

SRA3 450 x 320 mm

A3 420 x 297 mm

Flexible Paper Handling

Support for larger paper sizes up to SRA3 and media up to 253gsm in weight lets you produce high impact marketing material in-house, on demand. Sophisticated finishing options include a hole punch, stapler and booklet maker.



Simple Paper Loading

Large handles and adjustable paper guides ensure paper can be replenished quickly. A standard tray holds 1,040 sheets, minimising the need for user intervention and allowing long print runs to be completed without interruption.



Print

Prints A4 and A3 documents in colour and black & white at speeds of up to 35 pages per minute, with a first print out time of just 8.5 seconds for rapid job turnaround.

Copy

Easy walk-up copying, with one-touch access to Copy and Quick Copy menus and a choice of finishing options. Copy in colour or black & white in sizes up to SRA3.



Intuitive 8.9" touch screen

The programmable touch-screen makes operation quick and easy. Pre-programme common copy jobs for no-fuss copying or use Samsung's XOA platform to customise the screen with your own branding and choice of functions, applications or workflows.



User Replaceable Consumables

Quick access to user replaceable toner cartridges keeps servicing to a minimum and maximises machine uptime. LED warning lights and email alerts indicate when the imaging unit is at the end of its life and needs replacing.

Scan

Supports colour scanning to network folders, PCs, e-mail, fax, USB drives and the built-in hard disk with public and private mailboxes. Scan previews prevent errors.

Fax

Sends and receives documents via Super G3 Fax. To prevent confidential material falling into the wrong hands, incoming faxes can be forwarded to recipients electronically.



Ease of Use

All elements are clearly labelled with symbols and icons for ease of use. Features that have not been enabled, such as fax, are greyed out to eliminate confusion. Red and green LED lights give at-a-glance indication of machine status.

KEEPING A SECURE OFFICE ENVIRONMENT

Data security is a big concern for customers. And with the MultiXpress CLX-9250ND / CLX-9350ND it comes built-in at no extra cost. As standard, the MFD's Samsung Security Framework features secure networking – SSL/TLS, SNMPv3, IPSec (Ipv4, Ipv6) and 802.1x (with EAP) – and a Trusted Platform Module (TPM) security chip that prevents unauthorised access to data on MFDs and across the network. All certified to Common Criteria (CC) standard.

Data security can be enhanced further with encryption and HDD Image Overwrite options on the MFDs themselves and end user PIN numbers and passwords to control and monitor use of MFDs. Watermarks, stamps and document tagging provide an additional layer of document security.



The Samsung Security Framework provides built-in features as standard, including:

1. Secure Management: tracks print jobs and allows easy set up and management of different security configurations for all types of users.
2. Secure Document: protects hardcopy documents from possible security breaches.
3. Secure Network: guards against anonymous access to the company network via the MFD. (SSL/TLS, IP Sec, IP v5, etc.)
4. Secure User: only authorised users are granted access to use the MFD functions.
5. Secure Data: applies automatic encryption to protect information from security threats.

BEST IN CLASS: THE BUYERS LABORATORY INC. TEST REPORT

The Samsung MultiXpress CLX-9250ND / CLX-9350ND series has already won a prestigious 2010 BLI Pick Award from independent testing organisation Buyers Laboratory Inc.

Commenting on Samsung's A3 MFDs, BLI Managing Editor Daria Hoffman said: "In testing these impressive models, it was clear to us that Samsung really did its homework regarding what makes a product best in class."

For over 45 years, Buyers Laboratory Inc. (BLI) has been the leading source for unbiased and reliable intelligence for the imaging industry. Today, BLI remains the leading authority and provider of critical intelligence on the imaging industry and continually renews its commitment to provide the highest quality products and services to original equipment manufacturers, dealers and business consumers.

The Samsung MultiXpress CLX-9250ND and MultiXpress CLX-9350ND have each been awarded the 2010 BLI Pick and Highly Recommended Awards for outstanding design quality and performance.



MultiXpress CLX-9250ND



MultiXpress CLX-9350ND

Table of Results

Reliability	Excellent
Multitasking	Excellent
Administrative Utilities	Excellent
Feedback to Workstations	Excellent
Ease of Network Setup	Excellent
Print Drivers	Excellent
Applications Compatibility	Excellent
Scan Functions	Excellent
Ease of Use	Excellent
Security Features	Excellent



Model Code		CLX-9250ND	CLX-9350ND
Overview	Function	Print, Copy, Scan, Fax (Option), Network, Duplex	
Print	Speed (Mono)	25 PPM (A4 / Letter LEF)	35 PPM (A4 / Letter LEF)
	Speed (Colour)	25 PPM (A4 / Letter LEF)	35 PPM (A4 / Letter LEF)
	First Print Out Time (Mono)	12.5 sec	9.5 sec
	First Print Out Time (Colour)	13.5 sec	10.5 sec
	Resolution	Default: Up to 2,400x600 dpi effective output (600x600x2 dpi) / Max: Up to 9,600x600 dpi effective output (600x600x4 dpi)	
	Emulation	PCL5, PCL6 (XL), Postscript3, PDF 1.7+, XPS	
	Duplex	Default	
Copy	Speed (Mono)	25 CPM (A4 / Letter LEF)	35 CPM (A4 / Letter LEF)
	Speed (Colour)	25 CPM (A4 / Letter LEF)	35 CPM (A4 / Letter LEF)
	Resolution	Scan : 600x600dpi Printing: - General Mode: 2,400x600 dpi effective output (600x600x2 dpi) - Photo Mode: 9,600x600 dpi effective output (600x600x4 dpi)	
	First Copy Out Time (Mono)	9.5 sec	7.5 sec
	First Copy Out Time (Colour)	10.5 sec	8.5 sec
	Zoom Rate	25% ~ 400%	
	Multi Copy	9,999	
	Duplex Copy	Default	
	Copy Features	Quick Copy, Proof Copy, ID Card Copy, Poster Copy, N-up Copy, Booklet Copy, Book Copy, Copy Job Build, Covers, Edge Erase, Margin Shift, Transparency (OHP) Interleaving, Job Interrupt etc	
Scan	Scan Speed (B/W)	60 ipm (colour / mono, 300 dpi, A4 / Letter LEF)	
	Scan Speed (Colour)	60 ipm (colour / mono, 300 dpi, A4 / Letter LEF)	
	Scan Size Document	Max A3 or Ledger	
	Compatibility	Network TWAIN	
	Method	Flatbed / DADF	
	Resolution (Optical)	600x600 dpi	
	Resolution (Enhanced)	4,800 x 4,800 dpi (Twain driver only)	
	Scan to	E-mail, USB, FTP, SMB, HDD, WebDAV, PC	
Fax	Compatibility	ITU-T G3, Super G3	
	Modem Speed	33,6 kbps	
	Resolution	Max: 600x600 dpi (B&W) / Max: 200x200 dpi (Colour)	
	Memory	HDD Back up	
	Auto Dial	Support	
	Fax Feature	Speed Dial, Group, Dial, Colour Fax (Send only), On-hook Dial, Auto Redial, Caller ID, Secure Reception, Polling, MailBox, Fax forwarding, Junk Fax Block List, etc.	
Paper Handling	Input Capacity and Types	Standard: 520 (Cassette) x 2 + 100 (MP Tray), Max: 1,140 (Standard) + 2,000 (High Capacity Feeder, option)	
	Output Capacity and Type	Standard: 500 (Center Output Tray), Max: 3,250 (Booklet Finisher, option) + 150 (Right Tray, option)	Standard: 500 (Center Output Tray) + 150 (Right Tray), Max: 3,250 (Booklet Finisher, option) + 150 (Right Tray)
	Media Size	Cassette: 148 x 210 mm ~ 305 x 457 mm / MP Tray: 98 x 148 mm ~ 320 x 457 mm	
	Media Type	Bond, Index, Cover, Colour, Recycled, Pre-printed, Punched, Cotton, Letterhead, Transparency, Envelope, Label	
	ADF Capacity	100 (DADF)	
	ADF Document Size	A3, A4 LEF, A4 SEF, A5 LEF, A5 SEF, B4, B5 LEF, B5 SEF	
	Envelope Capacity	10 Sheets (MP Tray)	
General	LCD	8.9" Colour Touch-Panel LCD, 1024 x 600 (WSVGA)	
	Memory / Storage	1GB (Max: 2GB) / 250 GB (Usable Space: 88GB)	
	OS Compatibility	Windows 2000 / XP / 2003 / Vista / 2008 /, Mac OS X10.5 ~ 10.6, Linux	
	Interface	USB 2.0 Device, USB 2.0 Host, Ethernet 10 / 100 / 1000 BASE TX	
	Noise Level	27dBA (Sleep Mode), 37dBA (Ready), 51dBA (Printing), 54dBA (Copying)	
	Dimension (WxDxH)	677.5 x 763 x 927.8 mm (including DADF)	
	Certification	CCC (ISO15408), IEEE P2600-2008 Compliance, WHQL	
	Network Security	SSL / TLS, IP sec, SNMPv3, IPv6, Protocol & Port Management, IP / MAC filtering	
	Power Consumption	Max 1.5kW (Ready: 250W, Low power: 50W, Sleep: 11W)	

Specifications are subject to change without notification.

Samsung Electronics UK

1000 Hillwood Drive | Chertsey, Surrey | KT16 0PS | United Kingdom

For more information, please visit www.samsung.com/uk/printer

Distributed by



©2011 Samsung Electronics Ltd. Samsung is a registered mark of Samsung Electronics Corp. Ltd. Specification and design is subject to change without notice. Non-metric weights and measurements are approximate. All data is correct at time of creation. Samsung are not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies are hereby recognised and acknowledged.