brother
at your side



Professional all-in-one wireless inkjet printer

PRINT SCAN COPY FAX 5GHz WIRELESS

MFC-J5117DW

Professional all-in-one wireless inkjet printer

Take control of your workflow with the compact A4 inkjet printer.

Improve efficiency with the intuitive colour touchscreen, allowing you to create customisable shortcuts for frequently used tasks. Maintain productivity with super-high yield premium inks and additional paper trays that support flexible, mixed media printing. Protect your business with fast, secure scanning that keeps confidential information safe.

MFC-J5117DW



Key features:

- Durable MAXIDRIVE print head
- Print up to 28 images per minute (ipm)
- 2-Sided scanning up to 30ipm
- Dual-band Wi-Fi® (2.4 and 5GHz), Gigabit ethernet and USB
- 3 x 250 sheet paper tray, 100 sheet multi-purpose tray, 50 sheet automatic document feeder (ADF)
- Compatible with Brother and 3rd party solutions
- Supplied with 5,400 black and 3,900 page colour ink cartridges. 12,000 black and 10,000 page colour ink cartridges available
- Available under a Managed Print Service (MPS) contract

Workflow

Keep your business running smoothly and efficiently with the MFC-J5117DW. Streamline your workflow with one-touch shortcuts, ultra-fast scanning accelerating document processing. With BRAdmin's powerful network-based management tool, you can easily monitor and control your entire Brother fleet.

Solutions

Automate daily tasks and improve business processes and security with print management solutions. We offer a suite of document management, security and workflow solutions that can be added to the MFC-J5117DW to provide additional professional features.

MAXIDRIVE technology

Brother's patented MAXIDRIVE technology precisely delivers ink at high power, enabling faster printing without compromising on quality. Combined with premium pigment inks to ensure vibrant colours and crisp, sharp text, helping your business produce professional results every time.

Hassle-free advanced maintenance

Brother's advanced maintenance automatically keeps your printer in peak condition, preventing issues before they happen and ensuring your printer delivers professional quality without downtime or added costs.

Make printing simple with Brother MPS

Brother MPS supports you to get the best out of your devices. That's why the MFC-J5117DW has been designed with MPS in mind. Whatever your printing needs, we'll be "At your side" to find the solution that simplifies printer admin, saves time, keeps costs down, and helps you stay productive.

Benefits include:

- **No long-term commitments**
- **Ink and toner delivery before you run out**
- **Quick breakdown support**
- **Easy supplies recycling**

Secure by design

Device security

Protect your business with advanced security features that minimise attack surfaces. Benefit from secure user access through LDAPS, Active Directory, and NFC authentication. Tools such as secure function lock help control user privileges. Secure Boot and digitally signed firmware work together to safeguard system integrity.

Network security

Protect your network with industry-standard tools including encrypted communication and secure access via IEEE 802.1X. Centralised management and real-time syslog reporting ensure seamless integration with your security systems.

Document security

Keep sensitive data protected with encrypted transfer for printing and scanning, non-persistent memory that clears after each job, and secure print release to ensure documents only print when you're ready. Integration with Brother solutions interface helps streamline secure workflows.



Supplies

Ink cartridges

LC527
1,300 BK, 900 CMY
LC527XL
3,000 BK, 2,000 CMY
LC528
6,000 BK, 5,000 CMY
LC528XL
12,000 BK, 10,000 CMY

Sustainability

At Brother we're proud to be taking meaningful steps to reduce our environmental impact without compromising on performance. The MFC-J5117DW and all compatible ink cartridges are designed to be remanufactured and the device incorporates 33%[44] recycled plastics, helping to lower CO_2 emissions.

Our award-winning moulded pulp packaging replaces expanded polystyrene (EPS), making it environmentally friendly and easy to recycle whilst still ensuring durability and flexibility for safe product delivery. Find out more: brother.eu/packaging

General

Technology
MAXIDRIVE Piezo inkjet technology has 1,680 channel pressure generating chambers for ink ejection on a single chip with smart print head sensing automatically[37] maintains perfect ink flow for consistently sharp, reliable prints

Memory
512MB

Processor
960 MHz

Machine colour
Body: white
Control panel: grey

Control panel
10.9cm (4.3") colour touchscreen LCD

Local interface[39]
Hi-speed USB 2.0,
USB 2.0 host (front)

Wired network interface
GigE (10Base-T/
100Base-TX/1000Base-T)

Fax interface
Telephone line port
external telephone answering device (TAD) port

Wireless network interface
2.4GHz: IEEE 802.11b/g/n
5GHz[38]: IEEE 802.11a/n
(infrastructure mode),
vertical pairing

Wi-Fi Direct®
Print wirelessly without having to use a wireless access point (both automatic and manual methods supported)

Configurable shortcuts
Add, delete and change up to 64 personalised shortcuts for quick and secure access to device functions

Print[1,2]

Print speed (A4)
Up to 28ipm

Print speed 2-sided (A4)
Up to 22ipm

Resolution
Up to 1,200 x 4,800 dpi
(horizontal x vertical,
dots per inch)

First print out time (FPOT)
4.7 seconds colour and 4.5 seconds mono, from ready mode and standard tray

Recovery time
Less than 1 second from sleep mode

Printer functions

Print head sensor
The print head sensor monitors 1,680 nozzles for alignment and paper feed accuracy, supporting precise user-initiated calibration[43] to maintain sharp, consistent print quality

Direct print
Print directly from the front USB host port using a USB flash memory drive. Supported formats include: PDF 2.0, JPEG, TIFF and Exif DCF (up to Ver 2.1)

Header footer print[15,33]
Print the date, time, login user name, or custom text on your documents

N-up printing[15,33]
Reduce up to 2, 4, 9 or 16 pages into a single page

Poster printing[15,33]
Enlarge 1 A4 page into a poster using 4 or 9 - A4 pages

Watermark printing[15,33]
Watermark your documents with predefined or user-defined text

Secure print[16,33]
Protect print jobs with a four digit release code required at the device in order for them to be printed

Reverse print[16,33]
Printing the pages in the opposite order, starting with the last page and ending with the first

Mirror print
Reverses the horizontal orientation of the page, producing a left to right inverted output relative to the original data

Booklet print[16,33]
A4 duplex documents in A5 booklet format

Borderless print[16,33]
Eliminate margins, print up to the edges of A4 paper. Ideal for photos and full-page graphics

Driverless print compatibility

Windows Modern Print platform ready
Supports seamless, driverless printing via IPP for instant setup on Windows 10 (21H2+) and Windows 11 devices

Mopria™
Print common file types from supported Android mobile devices and Windows computers

Apple AirPrint
Print common file types from any AirPrint enabled application

ChromeOS™
Supports work with Chromebook printing

Our printers support driverless printing across Windows, macOS, iOS, and Android devices for instant, secure, and hassle-free setup.

Paper handling

Paper input[11]
standard tray 1, 2, 3
250 sheets

Multi-purpose tray
100 sheets

ADF
50 sheets

Paper output[11]
150 sheets A4

Media sizes
Tray 1
A4, LTR, EXE, LGL, Folio, A5, A6, Photo (10 x 15cm), Indexcard (13 x 20cm), Photo-L (9 x 13cm), Photo-2L (13 x 18cm), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal
Tray 2, 3
A4, LTR, EXE, LGL, Folio, A5, Mexico Legal, India Legal

Multi-purpose tray
A4, LTR, EXE, LGL, Folio, A5, A6, Photo (10 x 15cm), Indexcard (13 x 20cm), Photo-L (9 x 13cm), Photo-2L (13 x 18cm), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal, Long paper (max length: 1200mm)

ADF
Width: 105 - 215.9mm
Length: 148 - 355.6mm
Long paper length: 900mm

Flatbed (scanner glass)
Width: up to 215.9mm
Length: up to 297mm

2-sided print
LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal

2-sided copy
LGL, Folio, A4, LTR, A5, Mexico Legal, India Legal

Direct Print
Tray 1 | multi-purpose tray
JPEG - A4, Photo (10 x 15cm), Photo-2L (13 x 18cm), Letter
PDF - A4, Letter, A5, A6, Legal, Mexico Legal, India Legal, Folio
Tray 2, 3
PDF - A4, A5, Letter, Legal, Mexico Legal, India Legal, Folio

Media weights
Tray 1
64 - 220gsm
Tray 2, 3
64 - 120gsm
Multi-purpose tray
64 - 220gsm
Auto 2-sided print
64 - 105gsm
ADF
64 - 105gsm

Media types
Tray 1
Plain paper, recycled paper, inkjet paper, glossy paper
Tray 2, 3
Plain paper, recycled paper
Multi-purpose tray
Plain paper, recycled paper, inkjet paper, glossy paper
Auto 2-sided print
Plain paper, recycled paper
ADF
Plain paper, recycled paper
Direct print
JPEG - Plain paper, recycled paper, inkjet paper, glossy paper
PDF - Plain paper, recycled paper

Paper sensors
Left document notification

Copy[4,6]

Copy speed
Up to 24 copies per minute (cpm) mono and 14cpm colour

Copy speed 2-sided
Up to 18cpm mono and 12cpm colour

Resolution
Print up to 1,200 x 4,800dpi
Scan up to 600 x 600dpi
(Flatbed, ADF)
(horizontal x vertical, dots per inch)

Copy media sizes
Width: up to 204mm (A4) 210mm (LTR)

First copy out time
5 seconds mono and 6 seconds colour, from ready mode and standard tray

Copy functions

Multi-copying
Ensures that your copies are organised in the correct order, making it easier to manage large documents. Makes up to 999 copies of each page

Enlargement/ reduction ratio
Reduce or increase document sizes from 25% to 400% in 1% increments

N in 1 copying
Allows the user to compress 2 or 4 pages on to a single A4 sheet

Fit to page
Scales the copied image so that it fits neatly onto the size of the paper

Poster copy
Enlarge a single original document and print it over several pages
(3 x 3, 2 x 2, 1 x 2)

Copy preview
The contents of the copied image can be checked before printing

Copy enhancement
The contents of the copied image can remove background, add watermark, and correct shadows and skew for books before printing

Scan[3]

Scan speed standard
(2-Sided, images per minute)
A4 colour and mono - up to 30ipm

ADF
Up to 600 x 600dpi
(mono, colour)

Flatbed
Up to 1,200 x 2,400dpi (mono), 1,200 x 1,200dpi (colour)

Interpolated scan resolution
Up to 19,200 x 19,200dpi
(horizontal x vertical, dots per inch)

Scanner type
Dual contact image sensor (CIS)

Colour depth
48 bit colour processing (input)
24 bit colour processing (output)

Grey scale
256 levels (8 bit)

Scan media sizes
Flatbed
Width: 213.9mm
Length: 295mm

ADF
Width: up to 213.9mm
Length: up to 353.6mm

Scanner functions

Windows
TWAIN[35] and WIA

Macintosh
AirPrint scanning
macOS 10.13.x or greater

Linux
SANE[35] (32 and 64 bit editions)

ChromeOS™
Supports integrated Chrome OS scanning functionality

Machine file formats
Including colour/grey PDF (PDF/A, multi-page PDF) and JPEG, B&W TIFF and PDF

Standard machine functions[36]
Scan to USB, email, OCR, image and file

Network scanning
Scan to network folder (SMB)[16] , FTP (over SSL supported), SFTP, email server, SharePoint (on premise)[16,36]

Machine scanning features
Auto deskew, background colour removal, blank page removal, auto crop[16]

Direct scan
Scan directly to a USB flash memory storage

Scan preview
The contents of scan to FTP, network, email server, can be checked before sending to destination

Fax

Fax modem
33,600bps (Super G3)

Transmission speed
Approx. 3 sec (ITU-T TestChart Document No.1, standard resolution)

Automatic 2-Sided faxing
Scans and faxes documents up to 208mm wide and 349.6mm length using the ADF

Fax send resolution
Standard colour resolution 203 x 196dpi. Mono up to 203 x 392dpi (horizontal x vertical, dots per inch)

Greyscale
8 bit (256 shades) available for mono faxing 24 bit (8 bit per colour/256 shades) for colour faxing

Fax media print sizes
Width: up to 204mm (A4) 210mm (LTR)

Memory transmission | out of paper reception
Up to 150 pages (ITU-T Test chart, standard resolution)

Compression methods
Ranging from basic to advanced
mono: MH, MR, MMR
colour: JPEG

Fax functions

PC-Fax send[36], receive[16,36]
Send and receive mono faxes directly from your PC or network

Internet fax (I-Fax)
Fax documents over the internet as an email attachment

Distinctive ring detection
An external service for UK and Denmark that allows two or more telephone numbers shared on a single fixed line and use different ring tones

Batch transmission
Stores mono documents in the same location in the machine's memory for transmission in a single call

Auto reduction
When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet

Broadcasting
Send the same fax message up to 100 locations (manual 50 locations). PC-Fax up to 50 locations

Fax forwarding
Sends a mono fax received in memory to another pre-programmed fax number

Remote retrieval
Allows users to remotely access their machine and retrieve stored mono fax messages

Station ID
An ID of up to 20 characters or digits and fax number will be printed as the header of every fax sent

PBX
Enables seamless fax operation in office environments by supporting PBX phone systems

Connectivity

Microsoft universal print
Organisations can manage their Brother print infrastructure through cloud services from Microsoft

Brother mobile connect[36]
A Brother app to print from, copy preview and scan to mobile device running iOS or Android operating system

Brother print service plugin[35]
Print from Android devices without a dedicated app

Brother apps[18]
Infobar, cloud secure print, scan to mobile, searchable PDF, Microsoft PowerPoint, Word, Excel, easy scan to email, and Fax Forward to cloud/email

Web connect[18,19]
Without a PC you can download to print and upload from scan and fax for Box, Microsoft SharePoint Online, Dropbox, Evernote, OneDrive, Google Drive™, OneNote

Email print[18,19]
Enables driverless printing via email

Fleet management tools[35]

BRAdmin[16]
LAN/WAN management software

Embedded web server
Using the IP address or node name of your device access via USB or network via a web browser to the web based print management software embedded onto the device using a randomly encrypted password

Mass deployment tool[16]
Provides a configuration interface to help manage and deploy device settings

Software[35]

Brother iPrint&Scan[15]
Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC using Brother software

Print support app[16]
As an alternative to Windows Modern Print this method enhances compatibility and ease of use by enabling printing without traditional printer drivers, making it a versatile and efficient solution for modern printing needs accessible through the Microsoft Store

Visit support.brother.com for the full list of supported OS and to download the latest software.
All trademarks, brand and product names are property of their respective companies

Legacy print drivers[34]

Print emulations
PCL6, BR-Script3, PDF version 2.0

Embedded fonts (PCL)
73 scalable fonts, 12 bitmap stored in firmware and can be used when printing via the printer command language (PCL) print emulation

Embedded fonts (BR-Script)
66 scalable fonts stored in firmware and can be used when printing via the BR-Script print emulation

Embedded barcodes (PCL)
16 bar codes fonts - Code39, Interleaved 2 of 5, FIM (US-PostNet), Post Net (US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN (UPC-E), Code128 (set A,B,C), EAN128 (set A,B,C), Code93, GS1Databar, MSI

Linux
Printer driver (Linux, CUPS, LPD/LPRng)[42]

Traditional print drivers are available for supported legacy Windows environments. Microsoft now prioritises driverless printing for newer Windows platforms

Network security

Wired network security
APOP, SMTP-AUTH, SSL/TLS (IPP, IPPS, HTTP, HTTPS, SMTP, POP3, IMAP4, FTP, LDAP, LDAPS, TFTP, TFTPS), SNMP v3, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth 2.0 (SMTP, POP3, IMAP4), Kerberos, IPsec

Wireless network security
WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES), APOP, SMTP-AUTH, SSL/TLS (IPP, IPPS, HTTP, HTTPS, SMTP, POP3, IMAP4, FTP, LDAP, LDAPS, TFTP, TFTPS), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth 2.0 (SMTP, POP3, IMAP4), Kerberos, IPsec, Wi-Fi Protected Setup™ (WPS)[45]

IPv4
ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/IPPS, FTP Client and Server, SNMPv1/v2c/v3, TFTP Client and server, POP3/ IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP/ LDAPS, HTTP/HTTPS Server, Syslog

IPv6
NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/ Port9100, IPP/IPPS, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP Client and Server, Web Services (Print/Scan), POP3/ IMAP4/SMTP Client, CIFS Client, SNTP Client, LDAP/LDAPS, ICMPv6, HTTP/HTTPS Server, Syslog

IP filter
Restrict which network users can or cannot access the device over the network

Security features

Email notifications
Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing

Email reports
Receive usage reports on a regular basis via email

Secure boot
All Brother print devices are secure by design. Devices automatically recognise security attacks and take preventative measures, including rebooting where necessary, in order to ensure the device remains secure

Digitally-signed firmware
The firmware for Brother print and scan devices is digitally signed and secure

Active Directory/LDAP authentication
Utilise existing infrastructure to restrict access to Brother devices using AD/LDAP. Staff can easily use their existing network login credentials to authenticate

Storage encryption
Protects data at rest e.g. fax data, address book, user shortcuts, network configuration by encrypting the internal storage

Restrict network protocols
The network access control feature allows an administrator to restrict communication protocols (e.g. port 9100) as required

Physical interface restriction
Secures access by disabling specific physical interfaces directly from the embedded web server (EWS)

Secure function lock 3.0
Use a four digit pin or password to identify and authenticate an individual or groups of users over a network. Allows access control with username for up to 100 users

Cloud secure print[18]
Enables password protected driverless print job release

Firmware updates[18]
In addition to allowing automatic updates to the latest version the printer can be set to not receive older firmware versions to avoid downgrade by an unauthorised user

SysLog
Allows IT admin to access a single application (SIEM tool) to get device status updates for audit purposes over Syslog

Secure key management
Use the default standard self-signed, create a custom self-signed certificate, certificate signing request (CSR), or import certificate and private key for protected network communication

Near-field communication (NFC)

NFC card reader
Supports secure user authentication via NFC card reader for access control, and enables personalised workflows through NFC shortcut configuration. Third-party card reader support requires additional purchase and can be connected to the front USB host and registered via the embedded web server

Integrated support for NFC
include: (ISO14443 Type A) MIFARE Standard/Plus/ Ultralight/Ultralight C/DESfire/ my-d move (ISO15693 Type B) Tag-it

External NFC card reader support
RFIDeas pcProx Enroll - RDR-6081AKU; RDR-6281AKU; RDR-6381AKU; RDR-6E81AKU; RDR-6H81AKU, RFIDeas AIR ID Enroll - RDR-7081AKU; RDR-7581AKU; RDR-7F81AKU Elatec - TWN3 MIFARE; TWN3 MIFARE NFC; TWN3 Multi ISO; TWN4 MIFARE NFC

Address book

Speed dials
100 locations, each entry can store up to two destination numbers

Group dial
A combination of up to six groups can be stored

LDAP
The ability to connect to an external LDAP enabled address book, like Microsoft Exchange

Solutions and upgrades[19]

Compatible with
Order Supplies
Remote Panel
Request Help
ThinPrint Client
SecurePrint Advanced
SecurePrint+
Barcode Print+
Barcode Utility

Developers

Brother Solutions Interface (BSI)
Create powerful cloud and on premise solutions directly integrating the advanced print, scan and security capabilities of Brother devices

For more information visit: www.brother.eu/developers

Supplies and accessories[9]

In-box cartridge
1 x 5,400 pages (BK)
3 x 3,900 pages (CMY)

Standard cartridge
LC527
1 x 1,300 pages (BK)
3 x 900 pages (CMY)

High yield cartridge
LC527XL
1 x 3,000 pages (BK)
3 x 2,000 pages (CMY)

Super-high yield cartridge
LC528
1 x 6,000 pages (BK)
3 x 5,000 pages (CMY)

Ultra-high yield cartridge
LC528XL
1 x 12,000 pages (BK)
3 x 10,000 pages (CMY)

New design simple cartridge with improved recyclability

Carton contents
Machine, inbox cartridges, power supply cord, quick set-up guide, warranty card, (PC interface cable NOT included)

Ink capture box
WI506

Page gauge
On-screen display which monitors the ink cartridges. A single, automatic ink charge at initial setup readies the print head for dependable, high-quality printing

Dimensions and weights

Printer without carton (WxDxH)
435 x 489.5 x 407mm - 20.0kg including ink

Printer with carton (WxDxH)
556 x 581 x 535mm - 25.0kg

Duty cycle[20]

Recommended monthly
Up to 4,000 pages monthly print volume

Environment

Power requirement
AC 220-240 V, 50/60 Hz

Power consumption[13]
Printing: 23.0W
Copying: 33.0W
Ready: 6.0W
Sleep: 0.9W
Networked standby: 1.8W
Power off: 0.03W

Sound pressure[12]
Printing: 53.5 dBA
Copying: 52.5 dBA

Sound power[12]
Printing: 6.88BA (mono), 6.81BA (colour)

Auto power off
Complies with Ecolabel standards: enters low-power mode after 20 minutes (default, adjustable via control panel)

TEC value
0.12 kWh/Week

Operating environment
Humidity: 20 - 80%
Temp: 10° - 35° centigrade
50° - 95° fahrenheit

Computer platforms

Windows
Windows 11 (Home | Pro | Education | Enterprise)
Windows 10 (Home | Pro | Education | Enterprise)
(32 or 64 bit editions)
Windows server
2025, 2022, 2019, 2016

Macintosh[40]
macOS 13 or greater

Linux
Supported package management system[42]:
dpkg, rpm

ChromeOS™
Compatible with Chromebooks, including “Works with Chromebook” certified printing support and integrated Chrome OS scanning functionality

Visit support.brother.com for the full support list. All trademarks, brand and product names are property of their respective companies

Disk space requirements

80MB - Windows drivers only
2GB - Windows 11, 10, applications including drivers
500MB - macOS applications
20MB - Linux drivers only

Visit support.brother.com for the full list of supported OS and to download the latest software.
All trademarks, brand and product names are property of their respective companies

Certification

Blue Angel

Nordic Swan

AirPrint

Wi-Fi certified
Wi-Fi Direct, Wi-Fi Protected Setup, WPA3™ - Enterprise, Personal

Mopria certified
Ensures universal compatibility for driverless printing across Windows, Android, and compatible mobile operating systems

1. Print Speeds based on ISO/IEC 24734. 2. FPOT (First Print Out Time) based on ISO/IEC 17629. 3. Scan Speeds Based on ISO/IEC 17991. 4. ADF Copy Speeds ESAT based on ISO/IEC 24735 6. FCOT (First Copy Out Time) based on ISO/IEC 24735 Annex D. 9. Approx declared ink yield value in accordance with ISO/IEC 24711. 11. Capacity calculated with 80gsm paper. 12. Sound pressure level in accordance with ISO 7779. 13. Power consumption is measured according to IEC 62301 Edition 2.0. 15. Windows & macOS only. 16. Windows only. 18. Requires an Internet connection. 19. Requires additional activation. 20. Duty Cycles can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements. 33. Advanced settings via legacy driver or the Print Support App only. 34. Microsoft is transitioning towards driverless printing as the preferred standard. Legacy driver installations remain supported for customers with existing deployment requirements. 35. Free download from the Brother Solutions Centre http://solutions.brother.com 36. Requires Brother Software. 37. The machine auto-powers on for print head maintenance, then shuts off. 38. May not be available in your region. 39. Third Party USB hubs not supported. 40. On macOS AirPrint only. 41. For WIA, 1200x1200 resolution. Brother Scanner Utility enables to enhance up to 19200 x 19200 dpi. 42. Red Hat Enterprise Linux 8.6 64bit, Red Hat Enterprise Linux 9.1 64bit, Fedora 39 64bit, Mageia 9 32bit, Mageia 9 64bit, openSUSE 15.5 64bit, SUSE Enterprise15-SP4 64bit, Debian 12.2.0 32bit, Debian 12.2.0 64bit, Ubuntu MATE 18.04 32bit, Ubuntu 22.04 64bit, Ubuntu 23.10 64bit, Linux Mint 21.2 64bit, Ubuntu 24.04 64bit. 43. Visit Brother Global Support for more information http://www.youtube.com/@BrotherGlobalSupport 44. Figure based on Brother's internal analysis at the time of publication. 45. Wi-Fi Direct supports WPA2-PSK (AES) only.

Macintosh, macOS and AirPrint are trademarks of Apple Inc., registered in the U.S. and other countries

Working with you for a sustainable future
At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.
www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

CD5046