



For Models QL-500 & QL-550

	Item Number	Label Size (mm)	Label Colour	No. of labels per roll
Standard Address Labels	DK11201	29x90	White	400
Small Address Labels	DK11209	29x62	White	800
Large Address Labels	DK11208	38x90	White	400
Shipping / Name Badge Labels	DK11202	62x100	White	300
File Folder Labels	DK11203	17x87	White	300
Multipurpose / Return Address Labels	DK11204	17x54	White	400
CD/DVD Film Labels	DK11207	58 diameter	White	100
Round Labels	DK11218 DK11219	24 diameter 12 diameter	White White	1000 1200



For Models QL-500 & QL-550

	Item Number	Label Size	Label Colour
Continuous Paper Roll	DK22214	12mm x 30.48m	White
	DK22210	29mm x 30.48m	White
	DK22205	62mm x 30.48m	White
Continuous Removable Paper Roll	DK44205	62mm x 30.48m	White
	DK44605	62mm x 30.48m	Yellow
Continuous Film Roll	DK22211	29mm x 15.24m	White
	DK22212	62mm x 15.24m	White
	DK22606	62mm x 15.24m	Yellow
	DK22113	62mm x 15.24m	Clear

Now with Continuous Length tape you can print labels as big* or as small as you want !**

DIE-CUT

PEEL-OFF

LABELS

and

CONTINUOUS LENGTH TAPE

Die-Cut Labels



Pre-cut set size labels



ROUND LABELS

Continuous Length Tapes

Rolls of tape which can be cut to any custom size



From the makers of *P-touch*

At your side.

brother.

Brother International (Aust) Pty Ltd

Web-site: www.brother.com.au Technical Help Web-site: <http://solutions.brother.com>

NSW/ACT 7 Khartoum Rd. North Ryde NSW 2113 Phone: (02) 9887 4344 Fax: (02) 9870 7234

VIC 1/733 Whitehorse Rd. Mont Albert VIC 3127 Phone: (03) 9899 4844 Fax: (03) 9899 4833

QLD/NT 245 Riverside Drive. West End QLD 4101 Phone: (07) 3255 1211 Fax: (07) 3255 1911

SA/TAS Unit 4, 13 King William Rd. Unley SA 5061 Phone: (08) 8272 1300 Fax: (08) 8272 1199

WA 117 Great Eastern Highway. Belmont WA 6104 Phone: (08) 9478 1955 Fax: (08) 9277 2177

All specifications subject to change without notice

At your side.
brother®

QL-500/550

PC Label Printer

Brother | QL-500/550



Always at your side

Technical Information

Hardware

Housing Dimensions	QL-500 – 146x199x152 / QL-550 – 146x197x152 WDH (mm)
Housing Weight	QL-500 – 1.23kg (without DK roll) / QL-550 – 1.28kg (without DK roll)
Housing Colour	QL-500 – Blue Metallic / QL-550 – Silver Metallic
Cutter	QL-500 – Manual full cutter / QL-550 – Auto full cutter
Power	Internal S/W Power Supply
LED lamp	1 (On/Off, Error)
Included accessories	CD-ROM (Software/Driver/User's Guide), Quick Start Guide, DK Rolls Line-up Guide, Paper Guide, USB cable, DK11201 Standard Address Label (Starter roll, 100 labels), DK22205 62mm Continuous Length Paper Tape (Starter roll, 8m) DK Rolls (DK Die-cut Labels/DK Continuous Length Tape)
Roll Type	Max.Label width 62mm
Roll Width	300 dpi / 720 dots
Print Head	Direct thermal
Print Method	58.0 mm
Max. Print Height	Max. 90 mm / sec. (50 standard address labels/min.)
Print Speed	USB(Ver 1.1)
Interface	

Software

Software Supplied	P-touch Editor Version 4.1
Connection	USB
OS	Windows 98SE / Me / 2000 Professional / XP
Attached Fonts	Atlanta / Belgium / Bermuda Script / Brussels / Brussels Condensed / Connecticut / Germany / Helsinki / Helsinki narrow / Istanbul / Letter Gothic / San Diego / US Roman / Utah / PT Utah Condensed / PT Dingbats 1 / PT Dingbats 2
Available Fonts	All True Type Fonts installed in your computer
Graphic Support	Clip art, Picture making, Symbol fonts, Screen capture, Image file importing
Label Length Setting	25.4mm – 1000 mm
Drawing	Line (Arrow) / Box / Rounded BOX / Ellipse / Curve / Polygon / Frame
Framing	Simple : 12, Thin Frame : 20, Thick Frame : 10, Special : 45
Background	Pattern : 60, Texture : 20
Barcode	Code39 / Interleaved 2 of 5 (ITF) / UPC-A / UPC-E / EAN 13 / EAN 8 / COD ABAR(NW-7) / CODE 128 / EAN 128 / POSTNET / Laser Bar Code / ISBN-2 / ISBN-5 / PDF417 / QR CODE / Data Matrix
Copy Printing	2 – 500 (Max)
Calendar Printing	Yes
Time / Date Printing	Yes
Import Image Files	BMP / ICO / DIB / TIF / JPG / JPEG / WMF / EMF / PNG
Horizontal/Vertical	
Block Alignment	Yes
Mirror Printing	Yes
Vertical Printing	Yes
Numbering	1 - 500 / A - Z / a - z
File link (Database)	Accept Microsoft Access (97, 2000 and 2002), CSV, Excel
Label List	Yes
Auto Format	25 categories
Table Inserting	Yes
Screen Capture	Yes
Add-in function	MS Word and Excel (97, 2000, 2002, 2003) MS Outlook (2000, 2002, 2003)

System Requirements

Computer	PC Compatible
Operating System	Windows 98SE / ME / 2000 Pro / XP (Pre-Installed)
CPU	Intel Pentium 266MHz or higher (700MHz or higher recommended)
Memory (RAM)	Win 98SE, Me: 64MB or more required
Hard Disk Free Space	70MB or more
Interface	USB 1.1 or later specification
Other	CD-ROM drive for installation
Monitor	SVGA, high colour or higher graphics card

Wider Labels
Now you can make labels up to 62mm wide

Print Die-Cut labels and Continuous Length Tape
Have the choice of printing on a set size label or choose your own length

Built in cutter
QL-550 has a fully Automatic built in cutter, while the QL-500 has a manual built-in cutter

Introducing the new QL-500 (blue) and QL-550 (black) Brother. The faster, easier and cheaper way to print labels.

Die-Cut and Continuous Length Labels

Totally unique in the labelling world, the QL-550 (with automatic cutter) and QL-500 (with manual cutter) print die-cut labels as Continuous Length labels, printed straight to a PC. Now you can print mailing labels, CD labels, file folders, as well as durable Continuous Length labels. You can make banners and signs for whatever size, however big or small!

Print one or hundreds of labels!

There is no wastage of labels (unlike sheets of labels) because you can print as many as you need.



High Resolution Printing
300dpi printing for high quality razor-sharp labels, perfect for name badges & barcodes

Built-in Power Supply Adaptor is built-in so there is no separate heavy adaptor sitting on your desk.

High Speed Print
Prints 50 labels/min*- the fastest label printer available in its class.

Thermal Printing
Does not use any toner, ink or ribbon.

QL-550 (silver) PC Label Printers from Brother The easy way to print labels.

Continuous

market, the new QL-550 (silver) and QL-500 (black) can print full-width cut labels as well as standard labels by connecting to your PC. You can create instant name badges, folder labels as well as length labels to suit whatever task, whatever task,

Addresses

(as you would expect) because you only

P-touch Editor 4.1 software

Adding barcodes, logos or photos to your labels is a simple step with the software provided.

Rapid Speed Printing

With the fastest print speed available in its class, printing a fast 50 labels per minute*, you can finish your job in no time.

Automatic Media Detection

With this smart feature, the QL-500 and QL-550 detects which size DK roll is installed in the unit and automatically resizes the label on screen to match!

*Printing on standard address labels.

Two Easy Ways to Make Labels

1 Instant Mailing Labels with the Add-in Utility

Printing labels is as easy as 3 simple steps.

1. Highlight area to be printed.
2. Click the P-touch icon on the Word®, Excel® or Outlook® toolbar.
3. Press print! The preview window is WYSIWIG, so will show you exactly what the label will look like when printed.



2 Use the P-Touch Editor software

Or get creative and design your own labels with our label design software. You can add photos, images, barcodes, logos and graphics to customise your labels.



Print labels as big or as small as you want

With the one roll of Continuous Length Tape, you can make mailing labels, shipping labels as well as banners and signs. Now that's versatility.



Mailing label

Shipping label

Indoor sign

Database Connection

You can easily and instantly create mailing labels by using existing data from your database (mdb, csv and xls formats) by adding the required fields onto the label layout in the QL software and pressing print.

Built-in Templates

There are over 100 Label Templates available to use directly or to customise to your needs.

So versatile, it's ideal for:

- Office Administration
- Asset Management
- Medical/Hospital
- Media
- Retail
- Indoor Signage
- Hospitality