

HL-L8250CDN

High Speed Colour Laser Printer



Top Features:

Fast Colour Printing

• Help increase office productivity with colour and mono print speeds up to 28ppm

Money & Paper Saving Features

 Print to both sides of a piece of paper, create professional looking booklets or merge multiple pages into one sheet

Built-in Networking

• Share with your workgroup via its built-in Ethernet network interface

High-Yield Replacement Cartridges

• Help lower your operating costs with optional high-yield replacement cartridges

High-Quality Output

• Print professional colour documents with output up to 2,400 x 600dpi resolution

Mobile Printing

• Support for Brother iPrint&Scan, Google Cloud Print®6, and Apple AirPrint





















All trademarks and registered trademarks referenced herein are the property of their respective companies. Windows, Windows Vista, and the Windows logo are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Mac and the Mac logo are trademarks of Apple Inc., registered in the U.S. and other countries.

Colour Laser Printer Range Datasheet HL-L8250CDN, HL-L8350CDW & HL-L9200CDWT



General	
Technology	Electrophotographic Laser Printer
Laser Classification	Class 1 laser product (IEC 60825-1:2007)
Processor	StarSaphire (SS1000) 400MHz
Automatic 2-Sided Printing	Print on both sides of the paper automatically
Print Speed	Up to 28ppm (pages per minute) colour & mono
Standard (A4)	op to zoppin (pages per minute) colour & mono
Print Speed	Up to 14 sides per minute (7 sheets per minute)
2-Sided (A4)	colour & mono
Resolution	2,400dpi (2,400 x 600dpi) & 600 x 600dpi
Quiet Made	A mode to reduce the printing noise by reducing
Quiet Mode	the print speed
Memory	128MB
Optional Memory	Expandable up to 384MB by adding 1 x 256MB
<u> </u>	DDR2 - 144pin
Local Interface	Hi-Speed USB 2.0 & USB Host
Wired Network Interface	Ethernet 10Base-T/100Base-TX
Control Panel	LCD: 2 line, 16 character backlit display
	Buttons: Go, Cancel, Secure, OK, Back, +, -
FPOT (First Print Out Time)	Less than 15 seconds colour & mono from ready
	mode
Warm-Up Time	Less than 29 seconds from sleep mode
Print Languages	PCL6, BR-Script3 (PostScript®3™ Language
Fresh added Forsts (DCI)	Emulation), Direct Print: PDF 1.7, XPS
Embedded Fonts (PCL)	66 scalable fonts, 12 bitmap fonts, 13 barcodes
Embedded Fonts (Postscript)	66 scalable fonts
Embedded Barcodes (PCL)	Code39, Interleaved 2 of 5, FIM(US-PostNet),
	Post Net(US-PostNet), EAN-8, EAN-13, UPC-A,
	UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E),
	Code128(set A, set B, set C), EAN128(set A, set B,
	set C)

D .		— 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.
Pri	nter	Functions

N-up Printing ³	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)
Poster Printing ⁴	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages
Watermark Printing ⁴	Watermark your documents with predefined text or with your own user-defined messages
ID Printing ⁴	Add identification to your printed documents (date & time, short custom message or PC username)
Automatic 2-Sided Print	Print on to both sides of the paper automatically
Manual 2-Sided Print ⁴	Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)
Booklet Printing ⁴	Print documents in A5 booklet format using automatic or manual 2-sided print
Skip Blank Page⁴	Ignores any blank pages in your documents
Print Profiles ³	Store your favourite driver settings as profiles to easily recall them
Print Text In Black ⁴	Converts all text in your documents to black when printed
Print Archive ⁴	Save a PDF copy of every file printed for archiving purposes

Printer Driver	
Windows®	Windows 8® (32 & 64 bit editions)
	Windows 7® (32 & 64 bit editions)
	Windows Vista® (32 & 64 bit editions)
	Windows® XP Professional (32 & 64 bit editions)
willdows -	Windows® XP Home Edition
	Windows® Server 2012 & 2008R2
	Windows® Server 2008 (32 & 64 bit editions)
	Windows® Server 2003 (32 & 64 bit editions)
Macintosh ⁵	Mac OS X 10.7.5, 10.8.x, 10.9.x
Linux ⁵	CUPS, LPD/LPRng (x86/x64 environment)
DoctCorint Universal	Driver for Windows® that enables you to print to
PostScript Universal	any network or locally-connected Brother laser
Printer Driver	printer that supports PostScript
	Driver for Mac that enables you to print to any

supports PostScript

network-connected Brother laser printer that

Mobile / Web Based Printing

Mac Universal Driver

	· 0
iPrint&Scan	Print directly from a smart phone or tablet
(Android)	running the Android Operating System
iPrint&Scan	Print directly from an iPad / iPhone / iPod Touch
(iPad / iPhone / iPod)	•
iPrint&Scan	Print directly from a smart phone running the
(Windows® Phone)	Windows® Phone Operating System
Print&Scan	Print directly from a Windows® 8 or Windows RT
(Windows® 8 & RT)	Tablet
Google Cloud Print ⁶	Print most common file types from any Google
	Cloud Print enabled application
Apple AirPrint	Print most common file types from any Apple
	AirPrint enabled application

Paper Handling

Paper Input ²	Standard Tray – 250 sheets Optional Tray – 500 sheets Multi Purpose Tray – 50 sheets
Paper Output ²	Face Down - 150 sheets Face Up (Straight Paper Path) - 1 sheet

Media Specification

Media Types & Weights	Standard / Optional Tray – plain & recycled paper (between 60 - 105g/m²)
	Multi Purpose Tray - plain, recycled, bond &
	glossy paper (between 60 - 163g/m²)
	Yes, from the Multi Purpose Tray: Accuracy &
Envelope & Label Printing	reliability will depend on the quality & type of
-	envelopes or labels used
	Standard Tray - A4, Letter, B5(JIS), A5, A5(Long
	Edge), A6, Executive, Legal, Folio (A4 only
	supported in automatic 2-sided print mode)
Media Sizes	Optional Tray - A4, Letter, B5(JIS), A5, Executive,
iviedia sizes	Legal (A4 only supported in automatic 2-sided
	print mode)
	Manual Feed Slot - Width: 76.2mm to 215.9mm x
	Length: 127mm to 355.6mm

 $^{^{1}}$ Approx declared yield value in accordance with ISO/IEC19798

²Calculated with 80g/m² paper ³Windows® & Mac® only

⁴Windows® only

⁵Optional free download from the Brother Solutions Centre http://solutions.brother.com

⁶Must be web connected

⁷Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

Colour Laser Printer Range Datasheet HL-L8250CDN, HL-L8350CDW & HL-L9200CDWT



Network & Security

Wired Network	Built in Ethernet 10Base-T/100Base-TX
Network Protocols	TCP/IP (IPv4 and IPv6)
IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/ v3, ICMP, Web Services (Print), CIFS client, SNTP client
IPv6 (off by default)	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTP Client
Wired Network Security	SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP), SNMP v3, Kerberos (for network printing), IPSec
Enterprise Wired Network Security	802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TLS)
Print Log To Network ⁴	Records printing activities from each individual user, including network username, name of document printed and number of pages, to a file on a network
E-mail Notifications	Automatically have the device send an E-mail to a nominated E-mail address when it requires attention
E-mail Reports	Receive usage reports on a regular basis via E-mail
IPv4 Restrict	Restrict which network users can or cannot access the device over the network
Secure Function Lock 3.0	Restrict printing activity to individual or groups of users over a network. Can be used with PC User Login Name for up to 100 users
Secure Print ³	Protect print jobs with a 4 digit PIN that has to be entered at the control panel of the printer before printing
Setting Lock	Restrict access to the control panel by securing it with a 4 digit PIN

Fleet Management Tools

Embedded Web Server	Web based print management software embedded onto the device
BRAdmin Professional 3 ^{4&5}	LAN/WAN management software
Driver Deployment Wizard ⁴	Easily create print drivers for hassle free deployment over your network
Unattended Installer ⁴	Ability to centrally deploy and customise our drivers and software
b-guard (additional purchase)	Professional print fleet management software sold exclusively by Brother

USB Host

Optional NFC Support	Connect optional supported USB NFC card readers for use with b-guard
Direct Print	TIFF (scanned by Brother model), XPS version 1.0
	Supported file formats: PDF version1.7, JPEG, Exif+JPEG, PRN (created by own printer driver),

Supplies

Inbox Toners	Black Toner – 2,500 pages ¹
	Cyan, Magenta & Yellow Toners - 1,500 pages ¹
Standard Yield Toners	Black Toner (TN-321BK) 2,500 pages ¹
	Cyan Toner (TN-321C) 1,500 pages ¹
Standard Held Tollers	Magenta Toner (TN-321M) 1,500 pages ¹
	Yellow Toner (TN-321Y) 1,500 pages ¹
	Black Toner (TN-326BK) 4,000 pages ¹
High World Tangua	Cyan Toner (TN-326C) 3,500 pages ¹
High Yield Toners	Magenta Toner (TN-326M) 3,500 pages ¹
	Yellow Toner (TN-326Y) 3,500 pages ¹
	Drum (DR-321CL) 25,000 A4 pages
	Belt (BU-320CL) Up to 50,000 pages
Other Supplies	Waste Toner Box (WT-320CL) Up to 50,000 pages
	Optional 500 sheet Lower Paper Tray (LT-320CL)
	Optional 300 sileet Lower Faper Tray (LT-320CL)
	Toner Cartridges, Drum, Belt, Waste Toner Box,
	Power Supply Cord, Driver Software For
Carton Contents	Windows®, Quick Set-Up Guide, PC Interface
	Cable NOT Included

The frequency of replacement consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, and the type of media. For example glossy coated paper will result in a shortened life of such supplies.

Dimensions & Weight

With Carton (WxDxH)	600 x 524 x 513mm 25.5kg
Without Carton (WxDxH)	410 x 486 x 313mm 21.9kg

Duty Cycles

Recommended Monthly	500 – 3,000 pages monthly print volume
Maximum Monthly ⁷	Up to 40,000 pages monthly print volume

Environment

Power Consumption	Printing - 520W, ready - 65W, sleep – 7.5W, deep
	sleep – 0.9W, power down - 0.04W
TEC Value	2kWh / Week
Sound Pressure Level	Printing – 53.5dbA, quiet mode printing –
	51.1dbA, ready – 27.9dbA
Sound Power Level	Printing – 6.75BA, quiet mode printing – 6.35,
	ready – 4.06BA
Power Saving	This enables the printer to consume less energy
	when not in use
Toner Saving	This reduces the toner usage and helps to reduce
	the total cost of printer ownership
Energy Star	Yes
Blue Angel	Yes
Nordic Swan	Yes



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com



This model is based on the HL-L8250CDN plus the additional specification below

HL-L8350CDW

Professional High Speed Colour Laser Printer



Built-in Wired & Wireless Networking

• Share with your workgroup via its built-in Ethernet or wireless 802.11b/g/n network interfaces

Super High-Yield Replacement Toners

• Help lower your operating costs with optional Super high-yield replacement cartridges

General

Wireless Network	IEEE 802.11b/g/n	
Interface	1EEE 802.110/g/11	

Network & Security

Wireless Network	IEEE 802.11b/g/n (Infrastructure Mode / Adhoc Mode)
Wi-Fi Direct [™]	Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)
Wireless Setup Support	Wi-Fi Protected Setup (WPS) & AirStation One- Touch Secure System (AOSS)
Wireless Applications	Intel® My Wi-Fi Technology & Vertical Pairing
Standard Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP), SNMP v3, Kerberos (for network printing), IPSec
Enterprise Wireless Network Security	802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TLS),

Duty Cycles

, ,	
Recommended Monthly	750 – 4,000 pages monthly print volume
Maximum Monthly ⁷	Up to 60,000 pages monthly print volume

Supplies

narc	k Toner – 2,500 pages ¹ n, Magenta & Yellow Toners - 1,500 pages ¹
I Yield Toners Cya	k Toner (TN-321BK) 2,500 pages ¹ n Toner (TN-321C) 1,500 pages ¹ genta Toner (TN-321M) 1,500 pages ¹ ow Toner (TN-321Y) 1,500 pages ¹
d Toners Cya	k Toner (TN-326BK) 4,000 pages ¹ n Toner (TN-326C) 3,500 pages ¹ genta Toner (TN-326M) 3,500 pages ¹ ow Toner (TN-326Y) 3,500 pages ¹
gh Yield Toners Cya	k Toner (TN-329BK) 6,000 pages ¹ n Toner (TN-329C) 6,000 pages ¹ genta Toner (TN-329M) 6,000 pages ¹ ow Toner (TN-329Y) 6,000 pages ¹
gn vield roners Ma	genta Toner (TN-329M) 6,000 pages ¹

Environment

Power Consumption	Printing - 540W, ready - 65W, sleep – 7.5W, deep
	sleep – 0.9W, power down - 0.04W
TEC Value	2.1kWh / Week
Sound Pressure Level	Printing – 53.5dbA, quiet mode printing –
	50.6dbA, ready – 27.9dbA
Sound Power Level	Printing – 6.78BA, quiet mode printing – 6.35,
	ready – 4.06BA



This model is based on the HL-L8350CDW plus the additional specification below

HL-L9200CDWT

Professional High Volume Colour Workgroup Printer



Super High Yield Toners

• Low cost exclusive super high yield toner cartridges included inbox and available as a replacement

Additional Lower Tray

 Additional 500 sheet paper capacity for high volume printing

General

Control Panel

LCD: 4.5cm Colour Touchscreen
Buttons: Cancel, Back, Home, ↑, ↓

Mobile / Web Based Printing

Cloud Support⁶ Print directly from Box, DropBox, Google Drive™ & OneDrive®

Brother Apps

Creative Center Download and print Creative Center content

Solutions

BSI (Brother SolutionsInterface)

Allows the use of 3rd party solutions & apps, such as b-guard, to increase security & productivity

Duty Cycles

Recommended Monthly 1,000 – 5,000 pages monthly print volume

Maximum Monthly⁸ Up to 75,000 pages monthly print volume

Dimensions & Weight

 With Carton (WxDxH)
 810 x 597 x 887mm 39.5kg

 Without Carton (WxDxH)
 410 x 495 x 445mm 28.3kg

Environment

 Power Consumption
 Printing - 520W, ready - 65W, sleep - 8W, deep sleep - 1.1W, power down - 0.04W

 Sound Pressure Level
 Printing - 55.1dbA, quiet mode printing - 50.8dbA, ready - 27.3dbA

 Sound Power Level
 Printing - 6.78BA, quiet mode printing - 6.41, ready - 4.06BA

Network & Security

Active Directory Restrict printing activity using Active Directory Authentication

Paper Handling

Paper Input² Standard Tray – 250 sheets Lower Tray – 500 sheets

Supplies

Inbox Toners

Black Toner – 6,000 pages¹
Cyan, Magenta & Yellow Toners – 6,000 pages¹

Black Toner (TN-900BK) 6,000 pages¹
Cyan Toner (TN-900C) 6,000 pages¹
Magenta Toner (TN-900M) 6,000 pages¹
Yellow Toner (TN-900Y) 6,000 pages¹

The frequency of replacement consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, and the type of media. For example glossy coated paper will result in a shortened life of such supplies.



Orounside at your side