



# MFC-L2710DN Compact 4-in-1 mono laser printer



Built with reliability in mind, the MFC-L2710DN, is a printer of choice for many busy home and small offices. This multifunction device, offers print, copy, scan and fax, in a compact, desktop friendly unit. Combined with high speed and low noise printing - you can be setup and running in minutes.



# Key features:

- Fast print speeds of up to 30 pages per minute
- Automatic 2-sided print
- 250 sheet paper input
- 50 sheet Auto Document Feeder
- Wired connectivity
- Up to 700 Page\* in-box toner
- 64MB memory

# Performance designed for businesses of tomorrow

Designed to be set-up and ready to be used in minutes. The MFC-L2710DN provides fast print speeds of up to 30 pages per minute, and a 50 sheet automatic document feeder, enabling you to copy and scan multi-page documents. Together, with the option of scanning and saving directly to SharePoint and other destinations.

# Maximum value for money

The feature rich, MFC-L2710DN, is easily networked into your busy home or small office. With built-in automatic 2-sided printing, large paper tray and a choice of toners, you can spend more time focusing on what matters to you.

## **Quiet without compromise**

Print quietly without comprising on speed or quality, operating at the lowest decibel in class (under 50dB). You can now focus on the work you need to, without interruption.

## Designed to go the distance

Built to perform for longer. The MFC-L2710DN, has been designed with you in mind. Made from robust and hardwearing materials and supported by outstanding service as standard, providing the peace of mind that your printer will keep on going.



General

**Technology** Electrophotographi c Laser Printer

Laser Classification Class 1 Laser Product (IEC60825-1:2014) **Processor** 600MHz

Memory 64MB

Wired Network Interface 10Base-T/100Base-TX **Control Panel** 2 Line, 16 character LCD Display

Local Interface Hi-Speed USB 2.0

**Print** 

Print Speed Standard (A4) Up to 30ppm (pages per minute)

Print Speed 2-Sided (A4) Up to 15 sides per minute (7.5 sheets per minute)

Resolution Up to 1,200 x 1,200dpi Automatic 2-Sided Printing Print on to both sides of the paper

**FPOT (First Print Out Time)** Less than 8.5 seconds from ready mode

Warm Up Time Less than 9 seconds from sleep mode

Print Languages GDI

#### **Printer Functions**

**N-up Printing**<sup>3</sup> Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)

Watermark Printing<sup>4</sup> Watermark your documents with predefined text or with your own user-defined messages Booklet Printing<sup>4</sup> Print documents in A5 booklet format using automatic or manual 2-sided print

#### **Printer Driver**

Windows®10 (32 & 64 bit editions) Windows®8 (32 & 64 bit editions) Windows®7 (32 & 64 bit editions) Windows®Server 2016 (32 & 64 bit editions)\* Windows®Server 2012, 2012R2 & 2008R2\* Windows®Server 2008 (32 & 64 bit editions)\*

**Windows**<sup>®</sup>

Macintosh⁵ macOS 10.8.x or

greater Linux<sup>5</sup> CUPS, LPD/LPRng (32 & 64 bit editions)

 $^{\ast}$  Windows® Server supports network printing only

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows® & Mac® only.

4 Windows®only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Standard Paper Handling	Paper Input <sup>2</sup> Standard Tray - 250 sheets Manual feed slot - 1 sheet	Automatic Document Feeder (ADF) – 50 Sheets	Paper Output <sup>2</sup> Face Down - 120 sheets Face Up (Straight Paper Path) - 1 sheet
Media Specification	Media Types & Weights Standard Plain & recycled paper (between 60 - 163g/m <sup>2</sup> ) Manual feed slot Plain, Recycled, Bond, Label, Envelope, (between 60 - 230g/m <sup>2</sup> ) 2-sided Print Plain & recycled paper (between 60 - 105g/m <sup>2</sup> )	<b>Envelope &amp; Label Printing</b> Yes, from the Manual feel slot: support for 1 envelope / sheet	Media Sizes Standard Tray A4, Letter, A5, A5 (Long Edge), A6, Executive Manual feed slot Width: 76.2mm to 215.9mm x Length: 127mm to 355.6mm 2-sided Print A4
Mobile / Web Based Printing & Scanning	Brother iPrint&Scan (Android/ iPad / iPhone / iPod/ Windows® Phone/ 8,10 & RT) Print from, scan to, preview copie and check the machine status fro a mobile/ tablet/ laptop device Google Cloud Print 2.0 Print most common file types from any Google Cloud Print enabled application	Brother Drint Service Dillain	

Сору

Speed - (A4) Up to 30cpm (copies per minute)

FCOT (First Copy Time Out) Less than 10 seconds from ready mode

Resolution Up to 600 x 600dpi

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows® & Mac® only. 4 Windows®only.

5 Optional download.6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of

their respective companies.

Scan

Scanner Type CIS (Contact Image Sensor)

Colour & Mono Scanning Yes

Scan Speed Mono 23.6ipm (images per minute)

Scan Speed Colour 7.5ipm (images per minute)

Scan Resolution from ADF Up to 600 x 600dpi

Scan Resolution from Scanner Glass Up to 1,200 x 1,200dpi Interpolated Scan Resolution Up to 19,200 x 19,200dpi

Standard Functions<sup>7</sup> Scan to E-mail, OCR, Image & File Scan Features Remove Background, Skip Blank Page<sup>4</sup>, ID Scan<sup>4</sup>,

1 to 2 Scan4, Split PDF

Scan to SharePoint<sup>4&7</sup> Scan documents directly into SharePoint

Windows<sup>®</sup>Web Services Scanning

Scan direct into Windows® (from Windows®7 & onwards) without needing to install a scanner driver

#### **Scanner Driver**

Windows® TWAIN & WIA Windows®10 (32 & 64 bit editions) Windows®8.1 (32 & 64 bit editions) Windows®8 (32 & 64 bit editions) Macintosh<sup>5</sup> TWAIN & AirPrint macOS 10.8.x or greater

Linux<sup>5</sup> SANE(32 & 64 bit editions)

Fleet Management Tools BRAdmin Light<sup>485</sup> LAN/WAN management software Embedded Web Server Web based print management software embedded onto the device

**Driver Deployment Wizard**<sup>4</sup> Easily create print drivers for hassle free deployment over your network

PrintSmart Solutions (optional)

PrintSmart Cost Control Monitor and control printing costs for all Brother and 3rd party devices

For more information on PrintSmart Solutions visit:

#### **Address Book**

Speed Dials 200 locations for E-mail addresses and fax numbers

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows® & Mac® only.

4 Windows®only.

5 Optional download. 6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Network and Security	Wired Network Built in Ethernet 10Base- T/100Base-TX Network Protocols TCP/IP (IPv4 and IPv6) Wired Network Security SMTP-AUTH, SNMP v3,SSL/ TLS(SMTP,HTTP,IPP)	IPv4 ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print), SNTP Client IPv6 NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print)	<ul> <li>E-mail Notifications</li> <li>Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing</li> <li>E-mail Reports</li> <li>Receive usage reports on a regular basis via e-mail</li> <li>IP Filter</li> <li>Restrict which network users can or cannot access the device over the network (IPv4 only)</li> <li>Setting Lock</li> <li>Secures access to the devices control panel by locking it</li> </ul>
Supplies	Inbox Toner 700 pages <sup>1</sup> Standard Yield Toner 1,200 pages <sup>1</sup> (TN-2410) High Yield Toner 3,000 pages <sup>1</sup> (TN-2420)	Drum (DR-2400) Approx 12,000 pages Carton Contents Toner cartridge, drum, power supply cord, driver software for Windows®, Quick Set-Up Guide (PC interface cable NOT included)	The frequency of replacement consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, and the type of media.
Dimensions and Weights	<b>With Carton (WxDxH)</b> 410 x 398.5 x 318.5 mm - 11.8kg	Without Carton (WxDxH) 580 x 517 x 434 mm - 14.7kg	
Duty Cycles	<b>Recommended Monthly</b> Up to 2,000 pages monthly print volume	<b>Maximum Monthly</b> <sup>6</sup> Up to 15,000 pages monthly print volume	

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows® & Mac® only.

Windows<sup>a</sup> a mac-onity.
Windows<sup>a</sup> only.
S Optional download.
Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time

of printing and are subject to

**Power Consumption** Printing - 440W (260W in quiet mode), Ready - 42W

Ready - 42W, Sleep - 6.2W, Deep sleep -0.6W, Off - 0.03W

TEC Value 1.232kWh / Week

Sound Pressure Level Printin g 48dbA, Quiet mode printing 44dbA, Ready

#### **Power Saving**

This enables the printer to consume less energy when not in use

#### **Toner Saving**

This reduces the toner usage and helps to reduce the total cost of printer ownership **Energy Star** Yes

**Eco Mode** Yes

#### Fax

Fax Modem 33,600bps (Super G3)

Up to 30dbA

PC Fax Send<sup>983</sup> Send faxes directly from your PC

PC Fax Receive<sup>984</sup> Receive faxes directly to your PC

**Fax Forwarding** Sends a fax received in memory to another pre-programmed fax number

1 Approx declared yield value in accordance with ISO/IEC 19752.

- 2 Calculated with 80g/m<sup>2</sup> paper.
- 3 Windows® & Mac® only.
- 4 Windows®only.
- 5 Optional download. 6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.
- For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks of trademarks of their respective companies.

All specifications correct at the time