



Wireless shipping and barcode label printer

QL-1110NWBc







LABELS







brother.co.uk/QL1110NWBc

Wireless shipping and barcode label printer

The Brother QL-1110NWBc is a high-speed, wide format label printer engineered with Bluetooth, wired and wireless interfaces. Print shipping labels up to 4" wide using your PC, Mac, smartphone or tablet.

QL-1110NWBc



Key Features:

- Print labels up to 103.6mm wide from PC, Mac, smartphone or tablet
- USB, Ethernet, Wi-Fi and Bluetooth connectivity with support for MFi and AirPrint
- Supports printing of FBA (Fulfilled by Amazon) labels through crop print function
- Built-in cutter to create your own length labels using unique continuous rolls
- Various SDK (Software Development Kits) available for Windows, iOS and Android devices
- Microsoft office integration make light work of large address labelling jobs with the ability to connect to a PC or Mac
- Easy drop-in label rolls

High speed label printing

This wide format shipping label printer has a 4 inch(101.6mm) print width - to offer maximum compatibility with various shipping label software packages.

Easily send your products to a Fulfilled By Amazon (FBA) warehouse using the crop print function*. Simply print the PDF that contains the multiple barcode labels from your FBA account, and let the driver detect, extract and print each individual label to the QL-1110NWBc automatically.

With USB, Ethernet, Wi-Fi and Bluetooth, you can choose to print labels from your PC, Mac, smartphone or tablet, whichever is most convenient. Plus, with Apple MFi certification and AirPrint, all your connectivity options are covered. Thanks to the integrated P-touch Editor Lite label design software, simply connect to your computer, click the icon to launch the software and design and print your labels. Or use the advanced P-touch Editor label design software to include barcodes, images, logos and other advanced functions. You can also print directly from MS Word, Excel and Outlook too, meaning batch labelling jobs are a breeze.





Brother DK Labels

A wide range of label sizes are available in pre-sized and continuous length rolls, paper and film materials, and in white, yellow and transparent colours.

Die-cut labels



Continuous length labels



Plastic film labels



DK Die-cut labels				
DK Die-cut labels	Material	Colour	Size	Item No.
Standard address label (400/roll)	Paper	White	29 x 90mm	DK-12201
Large address label (400/roll)	Paper	White	38 x 90mm	DK-11208
Small address label (800/roll)	Paper	White	62 x 29mm	DK-11209
Shipping label (300/roll)	Paper	White	62 x 100mm	DK-11202
Large shipping label (180/roll)	Paper	White	103 x 164mm	DK-11247
Barcode label (600/roll)	Paper	White	102 x 51mm	DK-11240
File folder label (300/roll)	Paper	White	17 x 87mm	DK-11203
Multi-purpose label (400/roll)	Paper	White	17 x 54mm	DK-11204
Square label (1000/roll)	Paper	White	23 x 23mm	DK-11221
CD/DVD label (100/roll)	Film	White	58mm Ø	DK-11207
Round label (1200/roll)	Paper	White	12mm Ø	DK-11219
Round label (1000/roll)	Paper	White	24mm Ø	DK-11218

DK Continuous length labels				
DK Continuous length tapes - 30.48m	Material	Colour	Size	Item No.
Continuous length	Paper	White	12mm	DK-22214
Continuous length	Paper	White	29mm	DK-22210
Continuous length	Paper	White	38mm	DK-22225
Continuous length	Paper	White	50mm	DK-22223
Continuous length	Paper, non-adhesive	White	54mm	DK-N55224
Continuous length	Paper	White	62mm	DK-22205
Continuous length	Paper, removable	White	62mm	DK-44205
Continuous length	Paper, removable	Yellow	62mm	DK-44605
Continuous length	Paper	White	103mm	DK-22246

Plastic film labels				
DK Continuous length tapes - 15.24m	Material	Colour	Size	Item No.
Continuous length	Film	White	29mm	DK-22211
Continuous length	Film	White	62mm	DK-22212
Continuous length	Film	Yellow	62mm	DK-22606
Continuous length	Film	Clear	62mm	DK-22113

Included items

Printer
DK-11247 - Large shipping
pre-sized labels (41 labels)
DK-22205 - 62mm width
continuous roll (8.1 metres)

USB cable AC power cord Documentation

Printing/media

Printing technology

Direct thermal

Print resolution

300 x 300dpi

Maximum print speed*

69 standard address labels per minute or 110mm per second*

Label widths

12mm - 103.6mm

Maximum print width

101.6mm

Minimum label length

25.4mm

Maximum label length

3 metres (Windows / MacOS) 1metre (P-touch Editor Lite / iPrint&Label)**

Media sensor type

Reflective

Cutter

Yes (full cut/guillotine type)

Media types

DK rolls (DK pre-sized labels / DK continuous tape)

Control panel

Buttons

Power / Feed / Cut / P-touch Editor Lite

Connectivity

USB

USB version 2.0 full-speed (type B)

Bluetooth

Bluetooth 5.2

Bluetooth profiles

SPP (Serial Port Profile) OPP (Object Push Profile) HCRP (Hard Copy Cable Replacement Profile)

iOS and Android compatibility

Yes (including MFi and AirPrint)

Memory

Flash (for label templates)

7.8MB

No. of label templates

255

Power

Power

220-240V AC internal power supply

Auto sleep mode

Yes

Weights/dimensions

Dimensions

170 (w) x 222 (d) x 151 (h) mm

Weight

1.73kg

Software/firmware

Operating system support

(visit http://support.brother.com for latest downloads and support)

Windows:

7, 8, 8.1, 10, 11,
Server 2008, 2008 R2, 2012,
2012 R2, 2016, 2019, 2022
Mac:
10.11, 10.12, 10.13, 10.14,
10.15, 11, 12
iOS 10/11 (iPrint&Label App)
iOS 7/8/9/10/11 (iOS SDK)
Android 4.4 or greater
(iPrint&Label App)
Android 4.0.3 or greater
(Android SDK)

Label editor support

P-touch Editor (Windows/Mac) Add-In for Microsoft Word/ Excel/Outlook iPrint&Label (iOS/Android)

SDK availability

(visit http://www.brother.eu/developer)

b-PAC (for Windows) iOS SDK Android SDK

Supported printer commands

ESC/P P-touch template Raster

Template update by FTP transfer

Yes

Label crop and print

(convert A4 sheets of labels to individual labels automatically)

Yes (Windows only)

Barcode symbologies

(using P-touch Editor for Windows)

CODE39, CODE128, UCC/ EAN128 (GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2 (EAN13 AddOn2), ISBN-5 (EAN13 AddOn5), Laser Barcode, POSTNET, RSS (RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), AztecCode, PDF417 (Standard, Truncate, Micro), QR code (Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

Barcode symbologies

(using P-touch Editor for Mac)

CODE39, CODE128, UCC/ EAN128 (GS1-128), ITF (I-2/5), CODABAR (NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2 (EAN13 AddOn2), ISBN-5 (EAN13 AddOn5), Laser Barcode, POSTNET, RSS(RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR code (Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

Barcode symbologies

(Built-in printer firmware)

CODE39, CODE128, UCC/ EAN-128 (GS1-128), ITF (I-2/5), CODABAR (NW-7), UPC-A, UPC-E, EAN13 (JAN13), EAN8, GS1 DataBar (RSS)(GS1 DataBar Omnidirectional, GS1 DataBar Truncated, GS1 DataBar Stacked, GS1 DataBar Stacked Omnidirectional, GS1 DataBar Limited, GS1 DataBar Expanded, GS1 DataBar Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR Code(Model 1, Model 2, Micro), Data Matrix (ECC200 Square, ECC200 Rectangular), MaxiCode, CODE93, POSTNET, UPC-E EXTENTION, MSI, Aztec

Internal fonts

Bitmap fonts: Helsinki, Brussels, Letter Gothic Bold, San Diego, Brougham. Bitmap font sizes: 24 dots, 32 dots, 48 dots. Outline fonts: Helsinki, Brussels, Letter Gothic. Outline font sizes: 33 dots - 400 dots (22 sizes)



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



^{*} Brother standard test environment. Using DK-11247 standard address labels and USB connection.

^{**} Using USB connection through P-touch Editor.



Contact:

www.brother.co.uk

Brother UK Ltd

Shepley Street, Audenshaw, Manchester, M34 5JD

Tel: +44(0)161 330 6531 Fax: +44(0)161 330 5520