

# BLACK AND WHITE SINGLE-FUNCTION LASER PRINTER WITH RAPID PRINT SPEEDS



## i-SENSYS LBP325x

**Get superior print speeds in a compact package with this black and white single-function laser printer**

### High productivity

An improved print engine that's both compact and highly efficient delivers superior A4 and A5 prints at speeds of 43ppm and 65ppm respectively. Improved high-yield cartridges mean more pages can be printed between refills, maximising output for even greater efficiency.

### Greater paper capacity

Boost paper capacity using three optional additional paper cassettes and push your business's productivity.



**INTUITIVE CONTROLS**  
Five-line LCD screen



**FAST PRINT SPEED**  
43ppm single sided A4  
65ppm single sided A5



**PRODUCTIVITY**  
Automatic double-sided  
printing

### Versatile business printer

A black and white laser printer designed for busy offices with advantages in speed, footprint, print quality and paper capacity, the i-SENSYS LBP325x's high productivity and compact design make it ideal for a variety of business environments.

### Seamless connectivity

Enjoy speedy connection when in the office thanks to high-speed USB connections and Ethernet compatibility.

### Solid print quality

High print quality with enhanced image sharpness for a polished end result.

**Canon**

---

TECHNICAL SPECIFICATIONS

PRINTER ENGINE

|                                                |                                                                                                                                                                                                                                                                       |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Print speed                                    | Single sided (A4): Up to 43 ppm<br>Double sided (A4): Up to 36.0 ipm<br>Single sided (A5-Landscape): Up to 65.2 ppm                                                                                                                                                   |
| Printing method                                | Monochrome laser beam printing                                                                                                                                                                                                                                        |
| Print resolution                               | Up to 600 x 600 dpi                                                                                                                                                                                                                                                   |
| Print quality with Image Refinement Technology | Up to 1200 x 1200 dpi                                                                                                                                                                                                                                                 |
| Warm-up time                                   | Approx. 30 seconds or less from power on (default)<br>Approx. 3 seconds or less from power on (quick mode) <sup>1)</sup>                                                                                                                                              |
| First Page Out Time                            | Approx. 5.7 seconds                                                                                                                                                                                                                                                   |
| Recommended Monthly Print Volume               | 2,000 - 7,500 pages per month                                                                                                                                                                                                                                         |
| Duty cycle                                     | Max. 150,000 pages per month <sup>2)</sup>                                                                                                                                                                                                                            |
| Print margins                                  | 5 mm-top, bottom, left and right<br>10 mm-top, bottom, left and right (Envelope)                                                                                                                                                                                      |
| Advanced printing features                     | Secure Print <sup>3)</sup><br>Print from USB memory key (JPEG/TIFF/PDF/XPS)<br>Barcode Print <sup>4)</sup><br>Google Cloud Print Ready<br>iOS: AirPrint, Canon PRINT Business app<br>Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app |

MEDIA HANDLING

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Paper input (Standard) | 550-sheet cassette<br>100-sheet multi-purpose tray                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Paper input (Option)   | 550-sheet cassette x 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Paper output           | 150-sheet face down                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Media types            | Plain paper, Heavy paper, Recycled paper, Colour paper, Bond paper, Label, Envelope, Post card                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Media sizes            | Cassette (Standard):<br>A4, B5, A5, A5 (Landscape), A6, LTR, LGL, EXE, STMT, FLS, K16<br>Custom size - width: 105.0 to 216.0 mm, length: 148.0 to 355.6 mm<br><br>Multi-purpose tray:<br>A4, B5, A5, A5 (Landscape), A6, LTR, LGL, EXE, STMT, FLS, K16, Envelope (COM10, Monarch, DL, ISO-C5), Index card (3"x5")<br>Custom size - width: 76.2 to 216.0 mm, length: 127.0 to 355.6mm<br><br>Cassette (Optional):<br>A4, B5, A5, A5 (Landscape), A6, LTR, LGL, EXE, STMT, FLS, K16<br>Custom size - width: 105.0 to 216.0 mm, length: 148.0 to 355.6 mm<br><br>Media weights<br><br>Cassette: 60 to 120 g/m <sup>2</sup><br>Multi-purpose tray: 60 to 199 g/m <sup>2</sup><br><br>Double sided printing<br><br>Automatic<br>Cassette (Standard and optional):A4, LTR, LGL, FLS<br>Custom size - width: 210.0 to 216.0 mm, length: 279.4 to 355.6 mm<br>60 to 120 g/m <sup>2</sup> |

GENERAL FEATURES

|                    |                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Power requirements | 220-240V (±10%) 50/60Hz (±2Hz)                                                                                                                                                                                                                                                                                                                                                                        |
| Power consumption  | Maximum: Approx. 1380W or less<br>Active: Approx. 600W or less<br>Standby: Approx. 10.1W or less<br>Sleep: Approx. 1.2W or less<br>Typical Electricity Consumption (TEC): 1.5kWh/week <sup>1)</sup><br>For detailed information relating to Lot26 regulation, please go to: <a href="http://www.canon-europe.com/For_Work/Lot26/index.aspx">http://www.canon-europe.com/For_Work/Lot26/index.aspx</a> |

Noise level

|                        |                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        | Sound power <sup>5)</sup><br>Active: 69 dB<br>Standby: Inaudible<br><br>Sound pressure <sup>6)</sup><br>Active: 54 dB<br>Standby: Inaudible<br><br>409 mm x 376 mm x 275 mm<br>Approx. 12.3 kg<br><br>Temperature: 10 to 30°C (50 to 86°F)<br>Humidity 20 to 80% RH (no condensation)<br><br>5 Line LCD, 5 LED (Online, Ready, Message, Job and Energy saver), Buttons, 10-key numeric keypad |
| Dimensions (W x D x H) |                                                                                                                                                                                                                                                                                                                                                                                               |
| Weight                 |                                                                                                                                                                                                                                                                                                                                                                                               |
| Operating environment  |                                                                                                                                                                                                                                                                                                                                                                                               |
| Control panel          |                                                                                                                                                                                                                                                                                                                                                                                               |

CONTROLLER

|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Processor Speed                 | 528MHz + 264 MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Memory                          | 1GB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Printer Languages               | UFRII (Ultra Fast Rendering), PCL5e <sup>8)</sup> , PCL6, Adobe <sup>®</sup> PostScript3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Fonts                           | 105 PCL fonts, 136 PS fonts                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Interface and connectivity      | USB 2.0 High-Speed, 10BASE-T/100 BASE-TX/1000BASE-T                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Software and Printer Management | Remote User Interface (RUI), Department ID Management, iW Management Console: Server-based software for centralised management of a fleet of devices<br>eMaintenance: embedded RDS allows remote consumables management and remote diagnostics. uniFLOW compatibility with uniFLOW Login Device Client for SFP MEAP<br><br>Windows <sup>®</sup> 10 / Windows <sup>®</sup> 8.1 / Windows <sup>®</sup> 7 / Server <sup>®</sup> 2019 / Server <sup>®</sup> 2016 / Server <sup>®</sup> 2012R2 / Server <sup>®</sup> 2012 / Server <sup>®</sup> 2008R2 / Server <sup>®</sup> 2008 / Server <sup>®</sup> 2003R2 / Server <sup>®</sup> 2003<br>Mac OS X version 10.9.5 & up / Mac OS 10.14 & up<br>Linux <sup>®</sup> /Citrix |
| Operating Systems Compatibility |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

CONSUMABLES

|                       |                                                                                                                                                                                      |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| All-in-One cartridges | Cartridge 056L (5,100 pages <sup>8)</sup> ) <sup>9)</sup><br>Cartridge 056 (10,000 pages <sup>8)</sup> ) <sup>9)</sup><br>Cartridge 056H (21,000 pages <sup>8)</sup> ) <sup>9)</sup> |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

ACCESSORIES/ OPTIONS

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Items | Paper Feeder PF-C1 (550-sheet cassette) x 3<br>SD Card-C1 (8GB SD card memory)<br>Barcode Printing Kit-F1<br>(Enables barcode printing capability) <sup>10)</sup><br>PCL Font Set-C1 (Enables Unicode printing capability on SAP and supports Andale font) <sup>10)</sup><br>MiCard Multi (Card reader for identification with RFID or magnetic cards with uniFLOW)<br>Micard Plus (Card reader for identification with RFID or magnetic cards with uniFLOW) |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Notes:

<sup>[1]</sup> Change setting to quick mode is required

<sup>[2]</sup> Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product

<sup>[3]</sup> Accessory - SD Card-C1 - is required

<sup>[4]</sup> Accessory - Barcode Printing Kit-F1 - is required

<sup>[5]</sup> Declared noise emission in accordance with ISO 9296

<sup>[6]</sup> Commands supported only. Third party driver or direct printing from application required.

<sup>[7]</sup> Web distribution only. Driver will be available in 2H, 2019

<sup>[8]</sup> Based on ISO/IEC 19798

<sup>[9]</sup> Printer ships with 5,100 pages cartridge 056L

<sup>[10]</sup> Barcode Printing Kit-F1 and PCL Font Set-C1 cannot be installed at the same time

<sup>[11]</sup> As per US ENERGY STAR<sup>®</sup> version2.0.



# BLACK AND WHITE SINGLE-FUNCTION LASER PRINTER WITH RAPID PRINT SPEEDS

Get superior print speeds in a compact package with this black and white single-function laser printer



PRODUCT DETAILS:

| PRODUCT NAME            | Mercury Code | EAN Code      |
|-------------------------|--------------|---------------|
| i-SENSYS LBP325x EU SFP | 3515C004AA   | 4549292133851 |

ACCESSORIES:

| PRODUCT NAME            | Mercury Code | EAN Code      |
|-------------------------|--------------|---------------|
| Paper Feeder PF-C1      | 0865C001AA   | 4549292050691 |
| PCL FONT SET-C1         | 0643A029AA   | 4549292048612 |
| SD Card-C1              | 0655A004AA   | 4549292051452 |
| Barcode Printing Kit-F1 | 0660A018AA   | 4960999689562 |

CONSUMABLES:

| PRODUCT NAME   | Mercury Code | EAN Code      |
|----------------|--------------|---------------|
| Cartridge 056L | 3006C002AA   | 4549292136173 |
| Cartridge 056  | 3007C002AA   | 4549292136197 |
| Cartridge 056H | 3008C002AA   | 4549292136210 |

## OPTIONAL ACCESSORIES

Cassette Feeding Module PF-C1

- Additional 550 sheet cassette, 3 units can be added to printer

SD CARD - C1

- 8GB SD memory card

Barcode Printing Kit-F1

- Installs barcode fonts for bar code printing. This kit, which is delivered electronically, includes a license access certificate for activation

PCL Font Set C1

- Enables Unicode printing capability on SAP and supports Andale font



**Canon**

**Canon Inc.**  
canon.com

**Canon Europe**  
canon-europe.com

English edition  
© Canon Europa N.V., 2019

---