

# PIXMA G2520

## MULTIFUNCTIONAL PRINTING THAT'S EFFICIENT AND ECONOMICAL

Entry level, refillable ink tank multifunctional printer featuring usability improvements – ideal for home, student or office use.



- **Endless low-cost printing**

Keep on printing while keeping costs down thanks to huge yields of up to 12,000 pages (26% more in Economy mode<sup>3</sup>) from 2 black ink bottles, or 7,700 pages with a single set of colour bottles<sup>1</sup>

- **High quality at speed**

Count on quality at speed (9.1 ipm in black / 5 ipm in colour<sup>2</sup>), with pigment black ink ensuring pin-sharp text and dye colour inks delivering vivid colour photos

- **Easy maintenance**

Minimise downtime and meet every deadline with ease, with a user-replaceable maintenance cartridge that ensures dependable, day after day performance

- **Thoughtful design**

Refill ink tanks without fuss or effort using handy non-squeeze bottles with unique key type nozzles that ensure each ink bottle can only refill its equivalent tank

- **Get creative**

Experiment with diverse media types and sizes including magnetic photo paper, restickable photo paper, or even print your own banners up to 1.2 metres in length



Borderless Photo Printing



Replaceable ink maintenance cartridge



2 line LCD



1,200mm Banner Printing



Integrated Ink Tanks



Hybrid Ink System

### PRODUCT RANGE



PIXMA G1520



PIXMA G2520



PIXMA G3520

PIXMA G1520

**PIXMA G2520**

PIXMA G3520

PIXMA G2560

PIXMA G3560

PIXMA G4511

# Canon

Live for the story\_

<sup>1</sup> Page yield of ink bottle used for initial setup is lower than a replacement as a certain amount of ink is used to fill the print head during setup. Page yield is the estimated value based on Canon's individual test method using the ISO/IEC 24712 colour chart and continuous printing simulation with the replacement ink bottles after initial setup. Black and colour page yields are not to be combined. Page yield varies significantly depending on contents printed and other factors.

# TECHNICAL SPECIFICATIONS

# PIXMA G2520

<b>GENERAL SPECIFICATIONS</b>		<b>Copy Functions</b>	Document Copying, Photo Copying, Borderless copy, 2-on-1 and 4-on-1 copy, Frame erase copy, ID copy
<b>Functions</b>	Print, Scan & Copy	<b>Copy Zoom</b>	25 - 400% (in 1% increments) Fit to page A5 to A4, B5 to A4, A4 to A5 and A4 to B5
<b>PRINTER SPECIFICATIONS</b>		<b>GENERAL</b>	
<b>Print Resolution</b>	Up to 4800 x 1200 dpi <sup>[1]</sup>	<b>Display</b>	Full Dot LCD
<b>Print Technology</b>	2 FINE Print Head (Black and Colour) Refillable ink tank printer	<b>Display Languages</b>	32 Languages Selectable: Japanese, English(mm & inch), German, French, Italian, Spanish, Dutch, Portuguese, Norwegian, Swedish, Danish, Finnish, Russian, Czech, Hungarian, Polish, Slovene, Turkish, Greek, Simplified Chinese, Traditional Chinese, Korean, Indonesian, Slovakian, Estonian, Latvian, Lithuanian, Ukrainian, Romanian, Bulgarian, Croatian, Vietnamese
<b>Mono Print Speed</b>	approx. 9.1 ipm <sup>[2]</sup>		Hi-Speed USB (USB B Port) <sup>[11]</sup>
<b>Colour Print Speed</b>	approx. 5.0 ipm <sup>[2]</sup>		Easy-PhotoPrint Editor Software <sup>[11]</sup>
<b>Photo Print Speed</b>	Borderless 10x15cm : Approx. 45 seconds <sup>[3]</sup>		Windows 10, Windows 8.1, Windows 7 SP1
<b>Borderless Printing</b>	Yes A4, LTR, 4" x 6", 5" x 7", 7" x 10", 8" x 10", Square (89 mm x 89 mm), Square (127 mm x 127 mm), Card Size (91 mm x 55 mm) <sup>[4]</sup>		Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Printer driver, IJ Printer Assistant Tool and IJ Network Device Setup Utility are available with following OS. Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
<b>Two Sided Printing</b>	Manual operation	<b>Standard Interface</b>	
<b>CARTRIDGES AND YIELDS</b>		<b>Printer Features</b>	
<b>Standard Ink Cartridges</b>	GI-51 <PGBK> GI-51 <C> GI-51 <M> GI-51 <Y>	<b>OS Compatibility</b>	Chrome OS
<b>Cartridge Yield (Plain paper)</b>	A4 colour documents printing <sup>[5]</sup> Black: 6,000 pages (Economy mode 7,600 pages) <sup>[6]</sup> Colour: 7,700 pages * Estimated supplemental yield		Mac: OS X 10.12.6 ~ macOS 10.15 <sup>[12]</sup>
<b>Cartridge Yield (Photo print)</b>	10x15cm colour photo printing <sup>[7]</sup> Colour: 2,200 photos * Estimated supplemental yield		Windows: 2.0GB or more Mac: 1.0GB or more Note: for bundled software installation. The necessary amount of hard disk space required. Display: 1024 x 768 XGA
<b>PAPER SUPPORT</b>		<b>Minimum System Requirements</b>	
<b>Paper Types</b>	Plain Paper Photo Paper Pro Luster (LU-101), Photo Paper Plus Glossy II (PP-201) Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Envelope, Photo Paper Plus Semi-gloss (SG-201), Cardstock Restickable Photo Paper (RP-101) Magnetic Photo Paper (MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D)	<b>Software Included</b>	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download)
<b>Maximum Paper Input</b>	Rear Tray: Max. 100 sheets (plain paper)		
<b>Paper Sizes</b>	A4, A5, A6, B5, LTR, LGL, Executive (184.2 mm x 266.7 mm), Legal (215 mm x 345 mm), 4" x 6", 5" x 7", 7" x 10", 8" x 10", Envelopes DL, Envelopes COM10, Envelopes C5, Square (89 mm x 89 mm), Square (127 mm x 127 mm), Card Size (91 mm x 55 mm)	<b>PHYSICAL FEATURES</b>	
		<b>Weight</b>	approx. 6.4 kg
		<b>Dimensions (W x D x H)</b>	Approx. 445 x 330 x 167
		<b>Acoustic Noise Levels</b>	approx. 49.5dB(A) <sup>[13]</sup>
		<b>Operating Temperature</b>	5-35°C
		<b>Operating Humidity</b>	10-90%RH (no dew condensation)
		<b>Power Source</b>	AC 100-240V, 50/60Hz
		<b>Power Consumption</b>	Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (all ports connected): Approx. 0.6W Time to enter Standby mode: 11 minutes 2sec Copying: Approx. 18W <sup>[14]</sup>
<b>Paper Weight</b>	[Custom size] width 55 mm - 216 mm, length 89 mm - 1200 mm Rear Tray: Plain paper: 64 - 105 g/m <sup>2</sup> Canon specialty paper: max paper weight : approx. 275 g/m <sup>2</sup> (Photo Paper Plus Glossy II PP-201)	<b>Typical Electricity Consumption</b>	0.1 kWh <sup>[15]</sup>
<b>SCANNER SPECIFICATIONS</b>		<b>Footnote:</b>	
<b>Scanner Type</b>	CIS flatbed photo and document scanner	<sup>[1]</sup> Ink droplets can be placed with a minimum pitch of 1/4800 inch	
<b>Scanner Resolution (Optical)</b>	600 x 1200 dpi <sup>[8]</sup>	<sup>[2]</sup> A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.	
<b>Line Scanning Speed</b>	Colour: 3.5 ms/line (300dpi) Greyscale: 1.5 ms/line (300dpi) <sup>[9]</sup>	<sup>[3]</sup> Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.	
<b>Scanning Depth (Input / Output)</b>	Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit	<sup>[4]</sup> Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers	
<b>Maximum Document Size</b>	A4/LTR	<sup>[5]</sup> Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.	
<b>COPIER SPECIFICATIONS</b>		<sup>[6]</sup> The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed	
<b>Copy Speed</b>	sFCOT: Approx. 28 sec. <sup>[10]</sup> sESAT: Approx. 2.6 ipm <sup>[10]</sup>	<sup>[7]</sup> Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup.	
<b>Multiple Copy</b>	99 copies (max.)	<sup>[8]</sup> Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.	
		<sup>[9]</sup> The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.	
		<sup>[10]</sup> Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.	



Live for the story\_

<sup>2</sup> Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

<sup>3</sup> The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed

# TECHNICAL SPECIFICATIONS

# PIXMA G2520

## Footnote:

- [1] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution.
- [2] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
- [3] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- [4] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [5] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.

## Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see [www.canon-europe.com/ink/yield](http://www.canon-europe.com/ink/yield)
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Canon Inc.  
canon.com  
Canon Europe  
canon-europe.com  
English edition  
Canon Europa NV 2020

# MULTIFUNCTIONAL PRINTING THAT'S EFFICIENT AND ECONOMICAL

# PIXMA G2520

Entry level, refillable ink tank multifunctional printer featuring usability improvements – ideal for home, student or office use.

Sales Start Date: December 2020



## PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA G2520	4465C008AA	4549292167726	£159.99 / €179.99

## CONSUMABLES:

Product Name	Mercury Code	EAN Code
<b>Standard size</b>		
GI-51PGBK	4529C001AA	4549292169546
GI-51C	4546C001AA	4549292169829
GI-51M	4547C001AA	4549292169843
GI-51Y	4548C001AA	4549292169867
<b>Maintenance Cartridge</b>		
MC-G02	4589C001AA	4549292171518

## MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Pack description	Quantity per pack	Length (mm )	Width (mm )	Height (mm )	Gross Weight (kg)	Net Weight (kg)
PIXMA G2520	Individual	1	520	476	255.5	9.45	TBC
	Pallet (Upper)	16	1051	984	1032.5	152.87	TBC
	Pallet (Bottom)	20	1051	984	1289.5	190.66	TBC

## What's in the box?

- Canon PIXMA G2520
- 5 high yield ink bottles (2x Black and 1x C/M/Y)
- Print Heads
- Power cord
- Setup CD-ROM
- Manuals and other documents

# Canon

Live for the story\_