PIXMA iP110

Connected printing on the move

Connect and print on the move with the ultimate portable printer. This lightweight printer can fit into a laptop bag and lets you print direct from smart devices and the cloud - with outstanding results.

PIXMA iP110 with battery

you can

Product Range

PIXMA iP110 with battery

PIXMA iP110

PIXMA iP110 with battery

PIXMA iP110

- Connect and print on the move with the ultimate portable Wi-Fi printer

- Impress with exceptional quality, high-resolution 9,600 dpi prints

- Experience the creative freedom of cloud printing using PIXMA Cloud Link

- Get ready to effortlessly print from smart devices using PIXMA Printing Solutions app

- Enjoy incredible quality document and photo printing wherever you are

- Easily print in your car or anywhere without internet access thanks to Access Point Mode

- Print without power cords using the bundled battery pack

Canon

5 Colour | **9600dpi** Maximum | **FINE** Full-photolithography Inkjet Nozzle Engineering | **WiFi CERTIFIED** | **PIXMA Cloud Link** | **AirPrint** | **Smartphone and Tablet print**

OVERVIEW	
Functions	Wireless Print, Cloud
PRINTER SPECIFICATIONS	
Print Resolution	Up to 9600 [1] x 2400 dpi
Print Engine	2 ink cartridges: Black (Pigment BK) and Colour (BK, C, M, Y) Inkjet FINE print head with 1pl (min.) ink droplet size ChromaLife100 inks
Photo Lab Quality Speed	Borderless 10 x 15cm: Approx. 50 seconds (Standard)
Mono Print Speed	approx. 9.0 ipm [2]
Colour Print Speed	approx. 5.8 ipm [2]
Photo Print Speed	Borderless 10x15cm : approx. 53 sec. [3]
Borderless Printing	Yes (A4, Letter, 13 x 18cm, 10 x 15cm, 20 x 25cm)
Two Sided Printing	Manual operation
CARTRIDES AND YIELDS	
Compatible Inks	PGI-35 Black CLI-36 Color
Ink Cartridge Life	PGI-35 Black: 191 pages or 1915 photos* CLI-36 Colour: 249 pages or 104 photos
Testing standards	ISO/IEC 24711 for A4 colour document pages ISO/IEC 29102 for 10x15cm colour borderless photos Values obtained by continuous printing * Estimated supplemental yield
PAPER SUPPORT	
Paper Types	Plain Paper Envelopes Photo Paper Glossy II (PP-201) Glossy Photo Paper (GP-501) Matte Photo Paper (MP-101) Photo Stickers (PS-101)
Maximum Paper Input	Sheet Feeder: Max. 50 sheets
Paper Sizes	A4, B5, A5, Letter, Legal, Envelopes (DL size or Commercial 10), 10 x 15cm, 13 x 18cm, 20x25cm
Paper Weight	Plain paper: 64 to 105 g/m² Canon photo papers up to 275 g/m²
CONNECTIVITY	
Wired Connections	Hi-Speed USB (B Port)
Wireless Connections	Wi-Fi: IEEE802.11 b/g/n Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password
Applications Support	PIXMA Cloud Link PIXMA Printing Solutions app Canon Print Service Plugin (Android) Google Cloud Print Apple AirPrint Access point mode WLAN PictBridge
DRIVERS AND SOFTWARE	
Supported Operating Systems	Windows 8.1 / 8 / 7 / Vista SP1 & SP2 / XP SP3 32-bit Mac OS X v10.6.8 or later
Supported Mobile Systems	iOS Android Windows RT
Minimum System Requirements	Windows: 3GB disk space, Internet Explorer 8 Mac: Internet connection, 1.5GB disk space, Safari 5 Display: 1024 x 768 XGA
Software Included	MP Driver including Scanning Utility My Image Garden Quick Menu Easy-WebPrint EX (plug-in for IE8 or higher)

GENERAL FEATURES	
Power Source	AC: 100-240V, 50/60Hz Li-ion battery
Power Consumption	Standby: approx. 1.8W (wireless connection to PC) Off: approx. 0.2W Printing: approx. 10W (wireless connection to PC) [6]
Recommended Operating Environment	Temperature: 15-30°C Humidity: 10-80%RH (no dew condensation)
Acoustic Noise Levels	Approx. 38.5 dB(A) [7]
Dimensions (W x D x H)	Approx. 322 x 226 x 62 mm Approx. 322 x 185 x 62 mm (without battery)
Weight	Approx. 2.2 kg Approx. 2.0 kg (without battery)

Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For more information see www.canon-europe.com/ink/yield

All brand and product names are trademarks of their respective companies.

Footnotes

[1] Ink droplets can be placed with a minimum pitch of 1/9600 inch

[2] Document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard

[3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

[4] Declared document yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.

[5] Declared photo yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.

[6] When printing ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

[7] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.

Canon

Connected printing on the move

Connect and print on the move with the ultimate portable printer. This lightweight printer can fit into a laptop bag and lets you print direct from smart devices and the cloud - with outstanding results.

Positioning: For connected business users on the move – the portable printer with advanced Wi-Fi

Sales start date: October 2014

Product Details:

Product name	Mercury Code	EAN Code	Recommended Retail Price
iP110 W/BAT EUM/EMB	9596B029AA	4549292012842	<Please fill in RRP>

Product Codes for Consumables:

Product name	Mercury Code	EAN Code	Recommended Retail Price
PGI-35 BK	1509B001AA	4960999391731	<Please fill in RRP>
CLI-36 CL	1511B001AF	4960999391762	<Please fill in RRP>
Battery Kit LK-62 EMEA	2446B005AA	4960999612157	<Please fill in RRP>

Measurement / Logistic Information:

Package Style	Q'ty of the item	Size (L x W x H mm)	Weight (G/N kg)
Individual	1	381 x 166.3 x 256	3.8 / 1.9
Pallet (Upper)	72	1,151 x 1,006 x 1,036.5	273.6 / 136.8
Pallet (Bottom)	72	1,151 x 1,006 x 1,036.5	273.6 / 136.8

What's in the box?

- Printer – PIXMA iP110 with battery
- Ink Tanks
- Power cord
- Rechargeable Battery & attachment LK-62
- Matte Photo Paper MP-101 (for auto print head alignment)
- Setup CD-ROM (CD only for Windows – Mac drivers available online)
- Manuals and other documents

Canon