

# MULTIFUNCTION MONO ALL-IN-ONE SERIES CREATED TO ENHANCE PRODUCTIVITY IN SMALL AND HOME OFFICES

## i-SENSYS MF260 II Series

**Get your small or medium-sized business up to speed with these compact and multifunctional black and white laser printers**

### Productivity

Optimised to deliver highly accurate but speedy printing. In spite of the compact yet robust and stylish design, they are capable of printing up to 28 pages per minute. Scan speeds are also impressive, with colour single sided output of 15ipm

### Efficiency

Sometimes installing print cartridges can be messy and time-consuming. Not with the MF260 II series, as they boast Canon's Genuine Cartridge and Auto Seal Removal technology. This automatically jettisons the seal when installing a new cartridge, reducing waste and saving time

### Security

Verify system at start up protects the device from tampering and unauthorised access. The network is protected with the latest encryption software. And a new security settings guide lets you quickly identify the best setting for you



**PRODUCTIVITY**



**CONNECTIVITY**



**EFFICIENCY**



**SUSTAINABILITY**



**SECURITY**

### Connectivity

Works wirelessly with tablets and smartphones. These printers now also has native support for Microsoft Universal Print for easy cloud-based print management

### Sustainability

Canon's cartridge recycling programme provides a free, easy and environmentally responsible way to recycle your empty Canon cartridges

# Canon

---

RANGE FEATURE STEP UP CHART



MF264dw II



MF267dw II

|                           |                              |                              |
|---------------------------|------------------------------|------------------------------|
| Fax                       |                              | ●                            |
| A4 print speed            | 28ppm                        | 28ppm                        |
| Display                   | 5-lines B&W Touch Screen     | 6-lines B&W Touch Screen     |
| Scan speed                | 20 ipm                       | 20 ipm                       |
| Automatic duplex printing | ●                            | ●                            |
| Cloud connectivity        | Universal Print by Microsoft | Universal Print by Microsoft |
| Wireless connectivity     | Yes                          | Yes                          |

TECHNICAL SPECIFICATIONS

|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Machine type                  | Mono Laser                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Available functions           | MF267dw II: Print, Copy, Scan and Fax<br>MF264dw II: Print, Copy and Scan                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>PRINTER</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Print speed                   | Single sided : Up to 28 ppm (A4)<br>Double sided : Up to 17.8 ipm (A4)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Printing method               | Monochrome laser beam printing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Print resolution              | Up to 1200 x 1200 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Warm-up time                  | Approx. 15 seconds or less from power on                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| First Print Out Time          | Approx: 5.2 seconds or less                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Printer languages             | UFR II-LT, PCL 5e <sup>1</sup> , PCL6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Fonts                         | 45 PCL fonts                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Print margins                 | 5 mm-top, bottom, left and right<br>10 mm-top, bottom, left and right (Envelope)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Toner saver mode              | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Advanced printing features    | iOS: AirPrint, Canon PRINT Business app<br>Android: Mopria certified, Canon Print Service Plug-in,<br>Canon PRINT Business app<br>Microsoft Universal Print support                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>COPIER</b>                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Copy speed                    | Single sided (A4): Up to 28 ppm<br>Double sided (A4): Up to 17.8 ipm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| First Copy Output Time (FCOT) | Approx. 8.2 seconds or less                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Copy resolution               | Up to 600 x 600 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Copy modes                    | Text/Photo, Text/Photo (High speed), Photo, Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Double sided copying          | 1-sided to 2-sided (Automatic)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Multiple copy                 | Up to 999 copies                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Reduction / Enlargement       | 25-400% in 1% increments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Other features                | Collate Copies, 2 on 1, 4 on 1, ID card copy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>SCANNER</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Type                          | Colour                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Scan resolution               | Optical: Up to 600 x 600 dpi<br>Enhanced: Up to 9600 x 9600 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Scan speed                    | Single sided mono: 20ipm (300x600dpi)<br>Single sided colour: 15ipm (300x600dpi)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Colour scanning depth         | 24 bit/24 bit (input/output)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Greyscales                    | 256 levels                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Compatibility                 | TWAIN <sup>2</sup> , WIA, ICA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Max. scan width               | 215.9mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Scan to E-mail                | MF267dw II: TIFF/JPEG/PDF/Compact PDF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Scan to PC                    | TIFF/JPEG/PDF/Compact PDF/Searchable PDF <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Scan to Cloud <sup>1</sup>    | TIFF/JPEG/PDF/PNG <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| iFAX                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>FAX</b>                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Modem speed                   | <b>MF267DW II ONLY</b><br>33.6 Kbps (Up to 3 seconds/page <sup>5</sup> )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Receive mode                  | Fax only, Fax/Tel Auto Switch, Answer Mode, Manual, DRPD: Select Fax                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Fax resolution                | Normal: 200 x 100 dpi<br>Fine: 200 x 200 dpi<br>Super fine: 200 x 400 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| FAX memory                    | Up to 256 pages <sup>5</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Speed dials                   | Up to 104 dials                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Group dials/destinations      | Max. 104 dials / Max. 50 destinations in one group                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Sequential broadcast          | Max. 114 destinations                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Memory backup                 | Permanent fax memory backup<br>(Backup with flash memory)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Double sided faxing           | Yes (Transmit and Receive)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Other features                | Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>MEDIA HANDLING</b>         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Scanner type                  | Flatbed and Automatic Document Feeder (ADF)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Paper input (Standard)        | 250-sheet cassette<br>1-sheet multi-purpose tray<br>35-sheet ADF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Paper output                  | 50-sheet                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Media types                   | Plain paper, Recycled paper, Heavy Paper, Bond Paper, Label, Envelope                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Media sizes                   | Cassette :<br>A4, A5, A5(Landscape), B5, A6, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Envelop (COM10, DL, C5), Custom sizes: Min. 76.0 x 127 mm Max. 216.0 x 356.0 mm<br>Multi-purpose tray:<br>A4, A5, A5(Landscape), B5, A6, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Indexcard, Envelope (COM10, Monarch, DL, C5), Custom sizes: Min 76.0 x 127 mm Max. 216.0 x 356.0 mm<br>ADF:<br>A4, A5, B5, B6, Legal, Letter, Custom sizes (W x L): Min. 105 x 148 mm Max 216 x 356 mm |

|                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Media weights                     | Cassette: 60 to 163 g/m <sup>2</sup><br>Multi-purpose tray: 60 to 163 g/m <sup>2</sup><br>ADF: 50 to 105 g/m <sup>2</sup>                                                                                                                                                                                                                                                                                                                                         |
| Double sided printing             | Automatic<br>A4, Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO, Foolscap<br>60 to 105 g/m <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                             |
| <b>INTERFACE &amp; SOFTWARE</b>   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Interface type                    | USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection                                                                                                                                                                                                                                                                                                                                                                           |
| Operating System compatibility    | Windows® 11 / Windows® 10 / Windows® 8.1 / Server® 2022 / Server® 2019 / Server® 2016 / Server® 2012R2 / Server® 2012<br>Mac OS X version 10.12 & up<br>Linux <sup>4</sup>                                                                                                                                                                                                                                                                                        |
| Network Protocol                  | Print:<br>TCP/IP (LPD/Port9100/IPPP/IPP/WS)D)<br>Scan:<br>Push Scan: File: SMB3.0 (TCP/IP)<br>E-mail/I-Fax: SMTP (send)<br>Pull Scan: TCP/IP, USB<br>Management:<br>SNMPv1, SNMPv3 (IPv4, IPv6)<br>Security:<br>TLS1.3, IP address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)<br>Security (wireless):<br>Infrastructure Mode:<br>WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES), WPA-EAP(AES), WPA2-EAP(AES)<br>Access Point Mode:<br>WPA2-PSK(AES) |
| Software and printer management   | MF Scan Utility,<br>Remote User Interface (RUI),<br>Toner Status Tool                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>GENERAL FEATURES</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Recommended Monthly Print Volume  | 250 - 2,500 pages per month                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Duty cycle                        | Max. 30,000 pages per month <sup>6</sup>                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Processor Speed                   | 1200MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Memory                            | 256MB                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Control panel                     | MF267dw II: 6-line LCD B&W Touch Screen<br>MF264dw II: 5 lines B&W LCD                                                                                                                                                                                                                                                                                                                                                                                            |
| Dimensions with trays (W x D x H) | 390 mm x 405 mm x 375 mm                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Installation space (W x D x H)    | 435 mm x 620 mm x 645 mm                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Weight                            | Approx. 12.9 Kg                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Operating environment             | Temperature: 10 to 30°C (50 to 86°F)<br>Humidity: 20 to 80% RH (no condensation)                                                                                                                                                                                                                                                                                                                                                                                  |
| Power Source                      | 220-240V(±10%) 50/60Hz (±2Hz)                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Power Consumption                 | Maximum: Approx. 1240 W<br>Active printing: Approx. 500W<br>Standby: Approx. 4.7 W<br>Sleep mode: Approx. 0.7 W<br>Typical Electricity Consumption (TEC):<br>MF264dw II - 0.24 kWh/week<br>MF267dw II - 0.25 kWh/week<br>For detailed information relating to Lot26 regulation, please go to: <a href="http://www.canon-europe.com/For_Work/Lot26/index.aspx">http://www.canon-europe.com/For_Work/Lot26/index.aspx</a>                                           |
| Noise Levels                      | Sound Pressure <sup>7</sup> :<br>Active: 51 dB in B/W printing<br>Standby: Inaudible<br>Sound Power <sup>7</sup> :<br>Active: 69.1 dB or less in B/W printing<br>Standby: N/A                                                                                                                                                                                                                                                                                     |
| <b>CONSUMABLES</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Cartridges                        | Toner Cartridge 051 (1,700 pages <sup>8</sup> ) <sup>9</sup><br>Toner Cartridge 051H (4,100 pages <sup>8</sup> ) <sup>9</sup><br>Drum Cartridge 051 (23,000 pages <sup>8</sup> ) <sup>9</sup>                                                                                                                                                                                                                                                                     |
| ACCESSORIES/OPTIONS Items         | MF267dw II:<br>TEL 6 KIT (Telephone handset)                                                                                                                                                                                                                                                                                                                                                                                                                      |

Notes:

- <sup>[1]</sup> A Canon PCL5e driver is not supplied, however PCL5e commands are supported on the device.
- <sup>[2]</sup> Scan by MF Scan Utility
- <sup>[3]</sup> Scan by MF Scan Utility or Canon PRINT Business app
- <sup>[4]</sup> Linux support both printing and scanning
- <sup>[5]</sup> Based on ITU-T Standard Chart No. 1
- <sup>[6]</sup> Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- <sup>[7]</sup> Inaudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779
- <sup>[8]</sup> Based on ISO/IEC 19752
- <sup>[9]</sup> Printer ships with Toner Cartridge 051 (1,700 pages), Drum Cartridge 051 (23,000 pages)



# MULTIFUNCTION MONO ALL-IN-ONE SERIES CREATED TO ENHANCE PRODUCTIVITY IN SMALL AND HOME OFFICES

## i-SENSYS MF260 II Series

Get your small or medium-sized business up to speed with these compact and multifunctional black and white laser printers



**PRODUCT DETAILS:**

| PRODUCT NAME        | Mercury Code | EAN Code      |
|---------------------|--------------|---------------|
| i-SENSYS MF264dw II | 5938C017AA   | 4549292215540 |
| i-SENSYS MF267dw II | 5938C008AA   | 4549292215465 |

**ACCESSORIES:**

| PRODUCT NAME            | Mercury Code | EAN Code      |
|-------------------------|--------------|---------------|
| Telephone 6 Kit EU (CW) | 0752A065AA   | 4960999537214 |
| Telephone 6 Kit UK (CW) | 0752A063AA   | 4960999453897 |
| Telephone 6 Kit SA (CW) | 0752A064AA   | 4960999453927 |

**CONSUMABLES:**

| PRODUCT NAME         | Mercury Code | EAN Code      |
|----------------------|--------------|---------------|
| Toner Cartridge 051  | 2168C002AA   | 4549292105094 |
| Toner Cartridge 051H | 2169C002AA   | 4549292088885 |
| Drum Cartridge 051   | 2170C001AA   | 4549292088861 |



**Canon Inc.**  
canon.com

**Canon Europe**  
canon-europe.com

English edition  
© Canon Europa N.V., 2022