

MULTIFUNCTION MONO LASER PRINTERS BUILT FOR SPEEDY AND RELIABLE PRINT JOBS



i-SENSYS MF270 series
The Canon i-SENSYS MF270 Series
consists of fast multifunction
printers ideal for small offices and
home use.

Boost productivity

Maximise output by printing, copying and scanning documents from reliable devices. Fax with the MF275dw, save time with duplex printing and use a wide variety of small media support to produce A5 and A6R sized documents.

Protect sensitive documents

Protect your documents, devices and network from viruses and data theft with 360-degree security. Features include secure start up and a security navigation guide.



**BOOST
PRODUCTIVITY**



EASE OF USE



**PROTECT SENSITIVE
DOCUMENTS**

Ease of use

Save time with an easy out-of-box experience and seamlessly navigate settings using an intuitive display panel. Simple Wi-Fi connectivity and mobile printing allows you to print from your smart phones.

Canon

RANGE FEATURE STEP UP CHART



MF275dw



MF272dw

Fax	●	
A4 print speed	29ppm	29ppm
Automatic document feeder	Yes	No
Secure PIN print	●	●
Automatic Duplex printing	●	●
Mobile printing	●	●

TECHNICAL SPECIFICATIONS

Machine type	Mono Laser All-In-One
Available functions	MF275dw: Print, Copy, Scan and Fax MF272dw: Print, Copy and Scan
PRINTER	
Print speed	Single sided: Up to 29 ppm (A4) Double sided: Up to 18.5 ipm (A4)
Printing method	Monochrome laser beam printing
Print resolution	Up to 2400 equivalent x 600 dpi
Warm-up time	Approx. 7.5 seconds or less from power on
First Print Out Time	Approx: 5.4 seconds or less (400dpi) Approx: 7.1 seconds or less (600dpi)
Printer languages	UFR II
Print margins	5 mm-top, bottom, left and right
Toner saver mode	Yes
Advanced printing features	iOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app Microsoft Universal Print support
COPIER	
Copy speed	Single sided: Up to 29 ppm (A4) Double sided: Up to 18.5 ipm (A4)
First Copy Output Time (FCOT)	MF275dw: ADF (A4): 8.9 seconds or less Platen (A4): 7.6 seconds or less MF272dw: Platen (A4): 7.6 seconds or less
Copy resolution	Up to 600 x 600 dpi
Copy modes	Text/Photo, Text/Photo (High speed), Photo, Text
Double sided copying	1-sided to 2-sided (Automatic)
Multiple copy	Up to 999 copies
Reduction / Enlargement	25-400% in 1% increments
Other features	Collate Copies, 2 on 1, 4 on 1, ID card copy, Passport copy
SCANNER	
Type	Colour
Scan resolution	Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi
Scan speed	MF275dw: Platen: Single sided mono: 2.7 sec/page (300x600dpi) Single sided colour: 3.5 sec/page (300x300dpi) ADF: Single sided mono: 20ipm (300x600dpi) Single sided colour: 15ipm (300x300dpi) MF272dw: Platen: Single sided mono: 2.7 sec/page (300x600dpi) Single sided colour: 3.5 sec/page (300x300dpi)
Colour scanning depth	24 bit/24 bit (input/output)
Greyscales	256 levels
Compatibility	TWAIN , WIA
Max. scan width	216mm
Scan to PC	JPEG (single page only)
Scan to Cloud¹	TIFF/JPEG/PDF/PNG¹
FAX	
Modem speed	MF275dw ONLY 33.6 Kbps (Up to 3 seconds/page²)
Receive mode	Fax only, Fax/Tel Auto Switch, Answer Mode, Manual
Fax resolution	Normal: 200 x 100 dpi Fine: 200 x 200 dpi Photo: 200 x 200 dpi Super fine: 200 x 400 dpi
FAX memory	Up to 256 pages²
Speed dials	Up to 104 dials
Group dials/destinations	Max. 50 destinations in one group
Sequential broadcast	Max. 114 destinations
Memory backup	Permanent fax memory backup (Backup with flash memory)
Double sided faxing	Yes (Transmit and Receive)
Other features	Sender's Name (TTI), Direct Send, TX Report, Sequential Broadcasting
MEDIA HANDLING	
Scanner type	MF275dw: Flatbed and Automatic Document Feeder (ADF) MF272dw: Flatbed
Paper input (Standard)	MF275dw: 150-sheet cassette 1-sheet multi-purpose tray 35-sheet ADF MF272dw: 150-sheet cassette 1-sheet multi-purpose tray
Paper output	50-sheet

Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Bond paper, Label, Post card, Envelope
Media sizes	Cassette : A4, A5, B5, A6, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Envelop (COM10, Monarch, DL, C5), Custom sizes: Min. 76.0 x 127 mm Max. 216.0 x 356.0 mm ADF (MF275dw ONLY): A4, A5, A6¹, B5, B6, Legal, Letter, Custom sizes: Min. 105 x 148 mm Max 216 x 356 mm ¹Attachment required
Media weights	Cassette: 60 to 163 g/m² ADF (MF275dw ONLY): 105 to 128 g/m² (Single sheet) 50 to 105 g/m² (Multiple sheet)
Double sided printing	Automatic A4, Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO, Foolscap Custom size - Min. 210 x 279 mm Max. 216 x 356 mm 60 to 105 g/m²
INTERFACE & SOFTWARE	
Interface type	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection
Operating System compatibility	Windows® 11 / Windows® 10 / Windows® 8.1 / Server® 2022 / Server® 2019 / Server® 2016 / Server® 2012R2 / Server® 2012 Mac OS X version 10.12 & up Linux³
Network Protocol	Print: TCP/IP (LPD/Port9100/WSD) Pull Scan: TCP/IP, USB Management: SNMPv1, SNMPv3 (IPv4,IPv6) Security: TLS1.3, IP address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS) Security (wireless): IEEE802.1x Infrastructure Mode: WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES), WPA-EAP(AES), WPA2-EAP(AES) Access Point Mode: WPA2-PSK(AES)
Software and printer management	MF Scan Utility, Remote User Interface (RUI), Toner Status Tool
GENERAL FEATURES	
Recommended Monthly Print Volume	150 - 2,000 pages per month
Duty cycle	Max. 20,000 pages per month⁴
Processor Speed	1200MHz
Memory	256MB
Control panel	MF275dw: 6-line LCD B&W Touch Screen MF272dw: 5 lines B&W LCD
Dimensions with trays (W x D x H)	MF275dw: 390 mm x 374 mm x 368 mm MF272dw: 372 mm x 320 mm x 271 mm
Installation space (W x D x H)	MF275dw: 474 mm x 614 mm x 638 mm MF272dw: 372 mm x 598 mm x 526 mm
Weight	MF275dw Approx. 11.4 Kg MF272dw: Approx. 9.0 Kg
Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)
Power Source	220-240V(±10%) 50/60Hz (±2Hz)
Power Consumption	Maximum: Approx. 1300 W Active printing: Approx. 530W Standby: Approx. 4.8 W Sleep mode: Approx. 1.0 W Typical Electricity Consumption (TEC): 0.23 kWh/week⁴ For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx
Noise Levels	Sound Pressure⁵ : Active: Simplex 50 dB Duplex 51 dB Standby: Inaudible⁵ Sound Power⁵: Active: 69.3 dB or less Standby: N/A
CONSUMABLES	
Cartridges	Cartridge 071 (1,200 pages)⁸ Cartridge 071H (2,500 pages)⁸
ACCESSORIES/OPTIONS	
Items	MF275dw ONLY TEL 6 KIT (Telephone handset)

Notes:

- ⁽¹⁾ Scan by MF Scan Utility or Canon PRINT Business app
- ⁽²⁾ Based on ITU-T Standard Chart No. 1
- ⁽³⁾ Linux support both printing and scanning
Web distribution only. Linux support printing and scanning
- ⁽⁴⁾ Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- ⁽⁵⁾ Inaudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779
- ⁽⁶⁾ As per US ENERGY STAR® version3.0.
- ⁽⁷⁾ Based on ISO/IEC 19752
- ⁽⁸⁾ Printer ships with Starter Cartridge (700 pages)





PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF272dw	5621C013AA	4549292197143
i-SENSYS MF275dw	5621C001AA	4549292196832

ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
Telephone 6 Kit EU (CW)	0752A065AA	4960999537214

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Toner Cartridge 071	5645C002AA	4549292209020
Toner Cartridge 071H	5646C002AA	4549292208993

Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co. Dublin, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2052525
canon.ie

Canon (UK) Ltd
The Bower
4 Roundwood Avenue
Stockley Park
Uxbridge
UB11 1AF

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
© Canon Europa N.V.,2023

