

PIXMA MX535

Cloud enabled
All-In-One with Wi-Fi
connectivity and Auto
Document Feeder

Easily print, copy, scan and fax with this cloud enabled All-In-One. Wi-Fi connections allow functions to be shared between multiple PCs as well as smart devices.



PIXMA MX535

you can



- Cloud enabled All-In-One with print, copy, scan and fax functions
- Fully integrated 30-sheet Auto Document Feeder
- Easily share around the office with Wi-Fi connectivity
- Print from, and scan to mobile devices with PIXMA Printing Solutions app
- PIXMA Cloud Link, Google Cloud Print and Apple AirPrint support
- Save on ink and paper with optional XL cartridges and auto 2-sided printing
- Print from mobile devices without a Wi-Fi connection using Access Point Mode
- High-quality prints with up to 4800dpi FINE cartridge technology
- A4 print speed ISO ESAT 9.7 ipm mono/5.5 ipm colour. A4 colour copy in approx. 21 seconds

Product Range



PIXMA MX925



PIXMA MX725



PIXMA MX535



PIXMA MX475

PIXMA MX925
PIXMA MX725
PIXMA MX535
PIXMA MX475
PIXMA MX395

Canon



Technical Specifications

PIXMA MX535

PRINTER SPECIFICATIONS Print Resolution Print Technology Mono Document Print Speed Colour Document Print Speed Photo Print Speed Borderless Printing Two Sided Printing	Up to 4800 ^[1] x 1200 dpi 2 FINE Cartridges (BK, CL) Inkjet system with 2pl (min.) ink droplet size ChromaLife100 inks Approx. 9.7 ipm ^[2] Approx. 5.5 ipm ^[2] Borderless 10 x 15cm: Approx. 46 seconds ^[3] Yes (A4, LTR, 20 x 25cm, 13 x 18cm, 10 x 15cm) Automatic
SCANNER SPECIFICATIONS Scanner Type Scanner Resolution (Optical) A4 Scan Speed Maximum Document Size OCR Scanning Depth (Input / Output)	Flatbed, ADF and CIS colour scanner Up to 1200 x 2400 dpi ^[4] Approx. 15 seconds ^[5] Flatbed: A4, LTR (216 x 297mm) ADF: A4, LTR, LGL Yes Colour: 48 bit / 24 bit Greyscale: 16 bit / 8 bit
COPIER SPECIFICATIONS Copy Speed Colour Document Multiple Copy Copy zoom Copy functions Copy quality settings	sFCOT: Approx. 24 seconds ^[6] sESAT: Approx. 4.7 ipm ^[6] sESAT ADF: Approx. 4.3 ipm ^[6] 1 to 99 pages 25 - 400% Document Copying, Photo Copying, Fit-to-Page Copying, Borderless Copying Fast, Standard, High
FAX SPECIFICATIONS Fax Type Fax Resolution Fax Speed Fax Memory	Super G3 / Colour Mono: up to 300 x 300dpi Colour: 200 x 200 dpi Mono: approx. 3 sec. (33.6kbps) ^[7] Colour: approx. 1 min. (33.6kbps) ^[7] Up to 50 pages
COMPATIBLE INKS Standard Ink Cartridges Optional XL Ink Cartridges	PG-540 (Pigment Black) CL-541 (Colour) PG-540XL (Pigment Black XL) CL-541XL (Colour XL)
INK YIELDS BK (Pigment Black) CL (Colour - CMY) Testing standards	Standard: 180 document pages Optional XL: 600 document pages Standard: 180 document pages Optional XL: 400 document pages ISO/IEC 24711 for A4 colour document pages Values obtained by continuous printing
PAPER SUPPORT Paper Types Maximum Paper Input Paper Sizes Paper Weight	Plain Paper Envelopes (DL, COM10) Canon Pro Platinum (PT-101) Canon Pro Luster (LU-101) Canon Plus Glossy II (PP-201) Canon Plus Semi-gloss (SG-201) Canon Glossy Everyday Use (GP-501) Canon Matte (MP-101) Canon High Resolution Paper (HR-101N) Canon Photo Stickers (PS-101) Canon T-Shirt Transfer (TR-301) Max. 100 sheets of plain paper Max. 20 sheets of photo paper A4, A5, B5, LTR, LGL, 20 x 25cm, 13 x 18cm, 10 x 15cm Plain paper: 64 - 105 g/m ² Canon photo paper up to 300 g/m ² (PT-101)

CONNECTIVITY Wired Connections Wireless Connections Applications Support	Hi-Speed USB USB flash memory port Wi-Fi IEEE802.11 b/g/n ^[8] Access Point Mode Bluetooth v 2.0 (optional USB adapter) PIXMA Printing Solutions app ^[9] PIXMA Cloud Link ^[10] Apple AirPrint Google Cloud Print
SOFTWARE Supported Operating System Supported Mobile Systems Minimum System Requirements Software Included	Windows 8.1 / 8 / 7 / Vista SP1 & SP2 / XP SP3 32-bit Mac OS X v10.6.8 or later iOS (PIXMA Printing Solutions app, AirPrint) Android (PIXMA Printing Solutions app) Windows RT Windows: Internet Explorer 8, internet connection or CD-ROM Mac: Safari 5 and internet connection Display: 1024 x 768 XGA MP Driver with Scanning Utility Quick Menu My Image Garden Easy-WebPrint EX (plug-in for IE8 or higher)
PHYSICAL FEATURES Display Type & Size Display languages Automatic Document Feeder Dimensions (W x D x H) Weight Power Source Power Consumption Acoustic Noise Levels Operating Temperature Operating Humidity Duty Cycle	Full dot LCD display English, German, French, Italian, Spanish, Dutch, Portuguese, Norwegian, Swedish, Danish, Finnish, Russian, Czech, Hungarian, Polish, Slovene, Turkish, Greek, Slovakian, Estonian, Latvian, Lithuanian, Ukrainian, Romanian, Bulgarian, Croatian, Japanese, Simplified Chinese, Traditional Chinese, Korean, Indonesian Up to 30 sheets 458 x 385 x 200 mm 8.5kg AC 100 - 240V, 50/60Hz Standby: Approx. 1.1 W (Wi-Fi connection to PC) Off: Approx. 0.3 W Copying: Approx. 18 W ^[11] Approx. 43.0 dB(A) ^[12] 15 - 30°C 5 - 95%RH (no dew condensation) up to 3000 pages / month

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch.
- [2] Document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the scan size is restricted.
- [5] Colour document scan speed is measured with ISO/IEC 24735 Annex C Test Chart A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off.
- [6] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.
- [7] Fax transmission speed is based on default setting using ITU-T No.1 chart for mono and Canon Colour Fax Test Sheet for colour. Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.
- [8] Wi-Fi frequency band: 2.4GHz, Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password
- [9] PIXMA Printing Solutions is Canon's free application for smartphones and tablets. Not available in certain countries or regions.
- [10] PIXMA Cloud Link accessible only via PIXMA Printing Solutions app for smartphones and tablets.
- [11] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [12] When printing ISO/JIS-SCID N2 pattern on 10 x 15cm Photo Paper Plus Glossy II using default settings.

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc. Copy speed may vary depending on document complexity, copy mode, page coverage; type of paper used etc. and does not take into account warming up time. Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For more information see www.canon-europe.com/ink/yield

All brand and product names are trademarks of their respective companies.



PIXMA MX535



Cloud enabled All-In-One with Wi-Fi connectivity and Auto Document Feeder

Easily print, copy, scan and fax with this cloud enabled All-In-One. Wi-Fi connection allows functions to be shared between multiple PCs as well as smart devices.

Sales start date: March 2014

Positioning: Advanced All-In-One with ADF, Wi-Fi and cloud connectivity for home and office

Product Details:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
MX535 EUR	8750B009AA	4960999990385	<fill in your local RRP>
MX535 GB	8750B008AA	4960999990378	<fill in your local RRP>

Ink Consumables:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PG-540	5225B005AA	8714574572536	<fill in your local RRP>
CL-541	5227B005AA	8714574572581	<fill in your local RRP>

Optional Ink Consumables:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PG-540 XL	5222B005AA	8714574572550	<fill in your local RRP>
CL-541 XL	5226B005AA	8714574572604	<fill in your local RRP>
PG-540/CL-541 multipack	5225B006AA	8714574572628	<fill in your local RRP>

Logistics Information:

Pack Description	Qty	Dimensions (L x W x H in mm)	Weight (Gross / Net in kg)
Individual	1	520 x 281 x 477	11.3 / 8.65
Pallet (Upper)	16	1126 x 1042 x 955	182.3 / 180.8
Pallet (Bottom)	16	1126 x 1042 x 955	182.3 / 180.8

What's in the box?

- All-In-One printer - PIXMA MX535
- FINE cartridges (colour, black)
- Power cord
- Setup CD-ROM
- Manuals and other documents

The Canon logo in its signature red font, enclosed within a white rounded rectangular border.