

PIXMA PRO-200

YOUR TRUE COLOURS, PRINTED TO PERFECTION

The aspiring photographer's A3+ printer of choice. Versatile, compact and easy to use, PIXMA PRO-200 prints vibrant, high-quality photos to be proud of.



- **Impressive high-quality photographs**

With a superior 8-colour dye-based ink system, you're guaranteed exceptional reproduction, richer colours, and vibrant professional printing, every time.

- **Pick paper that suits you**

With versatile media handling and customisable printing sizes, you can enhance your photographs on a variety of paper including fine art, borderless and panoramic.

- **Quick and easy to use**

The built-in 3-inch LCD display lets you check ink levels, perform printer maintenance, and access printer instructions at a glance – for excellent results with ease.

- **Perfect printing every time**

With 3 paper feed options and auto paper skew correction function, you can bid farewell to misalignment and printing fails, no matter what paper you're using.

- **One seamless process**

Canon's user-friendly PPL software means you can shoot and send photos with ease from popular photography programs for a one-stop edit-to-print experience.



PRODUCT RANGE



imagePROGRAF
PRO-300



PIXMA PRO-200



PIXMA IP8750
(for EUR regions)

imagePROGRAF
PRO-300

PIXMA PRO-200

PIXMA IP8750
(for EUR regions)

PIXMA IP8740
(for MEA regions)

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA PRO-200

Print Head / Ink Type	Permanent		
Number of Nozzles	Total 6,144 nozzles (Y/M/C/PC/PM/Gy/Bk/LGY each 768 nozzles x 8) 8 -color = Y/M/C/PC/PM/Gy/LGy/BK 4800 (horizontal) ¹ x 2400 (vertical) dpi		
Ink Tank			
Maximum Printing Resolution			
Print Speed			
Photo (11"x14" image on A3+ with Border) ²			
Color/PT-101	approx.1 m 30s		L/KG(4"x6") = 20 LTR/A4 /A3 = 10 A3+ = 1
Black/PT-101	approx.2 m 55s		L/KG(4"x6") = 20 LTR/A4 /A3 = 10 A3+ = 1
Maximum Printable Paper Size			LTR/A4/B5 = 80 B4 = 50 A3 = 20 A3+ = 1
Top Tray (width)	Top Tray: 322.2mm (12.7 inch), Borderless Printing : 329 mm (A3+)(13 inch)		A4 = 1 PS-101/PS-201/PSHRS = 1
Manual Feed (width)	Manual Feed: 322.2mm (12.7 inch), Borderless Printing: 329 mm (13 inch)		20 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1 A4 = 80
Custom (length) Printable Area	990.60mm (bordered)		A4 = 80
Borderless Printing	Top/Bottom/Right/Left margin: each 0 mm		LTR/A4/A3/A3+/LDR/210x594 mm = 1
Bordered Printing	Top margin: 3 mm , Bottom margin: 5 mm / Left/Right margin: each 3.4 mm (LTR/LGL: Left: 6.4 mm, Right: 6.3 mm) Recommended Top/Bottom/Right/Left margin for Fine Art Paper: each 25 mm		LTR/A4/12x12 = 1
Support Media			LTR/A4/12x12 = 1
Top Tray	Plain Paper/ Photo Paper Pro Platinum (PT-101)/Photo Paper Plus Glossy II (PP-201) / Photo Paper Pro Luster (LU-101)/ Photo Paper Plus Semi-gloss (SG-201)/ Matte Photo Paper (MP-101)/ Photo Stickers (PS-101) / Hagaki/ Lightweight Photo Paper (BOX)/Japanese Paper Washi (BOX)/ Canvas (BOX)/ Red Label Superior 80 g/m2(WOP111)/ Canon Oce Office Colour Paper 80 g/m2(SAT213)/ Heavyweight Fine Art Paper(BOX)/ Inkjet Greeting Card/Cardstock/Photo Paper Plus Glossy II (PP-208) ,High Resolution Paper (HR-101N),Photo Paper Glossy (GP-501), Envelope,T-Shirt Transfer,Light Fabric Iron Transfers(LF-101),Dark Fabric Iron Transfers (DF 101)		10 LTR/A4/7"x10" = 1 LTR/A4 /12"x12" = 1
Manual Feed	Photo Paper Pro Platinum (PT-101)/Photo Paper Plus Glossy II (PP-201) /Photo Paper Pro Luster (LU-101)/ Photo Paper Plus Semi-gloss (SG-201)/ Matte Photo Paper (MP-101)/ Lightweight Photo Paper (BOX)/ Heavyweight Photo Paper (BOX)/ Japanese Paper Washi (BOX)/ Canvas (BOX)/ Photo Paper Pro Premium Matte (PM-101) / Heavyweight Fine Art Paper (BOX)/ Extra Heavyweight Fine Art Paper (BOX)/Premium Fine Art Rough/Inkjet Greeting Card/Cardstock/Photo Paper Plus Glossy II (PP-208), Photo Paper Glossy (GP-501), Light Fabric Iron Transfers(LF-101), Dark Fabric Iron Transfers (DF 101) Printable Nail Sticker (NL-101) / Printable Disk		A3/A4/LTR/8"x10" /10"x12"/A3+ = 1
Multi-purpose Tray			LTR/A4/A3/A3+ = 1
Paper Size			LTR/A4/A3/A3+ = 1
Top Tray	A3+/A3/A4/A5/B4/B5/LTR/LGL/Ledger/Hagaki/7"x10"/12x12 L(3.5"x5")/KG(4"x6") /2L(5"x7")/8"x10"/10"x12"/ Square(127 mm) /210 x594 mm Custum size (width 89 mm - 329 mm, length 127 mm - 990.6 mm) Envelopes (DL, COM10)		LTR/A4/A3/A3+ = 1 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1 LTR/A4/A3/A3+ = 1
Manual Feed	A3+/A3/A4/A5/B4/LTR/LGL/Ledger/12x12 8"x10"/10"x12"/210x594 mm Custum size (width 203.2 mm - 330.2 mm, length 254 mm - 990.6 mm) 120x120 mm		LTR/A4/A3/A3+ = 1 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
Multi-purpose Tray			LTR/A4/A3/A3+ = 1
Paper Size (Borderless)	A3+/A3/A4/A5/LTR/Ledger/Hagaki/7x10/12x12/5x7/L (3.5"x5")/KG (4"x6")/2L(5"x7")/8"x10"/10"x12"/Square (127 mm)/210 x594 mm		LTR/A4/12x12 = 1
Paper Handling (Top Tray) (Maximum Number)			LTR/A4/12x12 = 1
Plain Paper	LTR/A4/A5/B5 = 100 B4/A3/LGL/LDR = 50		LTR/A4/7"x10" = 1 LTR/A4 /12"x12" = 1 1 (Multi-purpose Tray)
Photo Paper Pro Platinum (PT-101)	L/KG(4"x6") = 20 LTR/A3/A4/2L/8"x10" = 10 10"x12"/A3+ = 1		Plain Paper: 64-105 g/m ² Canon Genuine paper (maximum): approx. 380 g/m Canon Genuine paper (maximum): approx. 380 g/m, or Paper Thickness 0.1 ~0.6 mm or less Dot count Auto/Manual
		Photo Paper Plus Glossy II (PP-201)	L/KG(4"x6")/Hagaki/Square(127 mm) = 20
		Photo Paper Glossy (GP-501)	LTR/A3/A4/2L/8"x10" = 10 A3+ = 1
		Photo Paper Pro Luster (LU-101)	L/KG(4"x6") = 20 LTR/A3/A4/2L = 10 A3+ = 1
		Photo Paper Plus Semi-gloss (SG-201)	LTR/A4 /A3 = 10 A3+ = 1
		Matte Photo Paper (MP-101)	
		High Resolution Paper (HR-101N)	L/KG(4"x6") = 20 LTR/A4 /A3 = 10 A3+ = 1
		T-Shirt Transfer	LTR/A4/B5 = 80 B4 = 50 A3 = 20 A3+ = 1
		Photo Stickers (PS-101)	A4 = 1 PS-101/PS-201/PSHRS = 1
		Hagaki	20
		Lightweight Photo Paper	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
		Japanese Paper Washi	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
		Canvas	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
		Red Label Superior 80 g/m2(WOP111)	A4 = 80
		Canon Oce Office Colour Paper 80 g/m2(SAT213)	A4 = 80
		Heavyweight Fine Art Paper	LTR/A4/A3/A3+/LDR/210x594 mm = 1
		Light Fabric Iron Transfers (LF-101)	LTR/A4/12x12 = 1
		Dark Fabric Iron Transfers (DF 101)	LTR/A4/12x12 = 1
		Envelopes(DL, COM10)	10
		Inkjet Greeting Card	LTR/A4/7"x10" = 1
		Cardstock	LTR/A4 /12"x12" = 1
		Paper Handling (Manual Feed) (Maximum Number)	
		Photo Paper Pro Platinum (PT-101)	A3/A4/LTR/8"x10" /10"x12"/A3+ = 1
		Photo Paper Plus Glossy II (PP-201)	LTR/A4/A3/A3+ = 1
		Photo Paper Pro Luster (LU-101)	LTR/A4/A3/A3+ = 1
		Photo Paper Glossy (GP-501)	LTR/A4/A3/A3+ = 1
		Photo Paper Plus Semi-gloss (SG-201)	LTR/A4/A3/8"x10" /10"x12"/A3+ = 1
		Matte Photo Paper (MP-101)	LTR/A4/A3/A3+ = 1
		Lightweight Photo Paper	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
		Heavyweight Photo Paper	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
		Japanese Paper Washi	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
		Canvas	LTR/A4/A3/A3+/LDR/210 x 594mm = 1
		Photo Paper Pro Premium Matte (PM-101)	LTR/A4/A3/A3+ = 1
		Heavyweight Fine Art Paper	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
		Extra Heavyweight Fine Art Paper	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
		Premium Fine Art Rough (FA-RG1)	LTR/A4/A3/A3+ = 1
		Light Fabric Iron Transfers (LF-101)	LTR/A4/12x12 = 1
		Dark Fabric Iron Transfers (DF 101)	LTR/A4/12x12 = 1
		Inkjet Greeting Card	LTR/A4/7"x10" = 1
		Cardstock	LTR/A4 /12"x12" = 1
		Paper Handling (Multi-purpose Tray) (Maximum Number)	1 (Multi-purpose Tray)
		Paper Weight	
		Top Tray	Plain Paper: 64-105 g/m ² Canon Genuine paper (maximum): approx. 380 g/m Canon Genuine paper (maximum): approx. 380 g/m, or Paper Thickness 0.1 ~0.6 mm or less Dot count Auto/Manual
		Manual Feed	
		Ink End Sensor	
		Print Head Alignment	



TECHNICAL SPECIFICATIONS

PIXMA PRO-200

N/W		GENERAL SPECIFICATIONS	
Protocol	SNMP / HTTP / TCP / IP (IPv4 / IPv6)	Operation Panel	
Wired LAN		Display	3.0 inch / 7.5 cm LCD (Display Panel, Color)
Network Type	IEEE 802.3 10base-T IEEE 802.3u 100base-TX 10Mbps / 100Mbps (Auto switching) IEEE 802.1x (EAP-TLS / EAP-TTLS / PEAP)	Language	33 Languages Selectable: Japanese / English (mm & inch) / German / French / Italian / Spanish / Dutch / Portuguese / Norwegian / Swedish / Danish / Finnish / Russian / Czech / Hungarian / Polish / Slovene / Turkish / Greek / Simplified Chinese / Traditional Chinese / Korean / Indonesian / Slovakian / Estonian / Latvian / Lithuanian / Ukrainian / Romanian / Bulgarian / Thai / Croatian / Vietnamese
Data Rate			
Security			
Wireless LAN			
Network Type	IEEE802.11n / IEEE802.11g / IEEE802.11b IEEE802.11a	Interface	Hi-Speed USB
Frequency Band	2.4GHz / 5GHz	USB B Port	
Channel³	2.4GHz: 1-13 (US*: 1-11) 5GHz: W52 / W53 / W56 / W58 *Infrastructure mode and direct mode cannot be used simultaneously in the 5 GHz band. *Direct mode cannot use the 5 GHz band.	PictBridge	Available
		Wireless LAN	Temperature: 5~35 °C Humidity: 10~90 %RH (no dew condensation)
Range	Indoor 50 m ※depends on the transmission speed and conditions	Operating Environment¹²	Temperature: 15~30 °C Humidity: 10~80 %RH (no dew condensation)
Security	WEP (64/128bit) WPA-PSK (TKIP/AES) WPA2-PSK (TKIP/AES)	Recommended Environment¹³	Temperature: 0~40 °C Humidity: 5~95 %RH (no dew condensation)
		Storage Environment	Available
Direct connection (Wireless LAN)	Available	Quiet Mode	
		Acoustic Noise (PC Print)	
PRINTING SOLUTIONS		Plain Paper (A4, Color)¹⁴	Approx. 42.5db
Canon PRINT Inkjet/SELPHY (for iOS/Android)	Available	Photo Paper Pro Platinum (PT-101) (L, Color, borderless)	Approx. 42.5db
Layout		Photo Paper Pro Platinum (PT-101) (4x6, Color, borderless)	Approx. 42.2db
1-up (bordered / borderless¹⁴)	A4, Letter, A3, A3+, 11"x17", Ledger, L, KG (4"x6"), 2L (5"x7"), Square (127"x127"), 7"x10", 8"x10", Hagaki	Power	
1-up (bordered only)	B5, A5, Legal, B4	Power Consumption	
AirPrint	Available	Standby (scanning lamp is off)	Approx 1.0W
Layout		USB connection to PC	
1-up (bordered / borderless¹⁴)	A4, Letter, A3, A3+, 11"x17", Ledger, L, KG (4"x6"), 2L (5"x7"), Square (127"x127"), 7"x10", 8"x10", 10"x12", 12"x12", 210x594, Hagaki	OFF	Approx. 0.2W
1-up (bordered only)	B5, A5, Legal, B4, Envelopes (DL, COM10), Disk, Custom paper size	Printing	approx 1.6W
Print Quality¹⁵	Draft / Standard / High	USB connection to PC	
Mopria¹⁶	Available	Standby (all ports connected, scanning lamp is off)	approx. 2.5W
Layout		<EU only - for ErP Lot 26 regulation>	
1-up (bordered / borderless¹⁴)	A4, Letter, A3, A3+, 11"x17", Ledger, L, KG (4"x6"), 2L (5"x7"), Square (127"x127"), 7"x10", 8"x10", 10"x12" (10x12), 12x12, 210x594, Hagaki	Time to enter Standby mode	
1-up (bordered only)	B5, A5, Legal, B4, Envelopes (DL, COM10), Disk, Custom paper size	<EU only - for ErP Lot 26 regulation>	approx. 3 min
Print Quality¹⁵	Draft / Standard / High	Environment	
Canon Print Service (for Android)	Available	Regulation	RoHS (EU, China)*, WEEE (EU)* *To be fixed
Windows 10 Mobile	Available	Eco-Label	Energy Star* *To be fixed (except for EUR)
PIXMA Cloud Link		Dimension (WxDxH)	
From smartphone or tablet	Available	Factory configuration	
Camera Direct Spec.		mm	approx. 639 x 379 x 200 mm
Media size	LTR / A4 / L / 2L (5"x7") / KG (4"x6") / 8"x10" / 10"x12" / A3 / A3+ / Square (127"x127") / Hagaki	inch	approx. 25.2 x 15 x 7.9 inch
Compatible Digital Camera	"PictBridge" compliant digital cameras, camcorders and camera phones	Output / ADF trays extended	
Connecting type	WLAN	mm	approx. 639 x 837 x 416 mm
File Format	JPEG (Exif ver2.2/2.21/2.3 compliant) ¹⁷ , PNG	inch	approx. 25.2 x 33 x 16.4 inch
Layout¹⁸		Weight	
1-up (borderless¹⁴)	Available	kg	approx. 14.1 kg
1-up (bordered¹⁹)	Available	lb	approx. 32lb
Photo Index	Available		
Print with shooting information	Available		
20-up print with shooting information	Available		
35-up contact print	Available		
Disc Label	Available ¹⁰		
File number & date print	Available ¹¹		



Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA PRO-200

Footnotes: -

- [1] Ink droplets can be placed with a pitch of 1/4800 inch at minimum.
- [2] Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734.
Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- [3] 1-11 in US, CND, LTN, BRA, TW and HK.
- [4] The amount of image extension beyond the paper cannot be adjusted.
- [5] Resolution may be changed between Direct print and printing from PC.
- [6] They are list of papers which the printer is capable of. The paper type printable from Mopria depends on the Mopria's capability.
- [7] Image data taken by DCF (Ver.1.0/2.0) -compliant digital cameras, camcorders or camera phones and recorded in JPEG (Exif-compliant) format.
- [8] Function depends on the connected digital cameras, camcorders or camera phones.
- [9] Plain paper is printed bordered automatically, regardless of the camera settings.
- [10] Not supported for 'Printable Printable Printable Nail Stickers'.
- [11] Non-support for 2/4/9/16-up in sticker printing as well as date/file number printing in disc label printing.
- [12] The performance of the printer may be reduced under certain temperature and humidity conditions.
- [13] For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.
- [14] Acoustic Noise is measured based on ISO7779 standard with default setting.



Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2020

YOUR TRUE COLOURS, PRINTED TO PERFECTION

PIXMA PRO-200

The aspiring photographer's A3+ printer of choice. Versatile, compact and easy to use, PIXMA PRO-200 prints vibrant, high-quality photos to be proud of.

Sales Start Date: November 2020



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA PRO-200	4280C008AA	4549292160734	£449.99/€499.99

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
CLI-65 BK EUR/OCN	4215C001AA	4549292159226	TBC
CLI-65 C EUR/OCN	4216C001AA	4549292159257	TBC
CLI-65 M EUR/OCN	4217C001AA	4549292159288	TBC
CLI-65 Y EUR/OCN	4218C001AA	4549292159318	TBC
CLI-65 GY EUR/OCN	4219C001AA	4549292159349	TBC
CLI-65 PC EUR/OCN	4220C001AA	4549292159370	TBC
CLI-65 PM EUR/OCN	4221C001AA	4549292159417	TBC
CLI-65 LGY EUR/OCN	4222C001AA	4549292159448	TBC

Canon

Live for the story_

YOUR TRUE COLOURS, PRINTED TO PERFECTION

PIXMA PRO-200

The aspiring photographer's A3+ printer of choice. Versatile, compact and easy to use, PIXMA PRO-200 prints vibrant, high-quality photos to be proud of.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA PRO-200	4280C008AA	Individual	1	735	473.5	342.5	18.9	14.8
		Pallet (Upper)	6	745	955.5	1032	114.3	88.8
		Pallet (Bottom)	6	745	955.5	1032	114.3	88.8

What's in the box?

- PIXMA PRO-200 EUM/EMB
 - Power cord UK type
 - Power cord Pan-European type
 - CD-Printing Tray
 - Setup software & User's manual CD*
- *only for Windows

- Users Guide (E-manual)
- European Warranty System (EWS) A3 Leaflet
- Russian Warranty sheet

Canon

Live for the story_