

PIXMA TS6150

SMART, STYLISH AND CONNECTED ALL-IN-ONE

Print, scan and copy superb photos and crisp documents at home. This beautifully compact All-In-One has a 7.5cm touchscreen, 5 single inks and comes ready to use with smart wireless and cloud connectivity.



- Connect to smart devices via range of options including Bluetooth®* for easy Wi-Fi print and scan via Canon PRINT app
- Cloud print and scan** using PIXMA Cloud Link straight from the printer screen or via the Canon PRINT app
- Enjoy simple smartphone-like control from different angles using the tilting panel with 7.5cm colour touchscreen
- Beautifully compact All-In-One with 5 single inks for high quality printing, copying and scanning at home
- Only change the colour you need with single ink tanks; save using optional XL or XXL inks and auto 2-sided printing

*Equipped with Bluetooth® low energy technology (Bluetooth print and scan is only available on Android devices). The functions available with Bluetooth communication and the Canon PRINT Inkjet/SELPHY app are not guaranteed on all Android smartphones. The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Canon Inc. is under license. Other trademarks and trade names are those of their respective owners.

**Scan to cloud is only available to genuine Canon ink users.



PRODUCT RANGE



PIXMA TS8150 Series

PIXMA TS9150 Series
PIXMA TS8150 Series
PIXMA TS6150 Series
PIXMA TS5150 Series



PIXMA TS6150 Series



PIXMA TS5150 Series

TECHNICAL SPECIFICATIONS

PIXMA TS6150

GENERAL SPECIFICATIONS

Functions

Wireless, Print, Copy, Scan, Cloud Link

PRINTER SPECIFICATIONS

Print Resolution

Up to 4800^[1] x 1200 dpi

Print Technology

5 Individual Ink Tanks (PGBK, BK, C, M, Y)
ChromaLife100 inks

Mono Print Speed

Approx. 15.0 ipm^[2]

Colour Print Speed

Approx. 10.0 ipm^[2]

Photo Print Speed

Borderless 10 x 15cm : Approx. 37 seconds^[3]

Borderless Printing

Yes (A4, Letter, 20 x 25cm, 13 x 18cm, 10 x 15cm, 13 x 13cm)

Two Sided Printing

Auto Duplex Print (A4, A5, B5, Letter - plain paper)

CARTRIDGES AND YIELDS

Standard Ink Cartridges

5 individual ink tanks
PGI-580PGBK (Pigment Black)
CLI-581BK (Black)
CLI-581C (Cyan)
CLI-581M (Magenta)
CLI-581Y (Yellow)

Optional XL Ink Cartridges

High yield XL ink tanks
PGI-580PGBK XL (Pigment Black)
CLI-581BK XL (Black)
CLI-581C XL (Cyan)
CLI-581M XL (Magenta)
CLI-581Y XL (Yellow)

Optional XXL Ink Cartridges

High yield XL ink tanks
PGI-580PGBK XXL (Pigment Black)
CLI-581BK XXL (Black)
CLI-581C XXL (Cyan)
CLI-581M XXL (Magenta)
CLI-581Y XXL (Yellow)

Cartridge Yield (Plain paper)

A4 Colour Document^[4]
Pigment Black: 200 pages
Pigment Black XL: 400 pages
Pigment Black XXL: 600 pages
Black: 1505* pages
Black XL: 3120* pages
Black XXL: 6360* pages
Cyan: 256 pages
Cyan XL: 515 pages
Cyan XXL: 820 pages
Magenta: 237 pages
Magenta XL: 474 pages
Magenta XXL: 760 pages
Yellow: 257 pages
Yellow XL: 514 pages
Yellow XXL: 824 pages
* Estimated supplemental yield

Cartridge Yield (Photo print)

10 x 15cm photo^[5]
Pigment Black: 1448* photos
Pigment Black XL: 3373* photos
Pigment Black XXL: 5500* photos
Black: 231* photos
Black XL: 520* photos
Black XXL: 858* photos
Cyan: 83 photos
Cyan XL: 170 photos
Cyan XXL: 282 photos
Magenta: 108 photos
Magenta XL: 225 photos
Magenta XXL: 367 photos
Yellow: 99 photos
Yellow XL: 199 photos
Yellow XXL: 322 photos
* Estimated supplemental yield

PAPER SUPPORT

Paper Types

Plain Paper
Canon High Resolution Paper (HR-101N)
Canon Pro Platinum (PT-101)
Canon Plus Glossy II (PP-201)
Canon Pro Luster (LU-101)
Canon Plus Semi-gloss (SG-201)
Canon "Everyday Use" (GP-501)
Canon Matte (MP-101)
Envelopes

Maximum Paper Input

Rear Tray: Max. 20 sheets (photo paper)
Front Cassette: Max. 100 sheets (plain paper)

Paper Sizes

Rear Tray: A4/A5/B5/LTR/LGL/20 x 25cm/
13 x 18cm/10 x 15cm/13 x 13, Envelopes
(DL, COM10)

Paper Weight

Front Cassette: A4, A5, B5, LTR
Rear Tray: Plain paper 64 - 105 g/m²,
Canon photo paper up to 300 g/m²
Front Cassette: Plain Paper: 64-105 g/m²

SCANNER SPECIFICATIONS

Scanner Type

CIS flatbed photo and document scanner
1200 x 2400 dpi^[6]

Scanner Resolution (Optical)

Approx 14 sec^[7]

A4 Scan Speed

Colour: RGB each 16bit/8bit

Scanning Depth (Input / Output)

Greyscale: 16 bit / 8 bit

Maximum Document Size

216 x 297 mm

COPIER SPECIFICATIONS

Copy Speed

sFCOT: Approx. 19 sec^[8]
eSAT: Approx. 6.5 ipm^[9]
99 copies max.

Multiple Copy

Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, ID copy

Copy Functions

25 - 400% (in 1% increments)
Fit to page

Copy Zoom

A5 to A4, B5 to A4, A4 to A5 and A4 to B5

INTERFACE

Display Type & Size

7.5cm LCD (TFT colour/Touch)

Display Languages

33 Languages Selectable: Japanese/
English(mm & inch)/German/French/Italian/
Spanish/Dutch/Portuguese/Norwegian/
Swedish/Danish/Finnish/Russian/Czech/
Hungarian/Polish/Slovene/Turkish/Greek/
Simplified Chinese/Traditional
Chinese/Korean/Indonesian/Slovakian/
Estonian/Latvian/Lithuanian/Ukrainian/Romanian/
Bulgarian/Thai/Croatian/Vietnamese

Interface Type - PC / Mac

Hi-Speed USB (B Port)
Wi-Fi: IEEE802.11 b/g/n
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,
Administration password
Wireless LAN Frequency Band: 2.4GHz

Interface Type - Other

Bluetooth Low Energy (BLE)
Message In Print app
PIXMA Cloud Link
Canon PRINT Inkjet/SELPHY app
Canon Print Service Plugin (Android)
Google Cloud Print
Apple AirPrint
Wireless Direct
Access Point Mode
WLAN PictBridge
Mopria (Android)

TECHNICAL SPECIFICATIONS

PIXMA TS6150

SOFTWARE

Supported Operating Systems

Windows 10, Windows 8.1, Windows 7 SP1
Note: For Windows, .NET Framework 4.5.2 or 4.6 is required

Supported Mobile Systems

iOS, Android, Windows 10 Mobile

Minimum System Requirements

Windows: 3.1GB disk space, Internet Explorer 8
Mac: Internet connection, 1.5GB disk space, Safari 5
Display: 1024 x 768 XGA

Software Included

MP Driver including Scanning Utility
My Image Garden with Full HD Movie Print ^[9]
Quick Menu
Easy-WebPrint EX (download) ^[10]

PHYSICAL FEATURES

Weight

approx. 6.2kg

Dimensions (W x D x H)

approx. 372 x 315 x 139 mm

Acoustic Noise Levels

approx. 46dB(A) ^[11]

Recommended Operating Environment

Temperature: 15-30°C
Humidity: 10-80%RH (no dew condensation)

Power Source

AC 100-240V, 50/60Hz

Power Consumption

Off: Approx. 0.2W
Standby (connected to PC via USB): Approx. 0.8W (scanning lamp off)
Standby (all parts connected): Approx. 1.6W (scanning lamp is off)
Time to enter Standby mode: 11 minutes 18sec
Copying: Approx. 1.4W ^[12]

Footnotes

^[1] Ink droplets can be placed with a minimum pitch of 1/4800 inch

^[2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

^[3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

^[4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.

^[5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.

^[6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

^[7] Colour document scan speed is measured with ISO/IEC 29183 Target A.

Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off.
Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

^[8] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.

^[9] Full HD Movie Print is available for MOV and MP4 movie files created by select Canon digital cameras and camcorders. Requires installation of software bundled with Canon video or digital camera, from which the movie was captured. MOV files require: ZoomBrowser EX / ImageBrowser (version 6.5 or later). MP4 files require: ImageBrowser EX (version 1.0 or later).

^[10] Easy-WebPrint EX requires Internet Explorer 8 or later

^[11] When printing ISO/JIS-SCID N2 pattern on 10 x 15cm Photo Paper Plus Glossy II using default settings.

^[12] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



SMART, STYLISH AND CONNECTED ALL-IN-ONE

Print, scan and copy superb photos and crisp documents at home. This beautifully compact All-In-One has a 7.5cm touchscreen, 5 single inks and comes ready to use with smart wireless and cloud connectivity.

Sales Start Date: Sep 2017

PIXMA TS6150



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA TS6150 BK EUR	2229C008AA	4549292090611	£159.99/ € 179.99

CONSUMABLES:

Product Name	Mercury Code	EAN Code
Standard size		
PGI-580 PGBK	2078C001AA	4549292087062
CLI-581 BK	2106C001AA	4549292087079
CLI-581 C	2103C001AA	4549292087086
CLI-581 M	2104C001AA	4549292087093
CLI-581 Y	2105C001AA	4549292087116
XL size		
PGI-580XLPGBK	2024C001AA	4549292086980
CLI-581XL BK	2052C001AA	4549292086997
CLI-581XL C	2049C001AA	4549292087017
CLI-581XL M	2050C001AA	4549292087024
CLI-581XL Y	2051C001AA	4549292087031
XXL size		
PGI-580XXLPGBK	1970C001AA	4549292086836
CLI-581XXL BK	1998C001AA	4549292086874
CLI-581XXL C	1995C001AA	4549292086898
CLI-581XXL M	1996C001AA	4549292086928
CLI-581XXL Y	1997C001AA	4549292086959

SMART, STYLISH AND CONNECTED ALL-IN-ONE

Print, scan and copy superb photos and crisp documents at home. This beautifully compact All-In-One has a 7.5cm touchscreen, 5 single inks and comes ready to use with smart wireless and cloud connectivity.

PIXMA TS6150



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS6150 BK EUR	2229C008AA	Individual	1	446	212	457.9	8.0	6.0
		Pallet (Upper)	20	1,070	897	920.3	161.9	160.6
		Pallet (Bottom)	30	1,070	897	1378.2	242.6	240.9

What's in the box?

- All-In-One printer - PIXMA TS6150
- Setup Ink Tanks
- Power cord
- Setup CD-ROM
- Manuals