

# PIXMA TS7650i

## THE SMART, HIGH-QUALITY 3-IN-1 WITH STUNNING PRINTS

A fast, high-quality printer that seamlessly slots into your home life thanks to its compact size and streamlined controls.



- **Simple, intuitive UI**  
Enjoy effortless operation with the streamlined, customisable Switch UI system, which tailors available functions to your needs: work, study or lifestyle
- **Fast printing**  
Get your documents quickly with fast print speeds of 15ipm (mono) and 10ipm (colour), and print a borderless 4x6" photo in seconds
- **Outstanding print quality**  
The PIXMA TS7650i's FINE print head technology results in excellent print quality for a compact printer, with rich gradation and reduced graininess
- **Mobile printing**  
Printing from mobile devices couldn't be easier, thanks to support for Apple AirPrint, Mopria, Google Cloud Print and the Canon PRINT app
- **Superb productivity**  
Save time with smart productivity features including one-push copy, automatic two-sided printing and scan to smartphone
- **Wireless connectivity**  
Print wirelessly from a wide range of devices by connecting to your home network, or connect straight to the printer with Wireless Direct



High-speed printing



Borderless Photo Printing



FINE Cartridge



2-way



6.7 cm / 2.7" Touch



Wireless Printing

### PRODUCT RANGE



Canon PIXMA  
TS7650i



Canon PIXMA  
TS7750i

Canon PIXMA  
TS7650i

Canon PIXMA  
TS7750i

# Canon

Live for the story\_

# TECHNICAL SPECIFICATIONS

# PIXMA TS7650i

## GENERAL SPECIFICATIONS

### Functions

Wi-Fi, Print, Copy, Scan, Cloud

## PRINTER SPECIFICATIONS

### Print Resolution

Up to 1200<sup>[1]</sup> x 1200 dpi

### Print Technology

2 FINE Cartridges (Black and Colour)

### Mono Print Speed

Approx. 15.0 ipm<sup>[2]</sup>

### Colour Print Speed

Approx. 10.0 ipm<sup>[2]</sup>

### Photo Print Speed

Borderless 10x15cm : Approx. 19 seconds<sup>[2]</sup>

### Borderless Printing

A4, B5, LTR, 4" x 6", 5" x 7", 8" x 10",  
Card Size (91 mm x 55 mm), Square (89 mm x 89 mm),  
Square (127 mm x 127 mm)

### Two Sided Printing

Auto Duplex Print (A4, LTR - Plain Paper)

## CONSUMABLES AND INK YIELDS

### Standard Ink Cartridges

PG-585 (Black)  
CL-586 (Colour)  
PG-585XL (Black)  
CL-586XL (Colour)

### Optional XL Ink Cartridges

### Maintenance cartridge

MC-G06 (User Replaceable)

### Cartridge Yield (Plain paper)

A4 colour documents printing<sup>[3]</sup>  
Black: 180 pages  
Black XL: 300 pages  
Colour: 180 pages  
Colour XL: 300 pages  
10x15cm photo<sup>[3]</sup>  
Colour: 65 pages  
Colour XL: 109 pages

### Cartridge Yield (Photo print)

## PAPER SUPPORT

### Paper Types

Plain Paper(64 g/m<sup>2</sup> - 105 g/m<sup>2</sup>),  
Canon Red Label Superior(WOP111)  
Canon Océ Office Colour Paper(SAT213)  
Photo Paper Pro Platinum (PT-101),  
Photo Paper Pro Luster (LU-101),  
Photo Paper Plus Semi-gloss (SG-201),  
Glossy Photo Paper "Everyday Use" (GP-501)  
Matte Photo Paper (MP-101),  
Photo Paper Plus Glossy II (PP-201)  
Dark Fabric Iron on Transfers (DF-101),  
Light Fabric Iron on Transfers (LF-101)  
Rear Tray: Max. 20 sheets (photo paper) or  
Max. 100 sheets (plain paper)  
Front Cassette: Max. 100 sheets (plain paper)  
Rear Tray: A4, A4 Art paper, A5, B5, LTR, LTR Art  
paper, LGL, #10 Envelope, DL Envelope,  
Card Size  
(91 mm x 55 mm), 4" x 6", 5" x 7", 7" x 10", 8" x 10",  
Square (89 mm x 89 mm, 127 mm x 127 mm),  
Custom Size  
(width: 55 mm - 215.9 mm, length: 89 mm - 1200 mm)

### Maximum Paper Input

### Paper Sizes

### Paper Weight

Front Cassette: A5,A4,B5,LTR  
Plain Paper: 64 g/m<sup>2</sup> - 105 g/m<sup>2</sup>, or supported  
genuine Canon papers  
  
Canon paper: max paper weight : approx. 300 g/m<sup>2</sup>  
(Photo Paper Pro Platinum PT-101)

## SCANNER SPECIFICATIONS

### Scanner Type

Flatbed, CIS colour scanner

### Scanner Resolution (Optical)

1200 x 2400 dpi<sup>[4]</sup>

### Scanning Depth (Input / Output)

Colour: RGB each 16bit/8bit  
Greyscale: 16 bit / 8 bit

### Maximum Document Size

Flatbed: A4, LTR (216 x 297mm)

## COPIER SPECIFICATIONS

### Copy Speed

sFCOT: Approx. 18 sec.<sup>[5]</sup>  
sESAT: Approx. 7.0 ipm<sup>[5]</sup>  
99 copies max.

### Multiple Copy

### Copy Functions

Document Copying, Photo Copying, Borderless  
copy, 2-sided copy, 2-on-1 and 4-on-1 copy,  
Frame erase copy (Flatbed only), ID copy,  
Oversized copy, Tiling copy  
25 - 400%  
Fit to page

### Copy Zoom

## INTERFACE

### Display Type & Size

### Display Languages

2.7 inch/6.7cm LCD(Touch Screen, Color)

33 Languages Selectable: Japanese/English  
(mm & inch)/German/French/Italian/Spanish/Dutch/  
Portuguese/Norwegian/Swedish/Danish/Finnish/  
Russian/Czech/Hungarian/Polish/Slovene/Turkish/  
Greek/Simplified Chinese/Traditional Chinese/  
Korean/Indonesian/Slovakian/Estonian/Latvian/  
Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/  
Croatian/Vietnamese

## CONNECTIVITY

### Standard Interface

Hi-Speed USB (B Port)  
Wi-Fi: IEEE802.11 b/g/n<sup>[8]</sup>  
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP  
Wireless LAN Frequency Band: 2.4GHz/5GHz  
Canon PRINT app<sup>[9]</sup>  
Easy-PhotoPrint Editor app<sup>[10]</sup>  
Creative Park app<sup>[11]</sup>  
Easy-PhotoPrint Editor Software<sup>[12]</sup>  
PIXMA Cloud Link<sup>[13]</sup>  
Canon Print Service Plugin (Android)<sup>[14]</sup>  
Apple AirPrint<sup>[15]</sup>  
Wireless Direct<sup>[16]</sup>  
Mopria (Android)<sup>[17]</sup>  
PosterArtist Web

### Mobile Apps

### Printer Features

## SOFTWARE

### Supported Operating Systems

Windows 11, Windows 10, Windows 8.1,  
Windows 7 SP1

Operation can only be guaranteed on a PC with  
pre-installed Windows 7 or later.

macOS 10.15.7 ~ macOS 13

### Supported Mobile Systems

### Operational Requirements

iOS, iPadOS, Android, ChromeOS<sup>[18]</sup>

Display: 1024 x 768 XGA

## PHYSICAL FEATURES

### Weight

approx.6.3 kg

### Dimensions (W x D x H)

With the trays retracted approx. 374 x 350 x 168 mm  
With the trays extended: Approx. 374 x 563 x 276 mm  
approx. 48.0(A)<sup>[6]</sup>

### Acoustic Noise Levels

### Recommended Operating

### Environment

### Power Source

### Power Consumption

Temperature: 15-30°C  
Humidity: 10-80%RH (no dew condensation)  
AC 100-240V, 50/60Hz  
Off: Approx. 0.1W  
Standby (connected to PC via USB): Approx. 0.9W  
(scanning lamp off)  
Standby (all ports connected): Approx. 1.5W  
(scanning lamp is off)  
Time to enter Standby mode: 10min  
Copying: Approx. 21W<sup>[7]</sup>

# Canon

Live for the story\_

# TECHNICAL SPECIFICATIONS

# PIXMA TS7650i

## Footnotes:

- [1] Ink droplets can be placed with a minimum pitch of 1/1200 inch
- [2] Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.  
Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [3] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [5] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.  
Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc, and does not take into account warming up time.
- [6] Acoustic Noise is measured based on ISO7779 standard (colour printing) with default setting.
- [7] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [8] Wireless printing requires a working network with wireless 802.11b/g/n/a or ac capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- [9] Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPad touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- [10] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [11] Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.
- [12] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [13] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [14] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- [15] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- [16] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- [17] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- [18] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.

## Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see <http://www.canon-europe.com/ink/yield>
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Canon Inc.  
canon.com  
Canon Europe  
canon-europe.com  
English edition  
Canon Europa NV 2023

Live for the story\_

# THE SMART, HIGH-QUALITY 3-IN-1 WITH STUNNING PRINTS

# PIXMA TS7650i

A fast, high-quality printer that seamlessly slots into your home life thanks to its compact size and streamlined controls.

Sales Start Date: October 2023



## PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
PIXMA TS7650i	6256C006	4549292221329

## PRODUCT CODES FOR CONSUMABLES:

Product Name	Mercury Code	EAN Code
<b>Standard size</b>		
PG-585	6205C001	4549292223378
CL-586	6227C001	4549292223408
<b>XL size</b>		
PG-585XL	6204C001	4549292223361
CL-586XL	6226C001	4549292223408

## MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS7650i	6256C006	Individual	1	517.0	239.0	443.0	8.8	6.3
		Pallet (Upper)	16	1042.0	964.0	890.5	142.3	100.8
		Pallet (Bottom)	24	1042.0	964.0	1333.5	212.7	151.2

## What's in the box?

- Canon PIXMA TS7650i
- FINE cartridges
- Power cord
- Manuals and other documents

# Canon

Live for the story\_