



The Dell B1265dnf multifunction laser printer



Affordable multifunction laser printer offers 4-in-1 versatility to help boost office productivity

Perfect for small and medium businesses with small workgroups

The Dell™ B1265dnf multifunction laser printer offers fast print speeds, professional quality prints at a low cost per page, 40-page ADF, built-in Ethernet, and duplex printing. Reliable and easy to maintain, it has a high maximum duty cycle of up to 20,000 pages per month and built-in fuser unit designed to last the life of the printer.

The Dell B1265dnf supports direct printing from mobile devices — print directly from an iPad®, iPhone®, iPod touch® to this AirPrint™-enabled printer¹; or directly from Android devices by using the Dell Mobile Print app⁶. You can also print on the go from Smartphones and notebooks via compatible Google Cloud Print™-enabled apps.

For the convenience, versatility and efficiency of print, scan, copy, and fax functions in one affordable and reliable laser printer, choose the Dell B1265dnf multifunction laser printer.

Dell B1265dnf multifunction laser printer



Product benefits

Print directly from your mobile devices

- Print directly from your Android mobile devices using the Dell Mobile Print app⁶
- Print directly from your iPhone®, iPad® and iPod touch® to this AirPrint™-enabled printer¹
- Print on the go from your Smartphone or computer using compatible Google Cloud Print enabled apps.

Outstanding reliability and easy maintenance

- Reliable performance with a large duty cycle of up to 20,000 pages a month (max)
- Print up to 2,500 pages with the high yield cartridge or up to 1,500 pages with the standard yield cartridge³
- Reduce work disruptions and save on maintenance costs with a fuser unit that is designed to last the life of the printer.
- Gain peace of mind with Dell's standard 1-Year Limited Hardware Warranty⁴ and 12 months Next Business Day On-Site Service After Remote Diagnosis⁵. Protect your investment even longer with an optional Limited Hardware Warranty extension up to a total of 5 years⁴.

Productivity features for enhanced efficiency

- Fast print speeds of up to 28 pages per minute (ppm)² (A4), (actual print speed will vary with use)
- Get professional business quality prints with crisp black text and sharp images, up to 600 x 600 dpi resolution (up to 1200 dpi image quality)
- Easily share this multifunction printer among a network with the built-in Ethernet feature

- Tackle multipage documents easily with the 40 sheet automatic document feeder — scan, copy or fax multiple pages hands free
- Save time and paper costs with automatic two-sided printing
- PC Fax capability helps you to digitalise faxes as well as easily manage fax files
- ID Copy feature can help simplify the steps needed to scan/copy two sides of an ID card onto one side of a sheet of paper
- Dell's premium printing solutions such as Open Printer Driver and OpenManage™ Printer management can help reduce IT department workload and increase productivity by real-time monitor, manage and report on the printer status of your network

Eco-highlights

- This Energy Star qualified⁹ printer has low energy consumption without compromising on print speeds.
- ECO Mode Button
 - Save toner and paper with one touch of the Eco button. It automatically engages two-sided printing and reduces toner usage by printing in draft mode.
- Reduce, Recycle, Renew
 - Reduce paper usage with automatic two-sided printing.

Order supplies online or through selected partners



Dell B1265dnf



Dell B1265dnf control panel



Dell B1265dnf connectivity



Dell B1265dnf high-capacity toner cartridge

Get the most out of your Dell printer with genuine Dell options and supplies

Toner cartridges

Dell B1265dnf black toner cartridge standard capacity: approximately 1,500 pages³; or high-capacity: approximately 2,500 pages³

Memory (RAM)

128 MB DDR3 667 MHz

Connectivity

High-speed USB 2.0, Ethernet 10/100 Base Tx

Standard warranty and service

1-Year Limited Hardware Warranty⁴ and 12-months Next Business Day On-site Service After Remote Diagnosis⁵

Dell B1265dnf multifunction laser printer



Product description	Reliable and affordably priced multifunction laser printer that offers 4-in-1 versatility and efficient features to help boost office productivity.
Printer specifications	
Print speed	Up to 28 pages per minute (ppm) ² (A4), (actual print speed will vary with use)
First page out time	From 'Ready' state: Less than 8.5 seconds; From 'Sleep' mode: Less than 14 seconds
Print resolutions	600 x 600 dpi (printer default), up to 1200 dpi image quality
User interface	Two-line LCD and 16 button keypad
Data streams	SPL, PCL 6(V2.1)
Processor speed	ARM11 (533 MHz)
Memory (RAM)	128 MB DDR3 667 MHz; memory expansion not available
Maximum duty cycle	Up to 20,000 pages per month; average monthly usage rate: 269 pages
Mobile printing	Print directly from Android mobile devices via Dell Mobile Print app ⁶ , or from an iPad®, iPhone®, iPod touch® to this AirPrint™-enabled printer ¹ . You can also print on the go from your Smartphone or computer via compatible Google Cloud Print apps.
Copy specifications	
Copy speed	28 copies per minute (cpm) letter/A4 (Text, Text/Photo mode)
Copy resolution	Text and text/photo 600 x 300 dpi; Photo (600 x 600 dpi)
Maximum copies	Up to 99
Reduce/enlarge	25% to 400% (25% to 100% - ADF)
Flatbed copy size	A4, A5, A6, Letter, statement, B5, executive, custom (up to 216 mm x 297 mm)
Copy functionality	ID copy, N-up, clone, poster, autofit, collate, contrast, background removal
Scan specifications	
Scan resolution	Optical: 1200 x 1200 dpi (colour@platen), 600 x 600 dpi (B/W@platen), 600 x 600 dpi (colour, B/W@ADF); enhanced: 4800 x 4800 dpi
Scan depth	Colour: 24 bit; monochrome: 8 bit grey scale
Scanning functionality	Scan to PC or network PC; Twain Protocol: 1.9; WIA Protocol: 2.0, SANE Protocol: 1.0, ICDM Protocol: 1.0
Scan to media (file format)	JPEG, TIFF, BMP, PDF, PNG. Additionally support PNG in Mac
ADF	
ADF type	Simplex
Input / output capacity	Up to 40 sheets (80g/m ²)
Media size	A4, US letter, Officio, folio, legal; <i>width</i> : 142 to 216 mm; <i>length</i> : 148 to 356 mm
Fax specifications	
Modem speed	Up to 33.6K bps
Fax transmission speed (LTR)	Approximately 3 seconds/page
Fax job storage	8 MB or up to 600 pages
Fax functionality	Fax broadcasting, delayed fax/scheduled fax, priority fax, fax forwarding, secure fax receive, distinctive ring pattern, ECM, PC fax, speed dial 200 locations
Paper handling	
Standard input sources	250 sheet cassette and 10 sheet multipurpose tray
Maximum input capacity	260 sheets (250 sheet cassette + 10 sheet multipurpose tray)
Duplex unit	Automatic
Standard output destination	150 sheet bin face down, 1 sheet face up
Supported media types, sizes and paper weights	
Media types supported	Plain, thin, thick, thicker, bond, card stock, cotton, coloured, pre-printed, recycled, archive, transparency, label, envelope, thick envelope
250 sheet cassette	<i>Media size</i> : A4, A5, A6, US letter, US legal, executive, folio, Oficio, ISO B5, JIS B5 <i>Weight</i> : 60 to 163g/m ² Minimum size (custom): 105 x 148.5 mm Maximum size (custom): 216 x 355.6 mm
Multipurpose tray	<i>Media size</i> : A4, A5, A6, US letter, US legal, executive, folio, Oficio, ISO B5, JIS B5, monarch envelope, DL envelope, No. 10 envelope, C5 envelope, C6 envelope, postcard 4 x 6 Minimum size (custom): 76.2 x 127 mm Maximum size (custom): 216 x 356 mm <i>Weight</i> : 60 to 220g/m ²
Page layout options	Portrait or landscape orientation
Printable area	Within 4.32 mm of all edges of the media
Connectivity	
Standard interfaces	High-speed USB 2.0, Ethernet 10/100 Base Tx
Print languages	SPL, PCL6, Host based XPS, XPS driver can be supported by either on Web.
Print fonts	HP PCL® 6 Emulation: 93 scalable, 1 bitmap font
Operating systems (OS) support	Microsoft® Windows® 7 (32/64 bit), 2000 / XP (32/64 bit) / Vista (32/64 bit), Windows® Server® 2003 (32/64 bit) / Windows Server® 2008 (32/64 bit), Windows® 2008R2 (64 bit); Mac OS 10.4 - 10.7

Dell B1265dnf multifunction laser printer



Operating systems (continued)	RedHat® Enterprise Linux® WS 4, 5, 6 (32/64 bit); Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 (32/64 bit) 14, 15, SuSE Linux 10.1 (32 bit); OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 (32/64 bit); Mandriva 2007, 2008, 2009, 2009.1, 2010 (32/64 bit); Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 11.04 (32/64 bit); SuSE Linux Enterprise Desktop 10, 11 (32/64 bit); Debian 4.0, 5.0, 6.0 (32/64 bit); Sun Solaris 9,10,(x86, SPARC); HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium); IBM AIX 5.1, 5.2, 5.3, 5.4; NetWare 5.x,6.x and later (TCP/IP); SAP R/3 4.5B or later (device types)
Network protocol	Protocol stacks: TCP/IP, IPv4/IPv6; Network print applications: Port 9100, LPD/LPR, IPP, WSD; Management services and Device discovery: HTTP, SNMP (v1, v2, v3), MIBv2 (RFC1213 compliant), BOOTP, DHCP, Auto IP, WINS, DNS, Bonjour, IGMP, mDNS, SLP; IPv6 - protocol supported: Transportation:Ipsec, ICMPv6, Printing: Port 9100, LPD, DHCPv6, DNSv6, HTTP, SNMP (v1, v2, v3)

Consumables

Toner management	Dell Supplies Ordering Utility
Ship-with toner cartridge capacity ³	The printer ships with a toner cartridge (up to 1,000 pages)
Toner cartridge capacity ³	Standard capacity (up to 1,500 pages) is available for this printer; high capacity (up to 2,500 pages) is available for this printer
Toner recycling	Toner cartridges are recyclable using Dell's recycling program; for details, visit dell.com/recycle

Language and regulatory certifications

Printer firmware and printer driver software (NO Op Panel)	English, French, German, Italian, Spanish, Danish, Swedish, Finnish, Norwegian, Polish, Dutch, Brazilian Portuguese, Iberian Portuguese, Greek, Czech, Turkish, Hungarian, Arabic, Hebrew
User documentation	Softcopy user manual on CD: Czech, Danish, Dutch, English, French, German, Greek, Hungarian, Italian, Norwegian, Polish, Spanish, Swedish, Brazilian Portuguese Product Information Guide in: English, French, Italian, German, Spanish, Brazilian Portuguese, Iberian Portuguese, Danish, Dutch, Finnish, Norwegian, Swedish, Czech, Greek, Polish, Arabic, Hebrew, Hungarian, Turkish, Slovak, Slovenian, Romanian
Safety certifications	IEC/EN60950-1 (International); IEC60825-1 (Laser); CE Mark (EU); GS Mark (Germany); SASO (Saudi Arabia); ICASA (South Africa); UL/cUL Listed (UL60950-1 US/Canada); FDA/DHHS (21CFR, Chapter 1, Subchapter J, Class-1 Laser, US); NOM (Mexico); CCC (China); other safety approvals required by individual countries
EMC certifications	EN55022 Class B; EN55024; EN61000-3-2; EN 61000-3-3; ETSI TBR21 (EU); FCC CFR Title 47, Part 15 Class B (USA); ICES-003(Canada); FCC Part 68 (USA); CE (EU countries); SABS (South Africa); ICASA (South Africa); CCC (China); C-tick (Australia); ANATEL (Brazil); and other certifications required by individual countries.
Other compliance	Energy Star® v1.2-qualified ⁹ , ErP Lot 6; ErP Lot 4; RoHS-compliant ⁷ , CECP Certified (China), CEL (China), CEC Certified (China), WEEE, WHQL (Win 7, 2003, Vista), SAP

Printer management

Software included	Dell Printer Manager: helps easily customise the printer's settings; Dell Supplies Ordering Utility: intelligently monitors toner status and proactively notifies the user in advance of running out of toner; Firmware Download Utility: effectively manages firmware updates; Lite StatusMonitor: tracks printer status; Smarthru Office 2.0: a robust software to scan document/images and to perform text recognition; Scan assistant: manage easy scan job
-------------------	---

Physical specifications

Dimensions – W x D x H	<i>Printer:</i> 406 mm (W) x 338 mm (D) x 384 mm (H) <i>Shipping carton:</i> 496 mm (W) x 428 mm (D) x 462 mm (H)
Weight	<i>Printer:</i> 11.1 kg (with toner); 10.4 kg (without toner); <i>Shipping carton:</i> 13.4 kg
Operating environment	<i>Operating:</i> air temperature 10 to 32°C, Relative Humidity 20 - 80%, altitude 2,500 m <i>Unpackaged:</i> air temperature 0 to 40°C, Relative Humidity 10 - 80%, altitude 2,500 m <i>Packaged:</i> air temperature -20 to 40°C, Relative Humidity 20 - 95%, altitude 10,300 m
Acoustics ⁸	<i>Printing, (Simplex Mode/Main Tray):</i> sound pressure (LpAm) less than 50 dBA; <i>Copying:</i> 52 dBA3(Platen), 53dBA3(ADF); <i>Standby mode:</i> Sound Pressure (LpAm) less than 26 dBA
Power consumption	<i>Ready mode</i> less than 50 W; <i>Power Saver mode</i> less than 3.0 W; <i>Off</i> less than 0.5 W Energy Star® v1.2-qualified ⁹

Contents in box

Starter CD, Product Information Guide, placemat, power cord, retail warranty card, 1,000 page black ship-with toner, RJ11 plug

Service options

2 - 5 Years Next Business Day On-site Service After Remote Diagnosis⁵
1 - 5 Years Dell ProSupport™ available during the term of warranty

¹ AirPrint-enabled printers work with iPad, iPhone (3GS or later), and iPod touch (3rd generation or later) running iOS 4.2 or later. iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint is a trademark of Apple Inc.

² Measured in accordance with ISO IEC 27434/35 methodology. Actual print speeds will vary with use

³ Tested in accordance with ISO/IEC 19752 testing methodology. Yields vary with usage and environmental conditions.

⁴ Dell Products, Dell House, The Boulevard, Cain Road, Bracknell, Berkshire, RG12 1LF, UK or see www.dell.com/warranty. For warranty information for other countries, see website: www.dell.com/servicecontracts and then select the country

⁵ Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicesdescriptions

⁶ The printer and the mobile device must be connected to the same wireless network.

⁷ Meets the requirements of the EU Directive on the Restriction of the use of certain Hazardous Substances (RoHS) dated 27 January 2003

⁸ Tested in accordance with ISO 7779 and reported in accordance with ISO 9296, Acoustics - Declared noise emission values of computer and business equipment

⁹ For details on energy efficiency of Energy Star qualified products, refer to: <http://www.energystar.gov>