WorkForce Pro WF-C5710DWF



DATASHEET / BROCHURE





























Cut your environmental impact and business printing costs, all while increasing productivity with less intervention and enhanced security.

This small, 4-in-1 workgroup multifunction device is perfect for the business environment, from small offices to large corporates who may have traditionally used lasers and want to cut costs, increase productivity and reduce downtime. This is while also cutting their business' environmental impact and improving their CSR reputation.

Save money

It can help businesses save at least 50% on their colour CPP (cost per page) versus comparable laser models¹. Designed for workgroups, your business can avoid the hidden employee productivity costs associated with centralised printing. Further lower costs by changing consumables less with its innovative ink supply system.

High productivity and low intervention

Delivering the Fastest First Page Out Time (FPOT) in its segment for both colour (5.3 seconds) and mono (4.8 seconds) prints against comparable lasers, it also has the fastest colour scan speed in the segment at 24ipm². Print up to 5,000 pages in monochrome and colour without changing supplies³. Largest standard paper capacity of 330 sheets in this market segment⁴.

Reduce your impact

Benefit from low-power consumption without compromising on an ultra-sharp output, with at least 90% less energy used than comparable laser models⁵.

Built for business

A range of software and tools provide secure print options, efficient scanning and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices. And with its smartphone inspired user interface and touchscreen, it's intuitive to operate. Available through Epson's Print365 managed print service.

KEY FEATURES

- Largest ink yield in its segment Print up to 5,000 pages without replacing the ink³
- Ecological
 Uses up to 90 percent less power than competitive colour lasers⁵
- Save money
 Save at least 50% on colour CPP versus comparable laser models¹
- Save time
 Automatic double-sided printing, scanning, copying and faxing
- Built for business
 DuraBrite Ultra pigment inks



PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method PrecisionCore™ Print Head

Nozzle Configuration 800 Nozzles black, 800 Nozzles per colour Minimum Droplet Size 3.8 pl, With Variable-Sized Droplet Technology

Ink Technology DURABrite™ Ultra Application Office Workgroup All-in-One Functions Print, Scan, Copy, Fax

PRINT

First Page Out Monochrome 5 Seconds, Colour 6 Seconds Printing Speed ISO/IEC 24734 24 pages/min Monochrome, 24 pages/min Colour **Duplex Printing Speed** 15 A4 pages/min Monochrome, 15 A4 pages/min Colour

ISO/IEC 24734

Maximum Printing Speed 34 pages/min Monochrome (plain paper), 34 pages/min Colour (plain paper)

Printing Resolution 4,800 x 1,200 dpi 45,000 pages per month Max Duty cycle Recommended Duty Cycle 250 - 2,500 pages per month Colours Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit http://www.epson.eu/testing.

Single-sided scan speed (A4 1,200 dpi 2,400 dpi (with ADF): . 24 ipm with ADF scan 200 dpi (flatbed) 5 sec. with flatbed scan

Doubled-sided scan speed 1,200 dpi 2,400 dpi (with ADF); , 8 ipm with ADF scan 200 dpi (flatbed)

(A4 black)

Single-sided scan speed (A4 1,200 dpi 2,400 dpi (with ADF); , 24 ipm with ADF scan 200 dpi (flatbed) 5 sec. with flatbed scan

colour)

Doubled-sided scan speed 1,200 dpi 2,400 dpi (with ADF); , 8 ipm with ADF scan 200 dpi (flatbed)

(A4 colour)

Scanning Speed (new)

24 ipm (Monochrome, Single-sided, 200 dpi, ADF); 24 ipm (Colour, Single-sided, 200 dpi, ADF); 8 ipm (Monochrome, Double-sided, 200 dpi, ADF); 8 ipm (Colour, Double-sided, 200

 ${\tt dpi, ADF}\); \ 5\ {\tt sec/page}\ (\ {\tt Monochrome},\ 200\ {\tt dpi},\ {\tt Flatbed}\); \ 5\ {\tt sec/page}\ (\ {\tt Colour},\ 200\ {\tt dpi},\ {\tt Flatbed}\)$

Scanning Resolution 1,200 dpi x 2,400 dpi (Horizontal x Vertical)

1,200 dpi (Horizontal x Vertical) Optical Resolution (ADF)

Advanced document

E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), USB Memory Device

integration

Output formats JPEG, TIFF, PDF

Scanner type Contact image sensor (CIS)

FAX

Type of fax Walk-up black and white and colour fax capability

Up to 33.6kbps / Approx. 3 sec/page Fax Transmission Speed

Error correction mode CCITU/ITU Group3 fax with Error Correction Mode

Fax speed dials (max) 200 names and numbers

Up to 550 pages/ 6MB (ITU-T No. 1 chart) Page memory

Fax Functions PC Fax, Fax to E-mail, Fax to Folder, Address Book, Delay Send, Broadcast Fax

COPY

Copy Speed up to 22 ipm Black, up to 22 ipm Colour *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)

600 x 1200 Copy resolution (dpi) Reduction / Enlargement 25 % - 400 %

Maximum number of copies 999 Maximum Copy Size

WorkForce Pro WF-C5710DWF

WHAT'S IN THE BOX

- Individual Ink Cartridges
- Power cable
- Driver and utilities (CD)
- Setup guide
- User manual (CD)



PRODUCT SPECIFICATIONS

WorkForce Pro WF-C5710DWF

CONNECTIVITY

Network Printing Protocols

Network Management Protocols

LPR, FTP, IPP, LPD, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP

2.0c. SNMP 3.0. SNMP Trap

Network Scanning Protocols NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP

Interfaces

Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 1.1 Type A (2x), Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Near

Field Communication (NFC)

WI AN Security WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES) Network Protocols TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS

PAPER / MEDIA HANDLING

Paper Formats C4 (Envelope), Legal, A6, A5, B5, Letter, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, A4, B6, C5

(Envelope), No. 10 (Envelope), User defined, C6 (Envelope), DL (Envelope)

Automatic Document Feeder 50 pages

Compatible Paper Weight 64 g/m² - 256 g/m²

Duplex

Standard Paper input

250 Sheets Standard, 80 Sheets MP tray, 500 Sheets paper tray

Output Tray Capacity 150 Sheets

Standard paper tray(s) 80-Sheet Multi-Purpose Tray, 250-sheet paper tray

Optional paper tray(s) 500-Sheet paper tray

Maximum paper input Rear paper path (special

media)

Yes

830

Number of paper trays

PAPER FEED RASF

RASF Paper Input Name

Paper Formats A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal

Custom sizes Min 64x 127 mm to Max 216x 60,000 mm

Compatible paper weight 64 g/m² - 256 g/m²

Paper Capacity 1 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper Media type

PAPER FEED C1

Paper Input Name C1

Paper Formats A4, A5, A6, Letter

Custom sizes Min 89x 127 mm to Max 216x 356 mm

Compatible paper weight 64 g/m² - 160 g/m²

250 Sheets of Plain Paper, Envelopes, 80gsm Paper Capacity 1 Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED C2

Paper Input Name A4, Letter Paper Formats

Custom sizes Min 100x 148 mm to Max 216x 356 mm

64 a/m² - 160 a/m² Compatible paper weight

Paper Capacity 1 500 Sheets of Plain Paper, 80gsm

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED DUPLEX

Paper Input Name Duplex

Paper Formats A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive Min 148x 210 mm to Max 216x 297 mm Custom sizes

Compatible paper weight 64 a/m² - 160 a/m²

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead



PRODUCT SPECIFICATIONS

GENERAL

Energy Use 23 W (standalone copying, ISO/IEC 24712 pattern), 1.5 W (sleep mode), 10 W (Ready), 0.2 W

(Power off), ENERGY STAR® qualified, TEC 0.2 kWh/week

Supply Voltage AC 100 V - 240 V, 50 Hz - 60 Hz

425 x 535 x 357 mm (Width x Depth x Height) Product dimensions

Product weight 18.4 kg

Compatible Operating Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X Systems

10.11.x, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.6.8, Microsoft Windows Vista (32/64 bit), Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1. Windows Server 2003 R2 x64. Windows Server 2008 (32/64bit). Windows Server 2008 R2. Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows

server 2003 R2, XP Professional x64 Edition, XP Professional x64 Edition SP2

Included Software **Epson Document Capture Pro (Windows only)**

Sound Power Operation: 6.6 B (A) Operation: 54 dB (A)

Apple AirPrint, Google Cloud Print, Epson Connect (iPrint, Email Print, Remote Print Driver, Mobile and Cloud printing

Scan-to-Cloud, Facebook print) services

Operation: 54 dB (A) Noise Level 100V. 110V. 220V. 240V **Power Supply**

ADDITIONAL FEATURES

Touchscreen, Direct Print, Direct scan-to-print without PC, Direct print from USB

LCD screen Type: Colour, Touchscreen, Diagonal: 10.9 cm

Media Handling ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape

printing, Thick Media Support

Security Functions Limit access function with Epson Web Config, Secure confidential printing with PIN code

release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin

Mode

OTHER FEATURES

Emulations FSC/P-R

OTHER

Warranty 12 months Carry in

Optional warranty extension available

SUPPLIES

WF-C5xxx Series Ink Cartridge L Black WF-C5xxx Series Ink Cartridge L Cyan	C13T944140 C13T944240	3,000 pages 3,000 pages
WF-C5xxx Series Ink Cartridge L Magenta	C13T944340	3,000 pages
WF-C5xxx Series Ink Cartridge L Yellow	C13T944440	3,000 pages
WF-C5xxx Series Ink Cartridge XL Black	C13T945140	5,000 pages
WF-C5xxx Series Ink Cartridge XL Cyan	C13T945240	5,000 pages
WF-C5xxx Series Ink Cartridge XL Magenta	C13T945340	5,000 pages
WF-C5xxx Series Ink Cartridge XL Yellow	C13T945440	5,000 pages
 ● WF-C5xxx/M52xx/M57xx Maintenance Box 	C13T671600	

OPTIONAL ACCESSORIES

 Optional Cassette Unit WFC52XX/C57XX C12C932871

LOGISTICS INFORMATION

SKU	C11CG03401BY
EAN code	8715946634142
Dimensions Single Carton	538 x 552 x 537 mm
Better Products	A .
for a Better Future	DURABrite Ultra
http://eco.epson.com	PRECISION CORE INK

For more information please contact:


Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742

Or visit us at https://www.epson.co.uk/contactus * 10p per minute plus network extras.

www.epson.co.uk www.epson.ie

WorkForce Pro WF-C5710DWF

INK YIELD DATA



* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield

- 1. Comparison made against the top 10 best selling colour laser printers, with a print speed between 1 and 30 pages per minute, in Western Europe and Central and Eastern Europe as defined by IDC in the 12 months up to June 2017. CPP data taken from GAP intelligence report for August 2017 and is an average of pricing seen in DE, FR and UK (with value in Euros as quoted by GAP). Epson values based on RRP of XXL ink packs (5,000 pages yield according to IEEE/ISO 24711/24712). Pricing for competitor models was the lowest CPP available.
- 2. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to September 2017. Data taken from BLI.
- 3. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield.
- 4. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to September 2017. Data taken from BLI.
- 5. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to June 2017. Data taken from BLI.

