

# WorkForce AL-C300DTN

## DATASHEET



This printer delivers fast and high-quality colour laser printing for small and medium workgroups wanting to lower their printing costs and are looking for easy business integration. It is networked and offers double-sided printing. High-yield toner packs also help to keep the cost of printing low, and double-packs of black toner are available for even better cost savings.

### Fast, high-quality and low-cost printing

The AL-C300DTN delivers ISO print speeds of up to 31ppm, in both mono and colour<sup>1</sup>, even when printing in duplex. Prints are delivered at 1200 x 1200 dpi for high-quality results, and 1GB of RAM as standard saves time on repeated print jobs. Duplex print jobs are completed as quickly as single-sided jobs.

### Easy to use and energy efficient

Its LCD screen makes it easy to control advanced functions. A high toner yield of up to 7,300 pages in black and 8,800 pages in colour<sup>2</sup> not only makes your supplies go further, but it also means less time is wasted changing supplies. A double pack of black toner is also available. Not only is the AL-C300DTN ENERGY STAR-qualified, it also has a very low power used of 1.3W when in deep sleep mode.

### High durability

It has a duty cycle of up to 120,000 pages<sup>3</sup>, so businesses can be confident that their investment in the Epson range is a sound one.

### Advanced connectivity, integration and security

PDL printer emulations including PCL6, PostScript 3 and PDF 1.7, along with the advanced IPv6 protocol and gigabit Ethernet support, make this printer ideal for business environments. Advanced IPsec and SSL support help improve security when printing sensitive materials, and print securely and confidentially with Email Print for Enterprise compatibility<sup>4</sup>.

## KEY FEATURES

- **Fast printing**  
ISO print speeds of up to 31ppm<sup>1</sup>
- **Duplex printing**  
Print double-sided at the same speed as single-sided
- **High toner yield**  
Print up to 7,300 pages in black and 8,800 pages in colour
- **High paper capacity**  
Holds up to 850 sheets
- **Reliable operation**  
120,000 page duty cycle

## PRODUCT SPECIFICATIONS

<b>TECHNOLOGY</b>	
Printing Resolution	1,200 x 1,200 dpi
Category	Department
<b>PRINT</b>	
Printing Speed	31 Pages/min Monochrome single-sided, 15 Pages/min Monochrome double-sided, 31 Pages/min Color single-sided, 15 Pages/min Color double-sided
Max Duty cycle	120,000 Pages per month
First Page Out	Monochrome 12 Seconds
Warm Up time	38 s
<b>CONNECTIVITY</b>	
Interfaces	USB 2.0 Type B, USB host, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T)
Network Printing Protocols	LPR, FTP, IPP, Port 9100, WSD, Net BIOS over TCP/IP, TCP/IPv4, TCP/IPv6, IPsec
Network Management Protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNT, SSDP, Ping, SLP, WSD, LLTD, TCP/IPv4, TCP/IPv6, IPsec, IEEE 802.1X
<b>PAPER / MEDIA HANDLING</b>	
Paper Formats	A4, A5, A6, B5, C6 (Envelope), DL (Envelope), LT, HLT, LGL, GLG, GLT, EXE, F4, User defined, Com-10
Duplex	Yes
Compatible Paper Weight	60 g/m <sup>2</sup> - 210 g/m <sup>2</sup>
Standard Paper input	850 Sheets Standard, 100 Sheets MP tray, 750 Sheets paper tray
Output Tray Capacity	200 Sheets
Paper Tray Capacity	850 Sheets Standard, 850 Sheets maximum
Number of Paper Trays	3 Trays
Maximum paper input	850
<b>GENERAL</b>	
Product dimensions	444 x 544 x 350 mm (Width x Depth x Height)
Product weight	35.3 kg
Power consumption	910 W (Max.), 475 W (Printing), 69 W (Ready), 2.8 W (sleep), 1.34 W spectextmanualdeepsleep
Temperature	Operation 10° C - 30° C
Humidity	Operation 15% - 85%, Storage 35% - 70%
Compatible Operating Systems	Linux, Mac OS X 10.6.8 or later, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows XP
Drivers	Printer driver (PCL6, PS3)
Safety Standards	IEC60950-1, EN60950-1, IEC60825-1, EN60825-1
EMC Standard	IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-8, IEC61000-4-11
EMI Standard	EN55022, EN55024, EN61000-3-2, EN61000-3-3
Included Software	EpsonNet Config
Sound Power	Operation: 6.9 B (A) - standby: 5.2 B (A)
Sound Pressure	Operation: 54 dB (A)-standby: 39 dB (A)
<b>OTHER FEATURES</b>	
Processor Speed	750 MHz
Memory	1 GB included, 1 GB maximum

## LOGISTICS INFORMATION

SKU	C11CE10401BZ
EAN code	8715946544373
Multiple Order Quantity	1 Units
Pallet Size Euro	4 Units
Pallet Size Block	4 Units

For more information please contact:

Telephone: 01952 607111 (UK)+  
01 436 7742 (Republic of Ireland)  
E-mail: [enquiries@epson.co.uk](mailto:enquiries@epson.co.uk)  
Chat: [etalk.epson-europe.com](http://etalk.epson-europe.com)  
Fax: 0871 222 6740  
+ Local call rate.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

## WorkForce AL-C300DTN

### WHAT'S IN THE BOX

- Main unit
- User manual (CD)
- Driver and utilities (CD)
- Software (CD)
- Warranty document
- Power cable

### SUPPLIES

- Color Laser Paper A4 - 10 x 250Sh  
C13S041163
- Color Laser Coated Paper A4 - 4 x 250Sh  
C13S041373
- Double Black Toner Cartridge Pack 2 x 7.3k  
C13S050751 (14,600 pages)
- Black Toner Cartridge 7.3k  
C13S050750 (7,300 pages)
- Cyan Toner Cartridge 8.8k  
C13S050749 (8,800 pages)
- Magenta Toner Cartridge 8.8k  
C13S050748 (8,800 pages)
- Yellow Toner Cartridge 8.8k  
C13S050747 (8,800 pages)
- Fuser Unit 100k  
C13S053061 (100,000 pages)
- Photoconductor Unit Yellow  
C13S051201 (30,000 pages)
- Photoconductor Unit Magenta  
C13S051202 (30,000 pages)
- Photoconductor Unit Cyan  
C13S051203 (30,000 pages)
- Photoconductor Unit Black  
C13S051204 (30,000 pages)
- Waste Toner Bottle 36k (Mono) / 9k (Colour)  
C13S050595

1. Determined in accordance with ISO/IEC 24734 showing the average of ESAT / FSOT from the Office Category Test for default simplex /duplex. For more information visit [www.epson.eu/testing](http://www.epson.eu/testing) 2. Approx. page yield based on ISO/IEC 19752/19798. For more information visit <http://www.epson.eu/pageyield> 3. The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities 4. Please visit [www.epson.eu/epe](http://www.epson.eu/epe) for more information.

**EPSON®**