

WorkForce AL-C300TN

DATASHEET



For small and medium workgroups wanting to lower their printing costs, this printer delivers fast and high-quality results. With gigabit Ethernet connectivity and both PCL6 and PostScript 3 emulations, it offers easy business integration. High-yield toner packs also help to keep the cost of printing low, and double-packs of black toner are available for even better cost savings.

Fast, high-quality and low-cost printing

The AL-C300TN delivers ISO print speeds of up to 31ppm, in both mono and colour¹. Prints are delivered at 1200 x 1200 dpi for high-quality results, and 1GB of RAM as standard saves time on repeated print jobs.

Easy to use and energy efficient

Its LCD screen makes it easy to control advanced functions. A high toner yield of up to 7,300 pages in black and 8,800 pages in colour² not only makes your supplies go further, but it also means less time is wasted changing supplies. A double pack of black toner is also available. Not only is the AL-C300TN ENERGY STAR-qualified, it also has a very low power used of 1.3W when in deep sleep mode.

High durability

It has a duty cycle of up to 120,000 pages³, so businesses can be confident that their investment in the Epson range is a sound one.

Advanced connectivity, integration and security

PDL printer emulations including PCL6, PostScript 3 and PDF 1.7, along with the advanced IPv6 protocol and gigabit Ethernet support, make this printer ideal for business environments. Advanced IPsec and SSL support help improve security when printing sensitive materials, and print securely and confidentially with Email Print for Enterprise compatibility⁴.

KEY FEATURES

- **Fast printing**
ISO print speeds of up to 31ppm¹
- **PDL printer emulations**
Including PCL6, PostScript 3 and PDF 1.7
- **High toner yield**
Print up to 7,300 pages in black and 8,800 pages in colour
- **High paper capacity**
Holds up to 850 sheets
- **Reliable operation**
120,000 page duty cycle

PRODUCT SPECIFICATIONS

| | |
|-------------------------------|--|
| TECHNOLOGY | |
| Printing Resolution | 1,200 x 1,200 dpi |
| Category | Department |
| PRINT | |
| Printing Speed | 31 Pages/min Monochrome single-sided, 31 Pages/min Color single-sided |
| Max Duty cycle | 120,000 Pages per month |
| First Page Out | Monochrome 12 Seconds |
| Warm Up time | 38 s |
| CONNECTIVITY | |
| Interfaces | USB 2.0 Type B, USB host, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) |
| Network Printing Protocols | LPR, FTP, IPP, Port 9100, WSD, Net BIOS over TCP/IP, TCP/IPv4, TCP/IPv6, IPsec |
| Network Management Protocols | SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SSDP, Ping, SLP, WSD, LLTD, TCP/IPv4, TCP/IPv6, IPsec, IEEE 802.1X |
| PAPER / MEDIA HANDLING | |
| Paper Formats | A4, A5, A6, B5, C6 (Envelope), DL (Envelope), LT, HLT, LGL, GLG, GLT, EXE, F4, User defined, Com-10 |
| Duplex | No |
| Compatible Paper Weight | 60 g/m ² - 210 g/m ² |
| Standard Paper input | 850 Sheets Standard, 100 Sheets MP tray, 750 Sheets paper tray |
| Output Tray Capacity | 200 Sheets |
| Paper Tray Capacity | 850 Sheets Standard, 850 Sheets maximum |
| Number of Paper Trays | 3 Trays |
| Maximum paper input | 850 |
| GENERAL | |
| Product dimensions | 444 x 544 x 350 mm (Width x Depth x Height) |
| Product weight | 34.5 kg |
| Power consumption | 910 W (Max.), 475 W (Printing), 69 W (Ready), 2.8 W (sleep), 1.34 W spectextmanualdeepsleep |
| Temperature | Operation 10° C - 30° C |
| Humidity | Operation 15% - 85%, Storage 35% - 70% |
| Compatible Operating Systems | Linux, Mac OS X 10.6.8 or later, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows XP |
| Drivers | Printer driver (PCL6, PS3) |
| Safety Standards | IEC60950-1, EN60950-1, IEC60825-1, EN60825-1 |
| EMC Standard | IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-8, IEC61000-4-11 |
| EMI Standard | EN55022, EN55024, EN61000-3-2, EN61000-3-3 |
| Included Software | EpsonNet Config |
| Sound Power | Operation: 6.9 B (A) - standby: 5.2 B (A) |
| Sound Pressure | Operation: 54 dB (A)-standby: 39 dB (A) |
| OTHER FEATURES | |
| Processor Speed | 750 MHz |
| Memory | 1 GB included, 1 GB maximum |
| Emulations | PCL5c, PCL5e, PCL6, PostScript 3, PDF 1.7 |

LOGISTICS INFORMATION

| | |
|-------------------------|---------------|
| SKU | C11CE09401BZ |
| EAN code | 8715946544359 |
| Multiple Order Quantity | 1 Units |
| Pallet Size Euro | 4 Units |
| Pallet Size Block | 4 Units |

For more information please contact:

Telephone: 01952 607111 (UK)+
01 436 7742 (Republic of Ireland)
E-mail: enquiries@epson.co.uk
Chat: etalk.epson-europe.com
Fax: 0871 222 6740
+ Local call rate.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

WorkForce AL-C300TN

WHAT'S IN THE BOX

- Main unit
- User manual (CD)
- Driver and utilities (CD)
- Software (CD)
- Warranty document
- Power cable

SUPPLIES

- Color Laser Paper A4 - 10 x 250Sh
C13S041163
- Color Laser Coated Paper A4 - 4 x 250Sh
C13S041373
- Fuser Unit 100k
C13S053061 (100,000 pages)
- Yellow Toner Cartridge 8.8k
C13S050747 (8,800 pages)
- Magenta Toner Cartridge 8.8k
C13S050748 (8,800 pages)
- Black Toner Cartridge 7.3k
C13S050750 (7,300 pages)
- Cyan Toner Cartridge 8.8k
C13S050749 (8,800 pages)
- Double Black Toner Cartridge Pack 2 x 7.3k
C13S050751 (14,600 pages)
- Photoconductor Unit Yellow
C13S051201 (30,000 pages)
- Photoconductor Unit Magenta
C13S051202 (30,000 pages)
- Photoconductor Unit Cyan
C13S051203 (30,000 pages)
- Photoconductor Unit Black
C13S051204 (30,000 pages)
- Waste Toner Bottle 36k (Mono) / 9k (Colour)
C13S050595

1. Determined in accordance with ISO/IEC 24734 showing the average of ESAT / FSOT from the Office Category Test for default simplex /duplex. For more information visit www.epson.eu/testing 2. Approx. page yield based on ISO/IEC 19752/19798. For more information visit <http://www.epson.eu/pageyield> 3. The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities 4. Please visit www.epson.eu/epe for more information.

EPSON[®]