


# WorkForce Pro EM-C7100DWF



A reliable A3+ workgroup printer perfect for the business environment, from small offices to large corporates. Ideal for those who may have traditionally used lasers and want to cut costs, increase productivity and reduce downtime, while also reducing their environmental impact and improving their CSR reputation.

## DATASHEET / BROCHURE



## KEY FEATURES

- **Up to A3+ colour multifunction printer for business quality documents**  
High quality double-sided print, scan, copy and fax in one. With print speeds of up to 25ppm, this also features a 1-pass 45 ipm duplex ADF scan.
- **Print up to 11,500 pages in mono and 8,000 pages in colour without changing the ink\***  
Minimise intervention and reduce running costs with high ink yield supplies
- **Low energy consumption**  
Thanks to Heat-Free printing technology, keep energy bills low and reduce your impact on the environment
- **With a high paper capacity of up to 1,835 pages, change paper less frequently**  
With optional additional paper trays, minimise paper changes. Cabinet options also available.
- **Suite of software solutions to support your business**  
Software and tools provide secure print options, and help manage devices remotely. Wireless connectivity also supports printing from mobile devices.
- **Legal Statement**  
Complies with The UK Product Security and Telecommunications Infrastructure (Product Security) requirements. Epson will provide security updates for 7 years from purchase

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles Black, 800 Nozzles per Color
Minimum Droplet Size	5 pl, With Variable-Sized Droplet Technology
Ink Technology	DURABrite™ Pro
Category	Office Workgroup, Office Departmental
All-in-One Functions	Print, Scan, Copy, Fax

### PRINT

Number of colours	4 colour
First Page Out	Monochrome 5.5 Seconds, Colour 5.5 Seconds
Printing Speed ISO/IEC 24734	25 pages/min Monochrome, 24 pages/min Colour
Duplex Printing Speed ISO/IEC 24734	17 A4 Pages/min Monochrome, 16 A4 Pages/min Colour
Printing Speed ISO/IEC 24734 (A3)	13 pages/min Monochrome, 13 pages/min Colour
Duplex Printing Speed ISO/IEC 24734 (A3)	11 A4 Pages/min Monochrome, 11 A4 Pages/min Colour
Maximum Printing Speed	35 pages/min Monochrome (plain paper 75 g/m <sup>2</sup> ), 35 pages/min Colour (plain paper 75 g/m <sup>2</sup> )
Printing Resolution	4,800 x 1,200 DPI
Printing Volume	75,000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	500 - 5,000 pages per month
Colours	Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

### SCAN

Scanning Speed	25 ipm ( Monochrome, Single-sided, 200 dpi, ADF ); 25 ipm ( Colour, Single-sided, 200 dpi, ADF ); 45 ipm ( Monochrome, Duplex, 200 dpi, ADF ); 45 ipm ( Colour, Duplex, 200 dpi, ADF );
Optical Resolution	600 DPI x 2,400 DPI (Horizontal x Vertical)
Optical Resolution (ADF)	600 DPI x 600 DPI (Horizontal x Vertical)
Advanced document integration	Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Network folders, Computer (Epson Document Capture Pro), USB Memory Device / Card
Output formats	JPEG, TIFF, PDF
Scanner type	Contact image sensor (CIS)

### FAX

Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITT/ITU Group3 fax with Error Correction Mode
Fax speed dials (max)	2,000 names and numbers
Page memory	Up to 550 pages/ 6MB (ITU-T No. 1 chart)
Fax Functions	PC Fax, Fax to E-mail, Auto Redial, Fax to Folder, Address Book, Delay Send, Broadcast Fax, Fax Preview

## WorkForce Pro EM-C7100DWF

### WHAT'S IN THE BOX

- Main unit
- Power cable
- Quick Setup Guide
- Warranty card

## PRODUCT SPECIFICATIONS

## WorkForce Pro EM-C7100DWF

### COPY

Copy Speed	Up to 22 ipm Black, Up to 21 ipm Colour *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)
Copy resolution (dpi)	600 x 1200
Reduction / Enlargement	25 % - 400 %
Maximum number of copies	999
Maximum Copy Size	A3

### CONNECTIVITY

Network Printing Protocols	IPP, LDP, Port 9100, WSD
Network Management Protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, Sntp, SLP, WSD, LLTD, Ping
Network Protocol	IPv4, IPv6
Interfaces	USB 2.0-A (2x), USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, USB host
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA2 Enterprise, WPA2 PSK (AES)
Network Protocol	TCP/IPv4, TCP/IPv6

### PAPER / MEDIA HANDLING

Paper Formats	A3+, A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5, C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal, A3 (29.7x42.0 cm)
Automatic Document Feed	50 pages
Compatible Paper Weight	64 - 300g/m <sup>2</sup>
Duplex	Yes (A4/A3, plain paper)
Standard Paper input	335 Sheets Standard, 85 Sheets MP tray, 250 Sheets paper tray
Output Tray Capacity	250 Sheets
Paper Tray Capacity	335 Sheets Standard, 1,835 Sheets Maximum
Standard paper tray(s)	85-Sheet Multi-Purpose Tray, 250-sheet paper tray
Optional paper tray(s)	3 x 500 sheet paper tray
Maximum paper input	1,835
Rear paper path (special media)	Yes
Number of paper trays	3

### PAPER FEED RASF

Paper Input Name	RASF
Paper Formats	A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, SRA3, Tabloid
Custom sizes	Min 55x 330 mm to Max 127x 1,200 mm
Compatible paper weight	64 g/m <sup>2</sup> - 300 g/m <sup>2</sup>
Paper Capacity 1	85 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

### PAPER FEED C1

Paper Input Name	C1
Paper Formats	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid
Compatible paper weight	64 g/m <sup>2</sup> - 200 g/m <sup>2</sup>
Paper Capacity 1	250 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

### PAPER FEED DUPLEX

Paper Input Name	Duplex
Paper Formats	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive
Compatible paper weight	64 g/m <sup>2</sup> - 150 g/m <sup>2</sup>

PRODUCT SPECIFICATIONS

GENERAL	
Energy Use	39 Watt (standalone copying, ISO/IEC 24712 pattern), 1 Watt (sleep mode), 18 Watt (Ready), 0.1 Watt (Power off), TEC 0.16 kWh/week
Supply Voltage	AC 220 V - 240 V
Product dimensions	613 x 650 x 493 mm (Width x Depth x Height)
Product weight	46.1 kg
Compatible Operating Systems	Mac OS 10.10.x, Mac OS 10.14. x, Mac OS 10.15. x, Mac OS 11. x, Mac OS 12. x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.13.x, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), macOS 11 or later
Sound Power	Operation: 6.7 B (A)
Noise	Operation: 52 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Google Cloud Print, Mopria
Power supply	220V, 240V

ADDITIONAL FEATURES	
Features	Touchscreen, Direct scan-to-print without PC, Direct print from USB
Panel	Type: Color, Touchscreen, Diagonal: 12.7 cm
Media Handling	Automatic duplex (A4/A3, plain paper), Rear specialty media feed, Thick Media Support
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode

OTHER FEATURES	
Emulations	PCL5c, ESC/P, ESC/P-R, PostScript 3, PDF 1.7

SUPPLIES

● Maintenance box	C13T671400	90,000 pages
● Standard Cassette Maintenance Roller	C13S210048	
● Optional Cassette Maintenance Roller	C13S210049	

OPTIONAL ACCESSORIES

● Authentication Device Table-P2	C12C939531
● High Cabinet	C12C933561

LOGISTICS INFORMATION

SKU	C11CL35401BY
EAN code	8715946732701
Country of Origin	Indonesia

WorkForce Pro EM-C7100DWF

INK YIELD DATA



\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit <http://www.epson.eu/pageyield>

For more information please contact:

Home users: 0343 90 37766  
Business users\*: 0871 42 37766  
Republic of Ireland: 01 436 7742  
Or visit us at <https://www.epson.co.uk/contactus>  
\* 10p per minute plus network extras.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.  
Last extracted: 2024-10-31

1. Approx. page yield based on ISO/IEC 24711/24712. Actual yield will vary depending on images printed and usage conditions. For more information visit [www.epson.eu/pageyield](http://www.epson.eu/pageyield)

