

# LabelWorks LW-Z700FK



Sturdy and practical industrial label maker designed to boost productivity at a highly competitive price

Destined to become a valuable tool for installers of mechanical, electrical and network IT equipment is this sturdy, practical and cost-effective industrial label maker. Featuring hot keys, a mixed label length function and other hands-free features, label-making on the LW-Z700FK is all about boosting productivity with the latest features, but at a competitive price.

#### Durable design

Aimed at tough environments, the LW-Z700FK has a hard carry case for valuable protection, while a large carry handle makes it mobile.

#### Hands-free use

Hot keys cut-down on typing while repetitive jobs are streamlined thanks to its innovative Pick & Print feature, which automatically prints the next label in a pre-set series when it detects that the user has selected the previous label.

#### Easy to use

With tape detection, an automatic cutter and Drop Stop function, labelling cables, wiring, small pipes and other electrics or machinery has never been easier.

#### Plenty of choice

The LW-Z700FK offers six different widths from 4-24mm, and 100 label designs. Tapes are suited to all kinds of environments, with the addition of both magnetic and heat-shrink tape to a roster that already includes heat-resistant, glow in the dark, reflective and iron-on labels, among others.

#### Professional results

As well as fast-printing in 180dpi quality, the bundled Epson Label Editor software makes it quick and simple to transfer a image of a company logo to the LW-Z700FK for using on cable labels, adding a professional touch.

#### Economic to run

With smaller margins and tapes up to 9m long, the LW-Z700FK achieves an impressively low total cost of ownership.

## DATASHEET / BROCHURE



## KEY FEATURES

- **Pick & Print**  
Streamline repetitive tasks
- **Fast 180dpi print**  
Professional-looking results
- **Practical design**  
Hard case, carry handle and magnet for easy mounting
- **Print logos and images**  
Data download function with easy-to-use software
- **Plenty of choice**  
50 lengths, six widths & 100 label designs

## PRODUCT SPECIFICATIONS

| PRINTING                  | Embedded (standalone)                 | Label Editor (computer linked) |
|---------------------------|---------------------------------------|--------------------------------|
| Printing technology       | Thermal transfer                      |                                |
| Tape width                | 4 mm, 6 mm, 9 mm, 12 mm, 18 mm, 24 mm |                                |
| Printing resolution       | 180 dpi                               |                                |
| Printable Dot Numbers     | 128 dot numbers                       |                                |
| Print speed               | 30 mm/sec                             |                                |
| Number of printable lines | 8 Lines                               | custom                         |
| Maximum text length       | 180 characters per line               | custom                         |
| Multi-block               | 50                                    | custom                         |
| Drop Stop                 | Yes                                   |                                |
| Pick & Print              | Yes                                   |                                |

| PRINT SETTINGS       | Embedded (standalone)                                                           | Label Editor (computer linked)                                                                                                              |
|----------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Special formats      | General, Punch Block, Patch Panel, Block-66, Wrap, Flag, Face Plate, Mix-Length |                                                                                                                                             |
| Repeat printing      | 2 - 99                                                                          | 1 - 999                                                                                                                                     |
| Auto increment       | 0-9, a-z, A-Z, Up to 4 digits                                                   | Yes, 0-9, a-z, A-Z, Alphabetic, Numerical, Date, Time                                                                                       |
| Enlargement printing | Yes                                                                             | Yes                                                                                                                                         |
| Mirror printing      | Yes                                                                             | Yes                                                                                                                                         |
| Vertical printing    | Yes                                                                             | Yes                                                                                                                                         |
| Barcodes             | Coda bar (NW-7), Code 128, Code 39, EAN-13, EAN-8, ITF, UPC-A, UPC-E            | Coda bar (NW-7), Code 128, Code 39, Data Matrix, EAN-128, EAN-13, EAN-8, GS1-128, GS1-DataBar, ITF, MaxiCode, PDF417, QR Code, UPC-A, UPC-E |
| Wire wrap            | Yes                                                                             | Yes                                                                                                                                         |
| Flag                 | Yes                                                                             | Yes                                                                                                                                         |
| Margin setting       | 1mm, 3mm, 4mm, 10mm, width/3, width                                             | 1mm, Manual, Auto                                                                                                                           |

| FONTS & STYLES    | Embedded (standalone)                        | Label Editor (computer linked) |
|-------------------|----------------------------------------------|--------------------------------|
| Fonts             | Roman, Sans serif                            | Depending on user's PC         |
| Frames            | 98 Frames                                    | -                              |
| Tables            | 3 Tables                                     | -                              |
| Layout Alignment  | Left, Right, Center, Justified               | Left, Right, Center, Manual    |
| Character spacing | Narrow, Wide, Normal                         | -                              |
| Character width   | Narrow, Normal, Custom, Smaller, Small, Wide | -                              |

| MEMORY              | Embedded (standalone) | Label Editor (computer linked)                   |
|---------------------|-----------------------|--------------------------------------------------|
| Memory alphanumeric | -                     | Depending on user's PC                           |
| Memory accent       | -                     | Depending on user's PC                           |
| Accent learning     | Yes                   | -                                                |
| Symbols             | 530                   | 1,427                                            |
| Saved Label Design  | 100                   | Depending on user's PC / 372 templates available |
| Last label          | Yes                   | View history, Browse                             |

| HARDWARE    | Embedded (standalone)                                 | Label Editor (computer linked) |
|-------------|-------------------------------------------------------|--------------------------------|
| Cutter      | Auto, Half                                            |                                |
| Detection   | Cover open, Tape end, Tape type & colours, Tape width |                                |
| Handle      | Yes                                                   |                                |
| Power lamp  | Yes                                                   |                                |
| Feed button | Yes                                                   |                                |

## LabelWorks LW-Z700FK

### WHAT'S IN THE BOX

- 1 x 4m Tape
- AC adapter
- AC cable
- Battery (OT-BY20)
- Carrying Case
- Magnetic attachment
- Main unit
- USB cable
- UK AC cable

## PRODUCT SPECIFICATIONS

## LabelWorks LW-Z700FK

### KEYBOARD

|                | Embedded (standalone) | Label Editor (computer linked) |
|----------------|-----------------------|--------------------------------|
| Keyboard type  | QWERTY                |                                |
| Number of keys | 66                    |                                |

### DISPLAY

|                    | Embedded (standalone)                                                | Label Editor (computer linked) |
|--------------------|----------------------------------------------------------------------|--------------------------------|
| Display Resolution | 140 x 80 dots                                                        |                                |
| Display backlight  | Yes( with control)                                                   |                                |
| Display preview    | Yes Graphic                                                          |                                |
| Display language   | Danish, Dutch, English, Finnish, French, German, Italian, Portuguese |                                |

### OTHER FUNCTIONS

|                | Embedded (standalone) | Label Editor (computer linked) |
|----------------|-----------------------|--------------------------------|
| Auto power off | Yes                   | Yes                            |
| Unit switch    | mm/inch               | mm/inch                        |
| Clock          | No                    | -                              |

### GENERAL

|                       | Embedded (standalone)                      | Label Editor (computer linked) |
|-----------------------|--------------------------------------------|--------------------------------|
| Batteries             | 6 x AAA, Not included                      |                                |
| Battery               | Li-ion                                     |                                |
| Low battery indicator | Yes                                        |                                |
| Product dimensions    | 136 x 298 x 90 mm (Width x Depth x Height) |                                |
| Product weight        | 1,100 g, without tape & batteries          |                                |
| Colour                | Black, Red                                 |                                |

### CONNECTIVITY

|                              | Embedded (standalone)              | Label Editor (computer linked) |
|------------------------------|------------------------------------|--------------------------------|
| Interfaces                   | USB 1.1 Type A, USB 1.1 Type B     |                                |
| Compatible Operating Systems | Windows 10, Windows 7, Windows 8.1 |                                |
| System requirements          | Approx. 100 MB HDD space           |                                |
| PC Display requirements      | XGA (1024 x 768) or higher         |                                |
| Included Software            | Epson Label Editor                 |                                |

### OTHER

|          |                                                             |
|----------|-------------------------------------------------------------|
| Warranty | 36 months Carry in<br>Optional warranty extension available |
|----------|-------------------------------------------------------------|

## SUPPORTED CONSUMABLES

LabelWorks LW-Z700FK

| Tape Width | Tape Series                 | Tape & Text (Ink Ribbon)<br>Colour | Customer Code |
|------------|-----------------------------|------------------------------------|---------------|
| 4 mm       | Standard                    | Abc 123                            | LK-1WBN       |
| 4 mm       | Pastel colour               | Abc 123                            | LK-1YBP       |
| 6 mm       | Transparent                 | Abc 123                            | LK-2TBN       |
| 6 mm       | Pastel colour               | Abc 123                            | LK-2YBP       |
| 6 mm       | Standard                    | Abc 123                            | LK-2WBN       |
| 6 mm       | Pastel colour               | Abc 123                            | LK-2RBP       |
| 9 mm       | Strong adhesive             | Abc 123                            | LK-3YBW       |
| 9 mm       | Pastel colour               | Abc 123                            | LK-3YBP       |
| 9 mm       | Strong adhesive             | Abc 123                            | LK-3TBW       |
| 9 mm       | Pastel colour               | Abc 123                            | LK-3RBP       |
| 9 mm       | Strong adhesive             | Abc 123                            | LK-3WBW       |
| 9 mm       | Transparent                 | Abc 123                            | LK-3TBN       |
| 9 mm       | Standard                    | Abc 123                            | LK-3WBN       |
| 9 mm       | Standard                    | Abc 123                            | LK-3WRN       |
| 12 mm      | Metallic colour             | Abc 123                            | LK-4KBM       |
| 12 mm      | Matte                       | Abc 123                            | LK-4SBE       |
| 12 mm      | Satin Ribbon Tape           | Abc 123                            | LK-4RKK       |
| 12 mm      | Satin Ribbon Tape           | Abc 123                            | LK-4PBK       |
| 12 mm      | Heat Resistant              | Abc 123                            | LK-4WBH       |
| 12 mm      | Heat Shrink Tube (HST) Tape | Abc 123                            | LK-4WBA5      |
| 12 mm      | Strong adhesive             | Abc 123                            | LK-4YBW       |
| 12 mm      | Transparent                 | Abc 123                            | LK-4TBN       |
| 12 mm      | Pastel colour               | Abc 123                            | LK-4RBP       |
| 12 mm      | Transparent                 | Abc 123                            | LK-4TWN       |
| 12 mm      | Metallic colour             | Abc 123                            | LK-4SBM       |
| 12 mm      | Iron-on                     | Abc 123                            | LK-4WBQ       |
| 12 mm      | Strong adhesive             | Abc 123                            | LK-4TBW       |
| 12 mm      | Satin Ribbon Tape           | Abc 123                            | LK-4LBK       |
| 12 mm      | Heat Shrink Tube (HST) Tape | Abc 123                            | LK-4WBA3      |
| 12 mm      | Heat Shrink Tube (HST) Tape | Abc 123                            | LK-4YBA3      |
| 12 mm      | Matte paper                 | Abc 123                            | LK-4WBB       |
| 12 mm      | Fluorescent                 | Abc 123                            | LK-4YBF       |
| 12 mm      | Standard                    | Abc 123                            | LK-4WBN       |
| 12 mm      | Vivid                       | Abc 123                            | LK-4BWV       |
| 12 mm      | Strong adhesive             | Abc 123                            | LK-4WBW       |
| 12 mm      | Fluorescent                 | Abc 123                            | LK-4GBF       |
| 12 mm      | Standard                    | Abc 123                            | LK-4WRN       |
| 12 mm      | Satin Ribbon Tape           | Abc 123                            | LK-4HKK       |
| 12 mm      | Heat Shrink Tube (HST) Tape | Abc 123                            | LK-4YBA5      |
| 12 mm      | Satin Ribbon Tape           | Abc 123                            | LK-4KBK       |
| 12 mm      | Pastel colour               | Abc 123                            | LK-4YBP       |
| 12 mm      | Standard                    | Abc 123                            | LK-4WLN       |
| 18 mm      | Glow-in-the-Dark            | Abc 123                            | LK-5ZBU       |
| 18 mm      | Fluorescent                 | Abc 123                            | LK-5GBF       |
| 18 mm      | Standard                    | Abc 123                            | LK-5WRN       |
| 18 mm      | Pastel colour               | Abc 123                            | LK-5RBP       |
| 18 mm      | Standard                    | Abc 123                            | LK-5WBN       |
| 18 mm      | Matte                       | Abc 123                            | LK-5SBE       |
| 18 mm      | Pastel colour               | Abc 123                            | LK-5YBP       |
| 18 mm      | Reflective                  | Abc 123                            | LK-5SBR       |
| 18 mm      | Magnetic Label Tape         | Abc 123                            | LK-5WB2       |
| 18 mm      | Transparent                 | Abc 123                            | LK-5TBN       |
| 18 mm      | Strong adhesive             | Abc 123                            | LK-5WBW       |
| 18 mm      | Strong adhesive             | Abc 123                            | LK-5TBW       |
| 18 mm      | Fluorescent                 | Abc 123                            | LK-5YBF       |
| 18 mm      | Transparent                 | Abc 123                            | LK-5TWN       |
| 18 mm      | Vivid                       | Abc 123                            | LK-5BWV       |
| 18 mm      | Strong adhesive             | Abc 123                            | LK-5YBW       |
| 18 mm      | Magnetic Label Tape         | Abc 123                            | LK-5YB2       |
| 24 mm      | Standard                    | Abc 123                            | LK-6WBN       |
| 24 mm      | Matte                       | Abc 123                            | LK-6SBE       |
| 24 mm      | Transparent                 | Abc 123                            | LK-6TBN       |
| 24 mm      | Heat Shrink Tube (HST) Tape | Abc 123                            | LK-6YBA14     |
| 24 mm      | Magnetic Label Tape         | Abc 123                            | LK-6WB2       |
| 24 mm      | Pastel colour               | Abc 123                            | LK-6RBP       |
| 24 mm      | Heat Shrink Tube (HST) Tape | Abc 123                            | LK-6WBA11     |
| 24 mm      | Heat Shrink Tube (HST) Tape | Abc 123                            | LK-6YBA11     |
| 24 mm      | Heat Shrink Tube (HST) Tape | Abc 123                            | LK-6WBA14     |
| 24 mm      | Pastel colour               | Abc 123                            | LK-6YBP       |
| 24 mm      | Cable wrap                  | Abc 123                            | LK-6WBC       |
| 24 mm      | Magnetic Label Tape         | Abc 123                            | LK-6YB2       |

## LOGISTICS INFORMATION

|                   |               |
|-------------------|---------------|
| SKU               | C51CF25110    |
| EAN code          | 8715946621401 |
| Country of Origin | China         |
| Layer             | 15 Units      |
| Layer Block       | 20 Units      |

---

**LabelWorks LW-Z700FK**

---



For more information please contact:

Home users: 0343 90 37766

Business users\*: 0871 42 37766

Republic of Ireland: 01 436 7742

Or visit us at <https://www.epson.co.uk/contactus>

\* 10p per minute plus network extras.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.

**EPSON®**