

HP Color LaserJet Enterprise M653 series



This HP Color LaserJet with JetIntelligence merges performance, energy efficiency, and security.¹

This HP Color LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network with the industry's deepest security.¹



**HP Color LaserJet Enterprise
M653dn**



**HP Color LaserJet Enterprise
M653x**

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Choose and deploy over 175 HP and third-party security features.

High speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents at up to 60 images per minute.³
- This printer wakes up fast and prints your first page faster—in as quickly as 7.7 seconds.⁴
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁵
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal.

More Pages, Performance, and Protection⁶


- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality.
- Original HP Toner Cartridges with JetIntelligence supply 46% more pages per color cartridge vs predecessor.⁶
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁷

Product walkaround

1. 500-sheet output bin
2. Front door access to toner cartridges
3. Wi-Fi Direct printing⁵/Bluetooth Low Energy⁷
4. 550-sheet tray 2
5. 550-sheet tray 3
6. 10.9 cm (4.3-inch) intuitive icon-based colour touchscreen
7. Hardware Integration Pocket¹
8. Easy-access USB port²
9. 100-sheet multipurpose tray 1
10. Lower right door (access to print path)
11. Built-in automatic two-sided printing
12. Slot for cable-type security lock
13. Built-in Gigabit Ethernet
14. Hi-Speed USB 2.0 printing port
15. USB port for connecting external USB devices



HP Color LaserJet Enterprise M653x



Series at a glance



Model	HP Color LaserJet Enterprise M653dn	HP Color LaserJet Enterprise M653x
Product number	J8A04A	J8A05A
Print speeds (A4)³	Up to 56 ppm	Up to 56 ppm
Control panel	10.9 cm (4.3-inch) intuitive icon-based colour touchscreen	10.9 cm (4.3-inch) intuitive icon-based colour touchscreen
Automatic two-sided printing	Yes	Yes
100-sheet tray 1, 550-sheet tray 2	Yes	Yes
550-sheet tray⁴	Optional (up to two)	Yes (plus up to one optional)
550-sheet tray with stand and cabinet	Optional	Not available
3x550-sheet tray and stand	Optional	Not available
2,000-sheet HCl and 550-sheet tray with stand	Optional	Not available
Direct mobile printing	Optional wireless direct ⁵ /NFC ⁶	Embedded Wi-Fi Direct ⁵ /Bluetooth Low Energy ⁷
Wireless networking	Optional ⁸	Optional ⁸

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

Top Features

Only HP enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.¹

With speeds of up to 60 pages per minute³, fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.⁶

Product

J8A04A	HP Color LaserJet Enterprise M653dn
J8A05A	HP Color LaserJet Enterprise M653x

Accessories

B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
E5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
F5S62A	HP Trusted Platform Module Accessory
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
J8031A	HP Jetdirect 2900nw Print Server
P1B09A	HP Color LaserJet 550-sheet Media Tray
P1B10A	HP Color LaserJet 550 Sheet Paper Tray with Stand
P1B11A	HP Color LaserJet 3x550 Sheet Feeder and Stand
P1B12A	HP Color LaserJet 1x550/2000-sheet HCl Feeder and Stand

Supplies

CF450A	HP 655A Black Original LaserJet Toner Cartridge (12,500 pages)
CF451A	HP 655A Cyan Original LaserJet Toner Cartridge (10,500 pages)
CF452A	HP 655A Yellow Original LaserJet Toner Cartridge (10,500 pages)
CF453A	HP 655A Magenta Original LaserJet Toner Cartridge (10,500 pages)
CF460X	HP 656X High Yield Black Original LaserJet Toner Cartridge (27,000 pages)
CF461X	HP 656X High Yield Cyan Original LaserJet Toner Cartridge (22,000 pages)
CF462X	HP 656X High Yield Yellow Original LaserJet Toner Cartridge (22,000 pages)
CF463X	HP 656X High Yield Magenta Original LaserJet Toner Cartridge (22,000 pages)
P1B91A	HP LaserJet 110V Maintenance Kit (Up to 150,000 pages)
P1B92A	HP LaserJet 220V Maintenance Kit (Up to 150,000 pages)
P1B93A	HP LaserJet Image Transfer Belt Kit (Up to 150,000 pages)
P1B94A	HP LaserJet Toner Collection Unit (Up to 100,000 pages)

HP Care Packs

U9NZ6E	HP 3 year Next Business Day Service w/Defective Media Retention for Color LaserJet Enterprise M65x
U9NZ7E	HP 4 year Next Business Day Service w/Defective Media Retention for Color LaserJet Enterprise M65x
U9NZ8E	HP 5 year Next Business Day Service w/Defective Media Retention for Color LaserJet Enterprise M65x
U9NZ9E	HP 3 year 4 hour 9x5 Service w/Defective Media Retention for Color LaserJet Enterprise M65x
U9PA0E	HP 4 year 4 hour 9x5 Service w/Defective Media Retention for Color LaserJet Enterprise M65x
U9PA1E	HP 5 year 4 hour 9x5 Service w/Defective Media Retention for Color LaserJet Enterprise M65x
U9PC0PE	HP 1 year Post Warranty NBD Service w/Defective Media Retention for Color LaserJet Enterprise M65x
U9PC1PE	HP 2 year Post Warranty NBD Service w/Defective Media Retention for Color LaserJet Enterprise M65x
U9PC2PE	HP 1 year Post Warranty 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise M65x
U9PC3PE	HP 2 year Post Warranty 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise M65x

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja
 HP Universal Print Driver: hp.com/go/upd
 HP Imaging and Printing Security Center: hp.com/go/ipsc

HP Color LaserJet Enterprise M653 series

Model	HP Color LaserJet Enterprise M653dn		HP Color LaserJet Enterprise M653x
Product number	J8A04A		J8A05A
Functions	Print		
Print			
Duplex print options	Automatic (standard)		
Print speed ⁸	Black (A4, normal): Up to 56 ppm; Black (letter, normal): Up to 60 ppm; Black (A5, landscape): Up to 74 ppm; Black (A5, portrait): Up to 4 ppm; Black (A4, duplex): Up to 56 ppm; Black (letter, duplex): Up to 60 ppm Color (A4, normal): Up to 56 ppm; Color (Draft, A4): Up to 60 ppm; Color (A4, Duplex): Up to 56 ppm; Color (letter, Duplex): Up to 60 ppm		
First page out ¹⁰	Black (A4, ready): As fast as 5.8 sec; Black (A4, sleep): As fast as 7.8 sec Color (A4, ready): As fast as 5.8 sec; Color (A4, sleep): As fast as 7.8 sec		
Print technology	Laser		
Print resolution	Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi		
Print resolution technology	HP ImageRet 3600; 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone® Calibrated		
Print cartridges number	4 (1 each black, cyan, magenta, yellow)		
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7), URF (AirPrint)		
Printer management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver		
Connectivity			
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy	
Mobile printing capability ⁷	HP ePrint; Apple AirPrint™; Mopria-certified		HP ePrint; Wireless direct printing; Apple AirPrint™; Mopria-certified
Wireless capability	Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A	Yes, Built-in Wi-Fi Direct, Bluetooth low energy; Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A	
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (standard).	
Memory	Standard: 1 GB; Maximum: 2 GB		
Processor speed	1.2 GHz		
Duty cycle (monthly)	Up to 120,000 pages; 2,000 to 17,000		
Paper handling			
Input	100-sheet multi-purpose tray, 550-sheet input tray 2; Optional 1x550-sheet paper feeder, optional 1x550-sheet Paper Feeder with Stand and Cabinet, optional 3x550-sheet Paper Feeder with Stand, optional 1x550/2000-sheet HCL Feeder and Stand	100-sheet multi-purpose tray, 550-sheet input tray 2, 3; Optional 1x550-sheet feeder	
Output	500-sheet output bin		
Media type	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined		
Media weight	Tray 1: 60-220 g/m ² (plain), 120 to 220 g/m ² (glossy); Tray 2 and automatic two-sided printing unit: 60 to 163 g/m ² (plain), 120 to 220 g/m ² (glossy); Optional Trays 3, 4, 5 1x550-sheet feeders: 60 to 163 g/m ² (plain), 120 to 220 g/m ² (glossy); Optional Tray 4 2,000 high capacity input: 60-163 g/m ² (plain)	Tray 1: 60-220 g/m ² (plain), 120 to 220 g/m ² (glossy); Trays 2, 3 and automatic two-sided printing unit: 60 to 163 g/m ² (plain), 120 to 220 g/m ² (glossy); Optional Tray 4: 60 to 163 g/m ² (plain), 120 to 220 g/m ² (glossy)	
Media sizes custom	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 101.6 x 148 to 216 x 356 mm; Optional 550-sheet trays: 101.6 x 148 to 216 x 356 mm; Optional 2,000-sheet high-capacity tray: custom sizes not supported in this tray	Tray 1: 76 x 127 to 216 x 356 mm; Trays 2, 3: 101.6 x 148 to 216 x 356 mm; Optional Tray 4: 101.6 x 148 to 216 x 356 mm	
Dimensions (W x D x H)	510 x 458 x 510 mm		510 x 458 x 640 mm
Weight	31.3 kg		37.5 kg
What's in the box ²	HP Color LaserJet Printer; HP Black Original LaserJet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord	HP Color LaserJet Printer; HP Black Original LaserJet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord; 1x550-sheet paper feeder	
Warranty features	1 Year Limited Warranty (Next Business Day On-Site)		
Systems			
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)		
Minimum system requirements	PC: 2GB available hard disk space, OS hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info		
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs		
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Control panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button		
Display	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)		
Power	Power supply type: Built in 115V or 220V Power Supply (not dual voltage, power supply varies by part number with option code identifier); Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 1.2 A; Input voltage: 220V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A; Power consumption³: 780 watts (printing), 31 watts (ready), 0.7 watts (sleep), 0.7 watts (Auto Off/Manual On), 0.1 (Manual Off); Typical electricity consumption (TEC) number: ES: 2.49 kWh/Week; BA: 2.27 kWh/Week		
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals		
Acoustics	Acoustic power emissions: 6.9 B(A); Acoustic power emissions (ready): 4.6 B(A); Acoustic pressure emissions bystander (active, printing): 54 dB(A); Acoustic pressure emissions bystander (ready): 31 dB(A)	Acoustic power emissions: 6.8 B(A); Acoustic power emissions (ready): 4.6 B(A); Acoustic pressure emissions bystander (active, printing): 53 dB(A); Acoustic pressure emissions bystander (ready): 31 dB(A)	
Environmental ranges	Operating temperature range: 15 to 30°C; Recommended operating temperature: 17.5 to 25°C; Non-operating humidity range: 10 to 90% RH; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH		
Safety approvals and requirements	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010 Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010 EN 62311:2008 / IEC 62311:2007 Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries	
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLR, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Stateless via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x		

Footnotes

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims.

² HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

⁵ Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary.

⁶ More pages versus predecessor cartridges claim based on page-yield comparison of HP M647A and HP 648A Color Original LaserJet Toner Cartridges with HP 656X High Yield Color Original LaserJet Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies

⁷ HP 656X High Yield Original LaserJet Toner Cartridges not included; please purchase separately.

Product walkaround disclaimers

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

² An administrator must enable the easy-access USB port before use.

³ Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁴ All models come with 100-sheet multipurpose tray 1 and 550-sheet tray 2; the M653x model comes with an additional 550-sheet tray 3. The M653x model can add one more 550-sheet tray, but cannot add any other optional paper-handling accessories. All other models can add up to two optional 550-sheet trays or any of the other accessories.

⁵ Wi-Fi Direct printing is embedded in the HP Color LaserJet Enterprise M653x model. All other models can add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct® supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance®.

⁶ Touch-to-print capability is optional for all models (except the M653x) with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

⁷ Bluetooth Low Energy is only available on the HP Color LaserJet Enterprise M653x. Bluetooth® is a trademark owned by its proprietor and used by HP Inc. under license.

⁸ All models can add wireless networking with the purchase of the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

Technical specifications disclaimers

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

² Cartridges included; yields 10,500 color (C/M/Y) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>. Pages may vary based on customer printing conditions and usage.

³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

⁵ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

⁶ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

⁷ May require a firmware upgrade to be compatible, download at <http://www.hp.com/go/support>

⁸ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁹ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

¹⁰ Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

¹¹ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

¹² Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsupplies>

To learn more, visit hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

