

HP ScanJet Pro 2000 s1 Sheet-feed Scanner



From paper stacks to clear desks – for a great value

Fast, affordable, and designed to handle everything from simple colour jobs to complex workflows. Quickly and reliably digitise larger projects with scan speeds up to 24 ppm/48 ipm and a 50-page ADF.¹ Recommended for 2,000 pages per day.



Small size. Fast scans. Same reliable results.

- Produce scans at up to 24 ppm/48 ipm¹ with two-sided scanning that captures both sides at once.
- Free up space for work. This HP ScanJet Pro is small and slim – a modern design perfect for the desktop.
- Don't wait for warm-up – HP Instant-on Scanning lets you begin scanning quickly.
- Load up to 50 pages into the automatic document feeder for fast, unattended scanning.

Optimise workflows with one-touch scanning

- Streamline routine work with one-touch scanning – create one-button, custom settings for recurring scan jobs.
- Scan images directly into applications with included and full-featured TWAIN and ISIS®.
- Easily transfer scans into editable text, secure PDF files, and more file types, using built-in OCR.
- Quickly share or archive scans directly to popular cloud destinations with HP Scan software.

Capture business documents like a pro

- Define scan profiles for common document types, and scan to multiple destinations with HP Scan software.
- Capture and organise documents, business cards, and other file types with feature-rich software.
- Produce clear, legible scans – up to 600-dpi resolution.

Accessories and services

Accessories	L2760A HP ScanJet Pro 2000 s1 Sheet-feed Roller Replacement Kit
Service and support	<p>U9JQ3E HP 3 years Next business day Exchange ScanJet Pro 2xxx Service</p> <p>U9JQ7PE HP 1 year Post Warranty Next business day Exchange ScanJet Pro 2xxx Service</p> <p>U9JQ4E HP 3 years Next business day Onsite Exchange ScanJet Pro 2xxx Service</p> <p>U9JQ8PE HP 1 year Post Warranty Next business day Onsite Exchange ScanJet Pro 2xxx Service</p> <p>U9JQ2E HP 3 years Standard Exchange ScanJet Pro 2xxx Service</p> <p>U9JQ6PE HP 1 year Post Warranty Standard Exchange ScanJet Pro 2xxx Service</p> <p>U9JQ5E HP 3 years Return ScanJet Pro 2xxx Service</p> <p>U9JQ9PE HP 1 year Post Warranty Return ScanJet Pro 2xxx Service</p> <p>(U9JQ3E, U9JQ7PE: all except Baltics, RSA, Turkey. U9JQ4E, U9JQ8PE: France, Spain, Portugal, Austria, Switzerland, Finland, Norway, Sweden, Belgium, Netherlands, Poland, Russia, Greece. U9JQ2E, U9JQ6PE: Baltics, RSA. U9JQ5E, U9JQ9PE: Turkey)</p>

Technical specifications

Control Panel	Scan button, Power button with a LED and a LED for Error indication
Scanner specifications	Scanner type: Sheetfed; Scan technology: CMOS CIS; Scan input modes: One default scan mode on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA; Twain version: Windows: TWAIN version 2.1; Mac: not available; Colour scanning: Yes; Output resolution dpi settings: 75, 150, 200, 240, 300, 400, 500, 600 ppi; Image scaling or enlargement range: Will not perform any arbitrary scaling
Scan speed²	Up to 24 ppm/48 ipm
Scan resolution	Optical: Up to 600 dpi (colour and monochrome, sheet-feed); Hardware: Up to 600 dpi (colour and monochrome, sheet-feed)
Scan file format	For text and images: PDF, JPEG, PNG, BMP, TIFF, TXT (Text), RTF (Rich Text) and searchable PDF
Scanner advanced features	Auto-color detect, auto-crop, auto-exposure, auto orient, OCR, edge removal, background cleanup, remove hole, color drop out, straighten the page, scan to cloud, scan to email, PDF security
Grayscale Levels/Bit Depth	256/24-bits external/48-bits internal
Duty cycle	Recommended for 2,000 pages per day
Auto document feeder capacity	50 sheets
Connectivity	Standard: Hi-Speed USB 2.0
External I/O Ports	1 X USB 2.0
Media Handling	
Media types	Cut sheet paper, printed paper (laser and ink), pre-punched paper, bank checks, business cards, freight bills, carbonless forms, previously stapled media with staple removed
Media size (ADF)	ISO A4: 210 x 297 mm; ISO A5: 148 x 210 mm; ISO A6: 105 x 148 mm; ISO A7: 74 x 104 mm; ISO A8: 52 x 74 mm; ISO B5: 176 x 250 mm; JIS B5: 182 x 257 mm
Media weight (ADF)	50 to 180 g/m ²
Compatible operating systems	OS X Mavericks 10.9, OS X Yosemite 10.10, OS X El Capitan 10.11, Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit
Minimum system requirements	PC: Apple® OS X Yosemite, OS X Mavericks, OS X Mountain Lion, 1 GB available hard disk space, Internet required, USB; Microsoft® Windows® 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer
Software Included	HP WIA Scan Driver, HP TWAIN Scan Driver, HP Scan, HP Scanner Tools Utility, Nuance PaperPort (Win only), I.R.I.S. Readiris OCR, I.R.I.S. Cardiris (Win only), EMC ISIS (Win only)
Dimensions and weight	
Product dimensions (W x D x H)	Minimum¹: 300 x 172.9 x 152.1 mm; Maximum: 300 x 488 x 303 mm
Package dimensions (W x D x H)	397 x 248 x 242 mm
Product weight	2.6 kg
Package weight	4.0 kg
Operating environment	Temperature: 10 to 35°C; Humidity: 15 to 80% RH (non-condensing)
Storage	Temperature: -40 to 60°C
Power	Requirements: Input Voltage: 90 to 264 VAC, 50/60 Hz; Consumption: 3.6 Watts (ready), 1.0 Watts (sleep), 0.1 Watts (auto-off), 0.1 Watts (off); Energy star: Yes
Certifications	IEC 60950-1:2005 +A1 +A11 +A12 and all applicable amendments; CSA/UL 60950-1, 2nd edition (2007); EN 60950-1:2006 +A11 +A1 +A12 +A2; EAC safety; European Union CE; Kenya PVOC; Kuwait TER; Nigeria SON; Saudi Arabia SASO; South Africa NRCS; Ukraine safety approval; Electromagnetic compatibility: Class B Emissions; CISPR 22:2008 (International); European Union EMC Directive 2004/108/EC, EN 55022:2010 (CE mark); EAC EMC Certificate; Ukraine EMC approval; EN 61000-3-2:2014 (harmonics); EN 61000-3-3:2013 (flicker); Immunity CISPR 24:2010, EN 50024:2010
What's in the box	L2759A HP ScanJet Pro 2000 s1 Sheet-feed Scanner; Install guide; Support flyers; Warranty cards; 2 CDs; Power cords; Power adaptor; USB cable
Warranty	1 year bench commercial warranty whole unit replacement, standard office hours, standard office days

Footnotes

¹ Scan speed measured at 300 dpi (black-and-white, greyscale, and colour). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical specifications disclaimers

¹ With input and output trays folded and covers closed.

² Actual speeds may vary depending on scan resolution, connectivity type, computer performance and application software.



The product could differ from the images shown. © Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4AA6-7437EEE, August 2016

