



# MB2236adw

**Small. Easy to use. Great value.**

With monochrome output of up to 34 pages per minute\* and two-sided printing, the Lexmark MB2236adw offers both impressive performance and affordability. Standard Wi-Fi enhances connectivity and support for mobile users, whilst both its included fax and monochrome scanning are backed up by a 1-GHz processor and 512 MB of memory.

## Get more done

- ▶ Print up to 34 pages per minute\*, and scan up to 23 pages per minute.
- ▶ Tackle your printing workload with the power of a 1-GHz processor and 512 MB of memory.
- ▶ Unison™ Toner replacement cartridges deliver up to 6,000 pages\*\* of high-quality printing.
- ▶ Load and print up to 250 pages without refilling, or manual-feed single sheets.
- ▶ Send and receive faxes with included analogue fax.
- ▶ Use media sizes from A6 to legal in the paper tray, plus smaller media and envelopes in the manual feeder.

## The right fit

- ▶ Compact dimensions of only 41.5 cm wide x 36 cm deep x 35.2 cm tall help it fit almost anywhere.
- ▶ Standard Wi-Fi supports desktop and mobile devices, and complements the MFP's ethernet and USB connections.
- ▶ The two-line LCD lets you configure, interact and monitor vital system information.



## Robust, built-in security

- ▶ Lexmark's full-spectrum security architecture helps keep your information safe - on the document, the device, over the network, and everywhere in between.
- ▶ A range of embedded features harden the device against attacks.

## Built for planet earth

- ▶ Energy management features reduce power consumption in active use or sleep mode.
- ▶ Standard two-sided printing saves paper.
- ▶ Recycle cartridges through the award-winning Lexmark Cartridge Collection Programme (LCCP).

\*Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds).

\*\* Average continuous mono declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19752. Actual yield will vary considerably based upon many factors. See [www.lexmark.com/yields](http://www.lexmark.com/yields) for more information.

| Product specifications                          |   | Lexmark MB2236adw |
|---|---|-------------------|
| Printing  |   |                   |
| Display   | 2-line All Points Addressable (APA) monochrome LCD display  |                   |
| Print Speed: Up to <sup>6</sup>                 | Black: 34 ppm   |                   |
| Time to First Page: As fast as                  | Black: 8 seconds  |                   |
| Print Resolution                                | Black: 1200 Image Quality, 2400 Image Quality, 300 x 300 dpi, 600 x 600 dpi   |                   |
| Memory / Processor                              | standard: 512 MB / maximum: 512 MB / 1 GHz, Dual Core MHz   |                   |
| Hard Disk                                       | Not Available   |                   |
| Recommended Monthly Page Volume <sup>2</sup>    | 250 - 2,500 Pages   |                   |
| Maximum Monthly Duty Cycle: Up to <sup>3</sup>  | 30,000 pages per month  |                   |
| Copying   |   |                   |
| Copy Speed: Up to <sup>6</sup>                  | Black: 34 cpm   |                   |
| Time to First Copy: As fast as                  | black: 8.4 seconds  |                   |
| Scanning  |   |                   |
| Scanner Type / ADF Scan                         | Flatbed scanner with ADF / Simplex  |                   |
| A4/Ltr Simplex Scan Speed: Up to                | Mono: 23 / 25 sides per minute / Colour: 7 / 8 sides per minute   |                   |
| ADF Paper Input Capacity: Up to                 | 50 pages 75 gsm bond  |                   |
| Faxing  |   |                   |
| Modem Speed                                     | Max is 33,600 bps, V.34 Half-Duplex Kbps  |                   |
| Supplies <sup>7</sup>                           |   |                   |
| Laser Cartridge Yields (up to) <sup>1</sup>     | 3,000-page High Yield Cartridge, 6,000-page Extra High Yield Cartridge, 1,200-page Cartridge  |                   |
| Imaging Unit Estimated Yield: Up to             | 12,000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage   |                   |
| Cartridge(s) Shipping with Product <sup>1</sup> | 700-page Black Starter Return Programme Toner Cartridges  |                   |
| Paper Handling                                  |   |                   |
| Included Paper Handling                         | 250-Sheet Input, 150-Sheet Output Bin, Integrated Duplex, Single-Sheet Manual Feed  |                   |
| Paper Input Capacity: Up to                     | Standard: 250 pages 75 gsm bond / Maximum: 250 pages 75 gsm bond  |                   |
| Paper Output Capacity: Up to                    | Standard: 150 pages 75 gsm bond / Maximum: 150 pages 75 gsm bond  |                   |
| Media Types Supported                           | Card Stock, Envelopes, Paper Labels, Plain Paper, Refer to the Paper & Specialty Media Guide  |                   |
| Media Sizes Supported                           | 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6 |                   |
| General Information <sup>4</sup>                |   |                   |
| Standard Ports                                  | Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), 802.11b/g/n Wireless  |                   |
| Noise Level: Operating                          | Print: 52 dBA / Copy: 55 dBA / Scan: 52 dBA   |                   |
| Specified Operating Environment                 | Humidity: 15 to 80% Relative Humidity, Temperature: 10 to 32°C (50 to 90°F), Altitude: 0 - 2,896 Metres (9,500 Feet)  |                   |
| Product Guarantee                               | 1-Year Advanced Exchange, Next Business Day   |                   |
| Size (mm - H x W x D) / Weight                  | 352 x 415 x 360 mm / 10 kg  |                   |

All information in this brochure is subject to change without notice. Lexmark is not liable for any errors or omissions.

<sup>1</sup>Average standard page yield value declared in accordance with ISO/IEC 19752. <sup>2</sup>"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>3</sup>"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. <sup>4</sup>Printers are sold subject to certain license/agreement conditions. See [www.lexmark.com/printerlicense](http://www.lexmark.com/printerlicense) for details. <sup>5</sup>Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. <sup>6</sup>Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds). <sup>7</sup>Product functions only with replacement cartridges designed for use in a specific geographical region. See [www.lexmark.com/regions](http://www.lexmark.com/regions) for more details.

© 2019 Lexmark. All rights reserved.

Lexmark, the Lexmark logo and Unison are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. AirPrint and the AirPrint Logo are trademarks of Apple, Inc. ENERGY STAR® is a U.S. registered mark. Google Cloud Print™ is a trademark of Google, Inc. MOPRIA®, the Mopria®Logo™ and the Mopria®Alliance logos are trademarks, service marks, and certification marks of Mopria Alliance, Inc. in the United States and other countries. All other trademarks are the property of their respective owners.

This product includes software developed by the OpenSSL Project for use in the Open SSL Toolkit (<http://www.openssl.org/>).