

Lexmark MX417de



MX417de

Combines 4 devices into 1. With more speed and capacity.

Affordability meets higher speed and output capacity in the MX417de multifunction product, which prints up to 38 pages per minute and is recommended for printing up to 10,000 pages per month. It includes a 10.9cm (4.3 inch) colour touch screen to simplify tasks, keypad, built-in Gigabit networking and advanced security, along with available High Yield cartridges and mobile print capability.*

Multifunction versatility with increased speed and capacity

Now you can achieve more in less time. Improve your print, scan and copy speeds with a dual-core processor, 512MB of memory (upgrades up to 2.5GB) and Gigabit networking. The compact and reliable MX417de can print up to 38 pages per minute and deliver the first page in as little as 6.5 seconds.



Up to 38 ppm







Network







Duplex



Unison Toner



10.9 cm touchscreen

Security, with Confidential Print. Mobile print capability.

Extensive network security features and protocols protect your device, information and network from unauthorised access. Keep your sensitive documents safe by enabling the Confidential Print feature, which requires entering a customised, unique PIN on the device's keypad before the document can be printed.

Print from mobile devices using an optional Wi-Fi adapter or Lexmark's free Mobile Print app.



4-year Guarantee

Given the choice, wouldn't you prefer to buy a device that protects your investment with a guarantee? The affordable MX417de is so well made, we back it with a guarantee that covers repair actions including the cost of spare parts if they are needed in the first four years**. The guarantee also offers you free 24hour online support and access to technical support by phone during working hours.

High Yield cartridges offer lower cost per page

The MX417de has access to High Yield cartridges which produce up to 8,500 pages, which helps lower your cost per page. Plus they never require shaking, which minimises interruptions and keeps your work moving. Lexmark's print system and exclusive Unison™ Toner ensure consistent print quality throughout the life of the cartridge to prevent wasted prints.

User-friendly

The MX417de features a 10.9 cm (4.3 inch) customisable colour touch screen that provides quick access to copy, fax and scan functions. It also provides access to pre-installed applications, such as our Forms and Favourites app that lets you save frequently used documents and print them from the touch screen.

Monitor jobs and supplies on the screen, or from a remote location through its web interface. Add an extra paper tray to boost capacity to 850 pages for fewer interruptions. A front USB port lets you print directly from a flash drive.

The MX417de is built to last, so you'll easily be able to print up to 10,000 pages per month, thanks to our state-of-the-art paper handling technology.

An automatic document feeder simplifies printing, copying, scanning and faxing multipage documents.

Eco-friendly

Built-in two-sided printing reduces paper use. The instant warm-up fuser saves energy and delivers the first page as fast as 6.5 seconds. Select an energy-saving mode (Quiet, Hibernate or Eco) to automatically minimise noise and energy consumption.

Through LCCP, the Lexmark Cartridge Collection Programme, Lexmark offers a free and easy way for you to return your empty cartridges for sustainable recycling or remanufacturing. Learn more at http://www.lexmark-emea.com/LCCP/recycling





Product specifications	Lexmark MX417de
Printing	
Display	Lexmark e-Task 10.9 cm (4.3-inch) colour touch screen
Print Speed: Up to ³	Black: 38 ppm
Time to First Page: As fast as	Black: 6.5 seconds
Print Resolution	Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi
Memory / Processor	standard: 512 MB / maximum: 2560 MB / Dual Core, 800 MHz
Hard Disk	Not Available
Recommended Monthly Page Volume ⁷	750 - 10,000 Pages
Maximum Monthly Duty Cycle: Up to⁵	100,000 pages per month
Copying	
Copy Speed: Up to ³	Black: 38 cpm
Time to First Copy: As fast as	black: 6.5 seconds
Scanning	
Scanner Type / ADF Scan	Flatbed scanner with ADF / RADF (reversing Duplex)
A4/Ltr Duplex Scan Speed: Up to	Mono: 18 / 19 sides per minute / Colour: 8 / 8 sides per minute
A4/Ltr Simplex Scan Speed: Up to	Mono: 42 / 43 sides per minute / Colour: 19 / 20 sides per minute
Faxing	
Modem Speed	ITU T.30, V.34 Half-Duplex, 33.6 Kbps
Supplies ²	
Laser Cartridge Yields (up to) ¹	2,500-page Cartridge, 8,500-page High Yield Cartridge
Imaging Unit Estimated Yield: Up to ⁴	60000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage
Cartridge(s) Shipping with Product ¹	2,500-page Starter Return Program Toner Cartridge
Paper Handling	
Included Paper Handling	250-Sheet Input, 50-Sheet Multipurpose Feeder, 150-Sheet Output Bin, Integrated Duplex
Optional Paper Handling	250-Sheet Tray, 550-Sheet Tray, 550-Sheet Lockable Tray
Paper Input Capacity: Up to	Standard: 300 pages 75 gsm bond / Maximum: 850 pages 75 gsm bond
Paper Output Capacity: Up to	Standard: 150 pages 75 gsm bond / Maximum: 150 pages 75 gsm bond
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement Universal, Oficio, A6
General Information ⁶	
Standard Ports	USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification F Speed Certified port (Type A)
Optional Network Ports	MarkNet N8352 802.11b/g/n Wireless
Noise Level: Operating	Print: 55 dBA / Copy: 55 dBA / Scan: 55 dBA
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2896 Meters (9,500 Fee
Product Guarantee	4-Year Guarantee - Upon Registration Only
Size (mm - H x W x D) / Weight	468 x 399 x 472 mm / 20.0 kg
Part Number	35SC781

¹Average standard page yield value declared in accordance with ISO/IEC 19752. ²Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/regions for more details. ³Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁴Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁵"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁴Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁵"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.





