

Lexmark MX617de

MX617de

Print and copy up to 47 pages per minute on a 4-in-1 device

The MX617de MFP lets you focus on other tasks while it prints and copies at up to 47 pages per minute, or scans up to 45 sides per minute. It includes a 17.8 cm colour touch screen and keypad to simplify tasks, 2-sided operation, Gigabit networking, advanced security, generous 1GB of memory, access to High Yield and Extra High Yield cartridges, and mobile print capability.*

Multitasking. Made easy.

Our MX617de multifunction product was designed to be versatile, so you're free to do other tasks while it's hard at work. It also offers fast print and copy speeds, up to 47 pages per minute, and scan speeds up to 45 sides per minute, due to its dual-core processor, generous 1GB of memory (expandable to 3GB) and Gigabit networking. It can deliver the first page print in as little as 6.5 seconds.



Up to 47 ppm

Security



Network



Mobility



Duplex



Unison Toner



17.8 cm touch screen

Security. Confidential Print. Mobile print capability.

Extensive network security features and protocols protect your device, information and network from unauthorised access. Keep your sensitive documents safe by enabling the Confidential Print feature, which requires entering a customised, unique PIN on the device's keypad before the document can be printed.

In addition, you can print from mobile devices using Lexmark's free Mobile Print app or an optional Wi-Fi adapter.



4-year Guarantee

Given the choice, wouldn't you prefer to buy a device that protects your investment with a guarantee? The affordable MX617de is so well made, we back it with a guarantee that covers repair actions including the cost of spare parts if they are needed in the first four years**. The guarantee also offers you free 24-hour online support and access to technical support by phone during working hours.

Extra High Yield cartridges produce up to 20,000 pages

Available Extra High Yield cartridges for the MX617de can produce up to 20,000 pages and never require shaking, which minimises both cost per page and work interruptions. The Lexmark print system and UnisonTM Toner ensure consistent print quality throughout the life of the cartridge to prevent wasted prints.

User-friendly

The MX617de is simple to install, easy to use and offers built-in Gigabit connectivity for full compatibility with nearly every operating system and network, so you'll be up and running in minutes. It's built to last, so you'll easily be able to print up to 15,000 pages per month, thanks to our state-of-the-art paper handling technology.

The 17.8 cm colour touch screen is customisable, and includes quick access to copy, fax and scan functions, as well as to pre-installed apps, such as Forms and Favourites, which lets you save frequently used documents and print them from the touch screen.

Lexmark's Mobile Print app for iOS and Android devices provides a simple and consistent user experience for printing from mobile devices. It features simple printer discovery and mobile print and scan.

A front USB port lets you print directly from a flash drive. An optional hard disk boosts device storage capacity and an optional inline stapler simplifies document production.

Eco-friendly

Built-in two-sided printing reduces paper use. The instant warm-up fuser saves energy and delivers the first printed page as fast as 6.5 seconds. Select an energy-saving mode (Quiet, Hibernate or Eco) to automatically minimise noise and energy consumption.

Through LCCP, the Lexmark Cartridge Collection Programme, Lexmark offers a free and easy way for you to return your empty cartridges for sustainable recycling or remanufacturing.







| Product specifications | Lexmark MX617de |
|--|---|
| Printing | |
| Display | Lexmark e-Task 17.8 cm (7-inch) colour touch screen |
| Print Speed: Up to ³ | Black: 47 ppm |
| Time to First Page: As fast as | Black: 6.5 seconds |
| Print Resolution | Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi |
| Memory / Processor | standard: 1024 MB / maximum: 3072 MB / Dual Core, 800 MHz |
| Hard Disk | Option available |
| Recommended Monthly Page Volume ⁷ | 2,000 - 15,000 Pages |
| Maximum Monthly Duty Cycle: Up to⁵ | 175,000 pages per month |
| Copying | |
| Copy Speed: Up to ³ | Black: 47 cpm |
| Time to First Copy: As fast as | black: 6.5 seconds |
| Scanning | |
| Scanner Type / ADF Scan | Flatbed scanner with ADF / RADF (reversing Duplex) |
| A4/Ltr Duplex Scan Speed: Up to | Mono: 20 / 21 sides per minute / Colour: 13 / 14 sides per minute |
| A4/Ltr Simplex Scan Speed: Up to | Mono: 45 / 48 sides per minute / Colour: 30 / 32 sides per minute |
| Faxing | |
| Modem Speed | ITU T.30, V.34 Half-Duplex, 33.6 Kbps |
| Supplies ² | |
| Laser Cartridge Yields (up to) ¹ | 2,500-page Cartridge, 8,500-page High Yield Cartridge, 20,000-page Extra High Yield Cartridge |
| Imaging Unit Estimated Yield: Up to ⁴ | 60,000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage |
| Cartridge(s) Shipping with Product ¹ | 5,000-page Starter Return Program Toner Cartridge |
| Paper Handling | |
| Included Paper Handling | 550-Sheet Input, 100-Sheet Multipurpose Feeder, Integrated Duplex, 250-Sheet Output Bin |
| Optional Paper Handling | 250-Sheet Tray, 550-Sheet Tray, 550-Sheet Lockable Tray, Inline Stapler |
| Paper Input Capacity: Up to | Standard: 650 pages 75 gsm bond / Maximum: 2,300 pages 75 gsm bond |
| Paper Output Capacity: Up to | Standard: 250 pages 75 gsm bond / Maximum: 250 pages 75 gsm bond |
| Media Types Supported | Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide. |
| Media Sizes Supported | 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Officio, A6 |
| General Information | |
| Standard Ports | One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front U. 2.0 Specification Hi-Speed Certified port (Type A), Rear USB 2.0 Specification Hi-Speed Certified port (Type A) |
| Optional Network Ports / Optional Local Ports | Internal MarkNet N8350 802.11b/g/n Wireless / Internal RS-232C serial, Internal 1284-B Bidirectional Parallel |
| Noise Level: Operating | Print: 55 dBA / Copy: 56 dBA / Scan: 55 dBA |
| Specified Operating Environment | Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2896 Meters (9,500 Feet |
| Product Guarantee | 4-Year Guarantee - Upon Registration Only |
| Size (mm - H x W x D) / Weight | 561 x 489 x 479 mm / 23.6 kg |
| Part Number | 35SC784 |

Average standard page yield value declared in accordance with ISO/IEC 19752. Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/regions for more details. Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.









Lexmark and the Lexmark logo are trademarks or registered trademarks of Lexmark International, Inc. in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.



