

Xerox® Phaser® 3610 and
Xerox® WorkCentre™ 3615

A4

Black and White Printer
and Multifunction Printer



Phaser® 3610 Printer and WorkCentre™ 3615 Multifunction Printer

More speed. More expandability.
Professional quality results.



Xerox® Phaser® 3610 Printer and Xerox® WorkCentre™ 3615 Multifunction Printer

Produce professional-looking documents quickly. With the Phaser 3610 printer and WorkCentre 3615 multifunction printer, you'll get best-in-class speed¹, expanded capabilities and professional-looking print quality for your busy office.

Your Productive Advantage

With best-in-class¹ speed, print resolution and media capacity, your busy office can maximise workflow and minimise waiting.

- **Built for speed.** At 45 ppm, the Phaser 3610 and WorkCentre 3615 have the fastest black and white print speeds in their class¹.
- **True multifunction capability.** The intuitive 4.3-inch colour touch screen on the WorkCentre 3615 lets you programme your next job while another is in progress.
- **Digitise and simplify.** Turn the cumbersome hard copy forms and documents into portable, digital files and share them automatically via email. Files can even be sent to an established network folder or exported to any USB memory device.
- **Expand your capabilities.** Customise to your specific business needs with optional Wi-Fi or Productivity Kit. Plus, adding up to three additional trays let you expand your work to fit different paper sizes and stocks, or extend media capacity during peak workloads.
- **Dependable day after day.** Enjoy quick startup and everyday operation. Plus handle device administration remotely from any networked computer's browser with Xerox® CentreWare® IS.
- **Print when and where you want.** With Apple® AirPrint™, you can print email, and important office documents directly from your mobile iOS device when connected to your office Wi-Fi network. And when working offsite, you can use Xerox® PrintBack to print documents back at the office so they are waiting for you when you return.

Powerful Capabilities Made Affordable

Even small work teams can benefit from the powerful and affordable options and capabilities delivered by the Phaser 3610 and WorkCentre 3615.

- **All-in-one savings.** The WorkCentre 3615 combines the functions of a copier, printer, scanner and fax machine into a single value-packed unit that can generate savings on energy and supplies costs.
- **Reduce your paper usage.** You'll dramatically cut your paper usage and related costs thanks to automatic two-sided printing. Plus, N-up printing lets you print multiple pages on one sheet – a useful option when sharing presentations.
- **Freedom, unplugged.** With optional Wi-Fi capabilities, the Phaser 3610 and WorkCentre 3615 are ready to go to work wherever they're needed, regardless of wired network infrastructure.
- **Increase your efficiency.** Extra-high capacity toner cartridges allow you spend less time loading supplies and more time getting work done.
- **Keep your information safe.** Secure Print keeps your sensitive documents out of the wrong hands by requiring users to enter a personal identification number at the device to print documents.

Attention-grabbing Print Quality

No matter what business you're in, the Phaser 3610 and WorkCentre 3615 deliver images that get your work noticed.

- **Crisp details.** Add definition and clarity to your documents with true print resolution of up to 1200 x 1200 dpi. Your printed communications never looked better.
- **Unique Xerox® EA Toner.** Not only does it deliver sharper image quality and improved fine lines and text, it is also less energy intensive. EA Toner fuses at a much lower temperature, reducing power consumption by up to 20% and CO₂ emissions by up to 35%, compared to conventional toner.



¹ When compared to similar products, as of September 2013.

A full productivity toolbox in one powerful device. Choose your task. The Xerox® WorkCentre™ 3615 Multifunction Printer has the right tools to deliver outstanding performance, so you're more productive and efficient every day.



- 1** A 60-sheet Duplex Automatic Document Feeder scans two-sided originals for copy, scan and fax jobs.
- 2** The WorkCentre 3615 includes a 4.3-inch touch screen with easily understood instructions and help screens to streamline walkup operations.
- 3** An easily accessible USB port allows users to quickly print from or scan to any standard USB memory device.
- 4** 250-sheet output tray with tray-full sensor.
- 5** 150-sheet Multipurpose Tray handles media sizes from 76 x 127 mm to 216 x 356 mm.

- 6** With the 550-sheet paper tray, standard paper capacity for the WorkCentre 3615 totals 700 sheets.
- 7** Up to three optional 550-sheet paper trays increase total paper capacity to 2,350 sheets.
- 8** Optional stand provides storage for toner cartridges, paper and other supplies.
- 9** Place the Phaser 3610 or WorkCentre 3615 anywhere you need it with the optional Wireless Connectivity Kit.

WorkCentre 3615.
Print. Copy. Scan. Fax. Email.




Phaser® 3610 Quick Facts

- Print up to 45 ppm black and white
- First-page-out time as fast as 6.5 seconds
- Optional Wi-Fi connectivity
- Standard automatic two-sided printing
- Standard 700-sheet paper capacity (expandable to 2,350 sheets)

Phaser 3610
WxDxH:
393 x 426 x 315 mm
Weight:
13 kg

Print
A4
45 ppm



WorkCentre™ 3615 Quick Facts

- All features of the Phaser 3610 plus:
- 4.3-inch colour touch screen user interface
 - Workflow-enhancing scanning capabilities
 - Full range of copy and fax features
 - 60-sheet Duplex Automatic Document Feeder

WorkCentre 3615
WxDxH:
495 x 492 x 549 mm
Weight:
21.5 kg

Copy / Print / Scan / Fax / Email
A4
45 ppm

| Device Specifications | | Phaser 3610DN | Xerox® WorkCentre™ 3615DN |
|-----------------------|----------------------------------|--|--|
| Speed | | Up to 45 ppm A4 | |
| Duty Cycle | | Up to 110,000 pages / month ¹ | |
| Processor / Memory | | 400 MHz / 512 MB (1 GB max with optional memory) | 525 MHz / 1 GB |
| Connectivity | | 10/100/1000Base-T Ethernet, High-Speed USB 2.0, Direct Print ² , Optional Wi-Fi (with Xerox® Wireless Connectivity Kit) | |
| Print and Copy | Resolution | Up to 1200 x 1200 dpi | Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi |
| | First-page-out Time (as fast as) | As fast as 6.5 seconds | Print: As fast as 6.5 seconds; Copy: As fast as 8.5 seconds |
| | Page Description Languages | PCL® 5e and 6 emulations, PostScript® 3™ emulation, PDF emulation | |
| | Print Features | Booklet printing, Scaling, Fit to page, Watermarks, Custom-size pages, N-up, Toner Save mode, Secure Print, Collation, Print from USB memory device ² | |
| | Mobile Printing | Apple AirPrint™, Xerox® PrintBack, Google Cloud Print Ready | |
| Scan | Speed | NA | Up to 40 images per minute (ipm) |
| | Destinations | NA | TWAIN/WIA scanning via USB or Network, Scan to Computer via SMB, Scan to Server via FTP, Scan to Email with LDAP support, Scan to USB Memory Device, WSD Scanning |
| | Features | | JPEG/TIFF/Multipage TIFF/PDF File Formats, Up to 1200 x 1200 dpi, 24-bit Full Colour Scanning, Email Address Book (up to 100 Email addresses, up to 10 Email group addresses), Express Scan Manager, Xerox® Scan to PC Desktop® SE Small Business Edition (1-seat license), Scan to Network Address Book (up to 32 destinations) |
| Fax | Fax Features ³ | NA | MH/MR/MMR/JBIG Compression, Reject Junk Fax, Distinctive Ring Pattern Detection, Fax Forwarding to Fax, Email and Server with/without Local Print Polling Receive, Delayed Start (up to 24 hours), Broadcast Sending (up to 200 destinations), Fax Address Book (up to 200 speed dial), Secure Fax Receive |
| | LAN Fax Features | | Delayed Start (up to 24 hours), Broadcast Sending (up to 30 destinations), Zoom, Auto Fit, Rotation, N-up, Watermark, Phonebook (Up to 500 speed dial numbers, Up to 500 group dial, Phonebook stored on PC) |
| Security | Standard | Secure HTTPS (SSL, Secure LDAP), IPsec, 802.1X Authentication, Network Authentication, IPv6, SNMPv3, IP Filtering, Secure Print, Secure Fax Receive | |
| Paper Input | Standard | NA | Duplex Automatic Document Feeder (DADF): 60 sheets; Custom sizes: 140 x 140 mm to 216 x 356 mm |
| | | Multipurpose Tray: Up to 150 sheets; Custom sizes: 76 x 127 mm to 216 x 356 mm | |
| | | Tray 1: Up to 550 sheets; Custom sizes: 148 x 210 mm to 216 x 356 mm | |
| | Optional | 3 Additional Trays: Up to 550 sheets each; Custom sizes: 148 x 210 mm to 216 x 356 mm | |
| | Total Capacity (std. / max.) | 700 sheets / 2,350 sheets | |
| Paper Output | | 250 sheets | |
| | Automatic Two-sided Output | Standard | |
| Warranty | | One-year on-site warranty | |

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Available on the WorkCentre 3615 only; ³ Requires analogue phone line

Device Management

Xerox® CentreWare® IS Services, CentreWare® Web, Email Alerts, Apple® Bonjour

Print Drivers

Microsoft® Windows® XP and above, 2003 Server and above; Mac OS® 10.5 and above; Red Hat® Enterprise 4, 5; Fedora® Core 14–16; SUSE® 11, 12, IBM® AIX-5®; HP-UX® 11, 11i; Solaris® 9, 10; Ubuntu®, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

Font Capability

136 PostScript Fonts; 93 PCL Fonts

Media Handling

Duplex Automatic Document Feeder: Simplex: 50 to 125 gsm; Duplex: 50 to 125 gsm; Multipurpose Tray: 60 to 216 gsm; Tray 1: 60 to 216 gsm; 3 Additional Trays (Optional): 60 to 216 gsm

Media Types

Plain, Plain Thick, Card Stock, Lightweight / Heavyweight, Rough Surface, Labels, Envelopes, Letterhead, Hole Punched

Operating Environment

Temperature: 15° to 28° C; Humidity: 20% to 70%; Sound Power: Printing: 7.48 B(A); Standby: 5.3 B(A); Sound Pressure: Printing: 56.0 dB(A), Standby: 30 dB(A); Warm-up Time (from Power Save – UI Ready): <20 seconds, Warm-up Time from Power Save (first page printed): <20 seconds

Electrical

Power: 220–240 VAC, 50/60 Hz, 6A; Phaser 3610: Continuous Printing: 686 watts; Ready (Standby): 52 watts; energy Saver Mode (Sleep): 2 watts; WorkCentre 3615: Continuous Printing: 698 watts; Ready (Standby): 59 watts; energy Saver Mode (Sleep): 4 watts

Dimensions (W x D x H)

3610: 393 x 426 x 315 mm, Weight: 13 kg;
3615: 495 x 492 x 549 mm, Weight: 21.5 kg

Certifications

UL 60950-1:2007/CSA 60950-1-07+A1:2011, FDA/CDRH – Class 1 Laser Product, FCC Part 15, Class A, Canada ICES-003, Class A, CE marked, Low Voltage Directive 2006/95/EC, EN 60950-1, 1st Edition, EN 60825-1 – Class 1 Laser Product, EMC Directive 2004/108/EC, EN 55022, Class B, RoHS Directive 2011/65/EU, WEEE Directive 2002/96/EC, ENERGY STAR® qualified, Citrix Ready, Blue Angel

What Comes in the Box

- Phaser 3610 Printer or WorkCentre 3615 Multifunction Printer
- Toner Cartridge (5,900 page capacity*)
- Drum Cartridge
- Quick Installation Guide, Quick Use Guide, Driver CD, Documentation CD (User Manual, System Admin Guide)
- Power Cable
- Fax Cord (WorkCentre 3615)

Supplies Recycling Programme

Consumables for the Phaser 3610 and WorkCentre 3615 are part of the Xerox Green World Alliance Supplies Recycling Programme. For more information, please visit the Green World Alliance website at www.xerox.com/gwa.

Supplies

| | |
|--|-----------|
| Standard Capacity Toner Cartridge: 5,900 pages* | 106R02720 |
| High Capacity Toner Cartridge: 14,100 pages* | 106R02722 |
| Extra-high Capacity Toner Cartridge: 25,300 pages* | 106R02731 |
| Drum Cartridge: 85,000 pages | 113R00773 |

Options

| | |
|---------------------------------------|-----------|
| 550-sheet Tray (3610) | 497K13620 |
| 550-sheet Tray (3615) | 497K13630 |
| Productivity Kit (4 GB Device Memory) | 497K13650 |
| 512 MB Memory (Phaser 3610) | 497K13640 |
| Stand | 497K13660 |
| Wireless Connectivity Kit | 097S04409 |

* Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

For more information, visit us at www.xerox.com/office

