


Phaser® 3320 and
WorkCentre™ 3315/3325
A4
Black and white Printer
and Multifunction Printer



Xerox® Phaser 3320 Printer and WorkCentre 3315/3325 Multifunction Printer

Compact, high performance,
outstanding value.



Phaser® 3320 Printer and WorkCentre™ 3315/3325 Multifunction Printer

Superior desktop productivity with the latest office technology advantages.

The convenient, value-packed Phaser 3320 Printer and WorkCentre 3315/3325 Multifunction Printer deliver reliable, economical performance where you need it, helping you stay focused on what matters most: growing your business.

Get more pages!

Print longer right out of the box. The Phaser 3320 and WorkCentre 3325 come with a standard toner cartridge that yields up to 5,000¹ pages.

Do More for Less

- **More efficient input.** A Duplex Automatic Document Feeder (DADF) comes standard with the WorkCentre 3325, making faster work of two-sided scan, copy and fax jobs.
- **Standard duplexing.** Highly efficient, no-hassle two-sided printing can cut your paper consumption and cost in half.

Engineered to Perform, Built to Last

- **Outstanding performance.** A fast print speed of up to 35 ppm and a first-page-out time as fast as 6.5 seconds.
- **Print more for longer.** An optional second paper tray lets you load an extra 520 sheets at one time for extended interruption-free printing.
- **See the difference.** Your documents show exceptional sharpness with up to 1200 x 1200 image quality.
- **Reliable endurance.** Advanced engineering aimed to meet the production requirements of workteams means consistent performance and minimum disruptions. A standard one-year on-site warranty gives you added peace of mind.

An Easy Fit

- **Go wireless².** The Phaser 3320 and WorkCentre 3325 come standard with internal Wi-Fi connectivity, giving you the freedom to put the device right where you need it.
- **Stay secure.** With the latest security features, including IPsec, SNMPv3, IP filtering and secure print.
- **Productivity where you need it.** A small footprint, which allows for easy integration within your work space.
- **Economical efficiency.** Available high-capacity print cartridges reduce your total cost of ownership and demand less frequent replacement.
- **Easy management.** With Xerox® CentreWare® IS, remote device administration is handled with ease right from your computer's browser.

¹ Average standard pages. Declared Yield in accordance with ISO/IEC19752. Yield will vary based on image, area coverage and print mode.

² 3320V_DNI and 3325V_DNI

WorkCentre™ 3315/3325 Quick Facts

- Print up to 31/35 ppm
- First-page-out time as fast as 6.5 seconds
- Built-in Wi-Fi connectivity (WorkCentre 3325* only)
- 50-sheet (Duplex) Automatic Document Feeder (WorkCentre 3325 only)
- Standard 250-sheet paper capacity
- 50-sheet Bypass Tray
- 600 MHz processor (WorkCentre 3315: 360 MHz)
- Up to 1200 x 1200 image quality

WorkCentre 3315
WxDxH:
424 x 422 x 417 mm
Weight:
14.4 kg

WorkCentre 3325
WxDxH:
469 x 458 x 447 mm
Weight:
16.6 kg



Phaser® 3320 Quick Facts

- Print up to 35 ppm
- First-page-out time as fast as 6.5 seconds
- Built-in Wi-Fi connectivity*
- Standard 250-sheet paper capacity
- 50-sheet Bypass Tray
- 600 MHz processor
- Up to 1200 x 1200 image quality

Phaser 3320
WxDxH:
366 x 368 x 257 mm
Weight:
9.9 kg



* 3320V_DNI and 3325V_DNI

Multiple functions, minimal footprint. The WorkCentre 3315/3325 Multifunction Printer offers outstanding print performance, plus a host of powerful productivity tools designed to make your daily office tasks more efficient than ever.



1

A 50-sheet automatic document feeder handles media sizes from 142 x 148 mm to 216 x 356 mm. Upgrade to the WorkCentre 3325 Multifunction Printer's 50-sheet DADF and get the extra ability to scan, copy, fax and email two-sided originals.

2

Powerful colour scanning capabilities include scan to email, network scanning (WorkCentre 3325 only), scan to folder and scan to USB memory device.

3

A large, brightly illuminated front panel with easy-access buttons and help screens to streamline operations.

4

Standard copy features include ID Card Copy, N-up, photo mode and more.

5

Packed with the latest fax capabilities at a speed of 33.6 Kbps and MH/MR/MMR/JBIG/JPEG compression.

6

A front-side USB port allows users to quickly print from or scan to any standard USB memory device.

7

150-sheet output tray.

8

Adjustable 50-sheet bypass input tray accepts custom media sizes from 76 x 127 mm to 216 x 356 mm

9

250-sheet input tray accepts custom media sizes from 76 x 127 mm to 216 x 356 mm

10

Choose an additional 520-sheet paper tray and increase total capacity to 820 sheets.

11

A standard 600 MHz processor and 256 MB memory (expandable to 768 MB) easily handle a heavy workload (WorkCentre 3325 only).

	Phaser® 3320	WorkCentre™ 3315	WorkCentre 3325
Speed	Up to 35 ppm	Up to 31 ppm	Up to 35 ppm
Duty Cycle	Up to 80,000 pages / month ¹	Up to 50,000 pages / month ¹	Up to 80,000 pages / month ¹
Paper Handling	NA	Automatic Document Feeder (ADF): 50 sheets: Custom Sizes: 142 x 148 mm to 216 x 356 mm	Duplex Automatic Document Feeder (DADF): 50 sheets: Custom Sizes: 142 x 148 mm to 216 x 356 mm
Paper Input	Standard		
	Bypass Tray: 50 sheets; Custom sizes: 76 x 127 mm to 216 x 356 mm		
	Tray 1: 250 sheets; Custom sizes: 76 x 127 mm to 216 x 356 mm		
	Optional	Additional Tray: 520 sheets; Custom sizes: 148 x 210 mm to 216 x 356 mm	
Paper Output	150 sheets		
Automatic Two-Sided Printing	Standard		
Print			
First-Page-Out Time	As fast as 6.5 seconds		
Print Resolution (max)	Up to 600 x 600 dpi (1200 x 1200 image quality)		
Processor	600 MHz	360 MHz	600 MHz
Memory (std / max)	128 MB / 384 MB		256 MB / 768 MB
Local Drive	NA	NA	2 GB
Connectivity	USB 2.0, 10/100/1000Base-T Ethernet, Wi-Fi ²	USB 2.0, 10/100Base-T Ethernet	USB 2.0, 10/100/1000Base-T Ethernet, Wi-Fi ²
Page Description Languages	PCL® 5e and 6 emulations, PostScript® 3™ emulation	PCL® 5e and 6 emulations, PostScript® 3™ emulation, PDF emulation	PCL® 5e and 6 emulations, PostScript® 3™ emulation, PDF emulation, XPS®
Print Features	Watermarks, Collation, Auto 2-sided prints, N-up, Poster, Booklet print, Custom page size, Fit to page, Scaling, Toner Save mode, Earth Smart mode, Print from USB ³ , Job scheduling ⁴ , Print from local drive ⁴ , Save ⁴ , Save and Print ⁴		
Copy			
First-Page-Out Time	NA	As fast as 12 seconds	As fast as 10 seconds
Copy Resolution (max)		Up to 600 x 600 dpi	
Copy Features		Automatic background suppression, Darkness control, ID Card Copy, Margin shift, N-up, Job build, Photo mode, Programme Ahead	Automatic background suppression, Darkness control, ID Card Copy, Margin shift, Booklet creation, Book copying with centre erase, Edge erase, N-up, Job interrupt, Job build, Photo mode, Programme Ahead, Poster copying
Fax	NA	33.6 Kbps with MH/MR/MMR/JBIG/JPEG compression, Address book (up to 200 speed dials, 209 group dials), Resolution up to 300 x 300 dpi, Auto redial, Auto reduction, Colour Fax Send, Delayed Send, Fax Forward to Email/Fax, Junk fax protection, Memory Receive, PC Fax (Windows only), Secure Fax	
Fax Features ⁵			
Scan	NA	Scan to Email, USB, Local PC, Network PC, LDAP email address lookup	Scan to Email, USB, Folder, FTP, SMB, Local PC, Network PC, Local Drive, LDAP email address lookup
Scan Destinations			
Scan Features		Up to 4800 x 4800 dpi resolution, 24-bit colour / 8-bit greyscale, PDF / JPEG / TIFF (single and multipage), Xerox® Scan to PC Desktop® Personal Edition	
Security	Secure HTTPS (SSL), IPsec, Secure LDAP (WorkCentre 3315), 802.1X, SNMPv3, IP Filtering, Secure Print (WorkCentre 3315 with optional 256 MB Memory upgrade), Mac Address Filtering		Secure HTTPS (SSL), IPsec, Secure LDAP, 802.1X, Network Authentication, SNMPv3, IP Filtering, Secure Print, Image Overwrite, Mac Address Filtering
Warranty	One-year on-site warranty		

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis. ² 3320V_DNI and 3325V_DNI. ³ WorkCentre 3315 and 3325 only. ⁴ WorkCentre 3325 only. ⁵ Requires analogue phone line.

Device Management

CentreWare® Internet Services, CentreWare Web, Email alerts, Apple® Bonjour

Print Drivers

Windows® XP, Vista, Server 2003, Server 2008, 7, Mac OS® version 10.5 and higher, ORACLE® Solaris 9,10, Red Hat® Enterprise Linux®4, Fedora Core®, SUSE, AIX 5, HP-UX®, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

Media Handling

Automatic Document Feeder (3315): 60–105 gsm; Duplex Automatic Document Feeder (3325): 50–105 gsm; Bypass Tray: 60–220 gsm; Tray 1: 60–163 gsm; Media types: Plain paper, envelopes, labels, transparencies, card stock, recycled

Operating Environment

Temperature: Storage: 0° to 40° C; Operating: 10° to 32° C; Humidity: Operating: 20% to 80%; Sound pressure levels: 3320: Printing: 52 dB(A), Standby: 26 dB(A); 3315: Printing/copying: 52 dB(A), Standby: 26 dB(A); 3325: Printing/copying 53 dB(A), Standby 26 dB(A); Warm-up time (from sleep mode): as fast as 35 seconds

Electrical

Power: 220–240 VAC, 50/60 Hz, 3.3A Power Consumption: 3320: Standby: 48 W, Printing: 420 W, Sleep: 10 W; 3315/3325: Standby: 50 W, Printing: 600 W, Sleep: 8 W; ENERGY STAR® qualified

Certifications

FCC Part 15, Class B, FCC Part 68, UL 60950-1/CSA 60950-1-07, 2nd Edition, CE Mark applicable to Low Voltage Directive (2006/95/EC), EMC Directive (2004/108/EC), and R&TTE Directive (1999/5/EC), GOST, NOM, GS Mark, Citrix Ready, Section 508 (compliant with minor exceptions), Blue Angel, ENERGY STAR® qualified

Supplies

High-Capacity Print Cartridges:	
3320: 11,000 std. pages*	106R02307
3325: 11,000 std. pages*	106R02313
3315: 5,000 std. pages*	106R02311
Standard-Capacity Print Cartridges:	
3320: 5,000 std. pages*	106R02305
3325: 5,000 std. pages*	106R02311
3315: 2,300 std. pages*	106R02309
Initial Included Cartridges:	
3320 & 3325: 5,000 std. pages*	
3315: 2,300 std. pages*	

Options

Additional 520-sheet Paper Tray	497N01412
256 MB Memory	
(Phaser 3320 & WorkCentre 3315)	098N02189
512 MB Memory (WorkCentre 3325)	097N01878

* Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.



For more information, visit us at www.xerox.com/office

©2012 Xerox Corporation. All rights reserved. Contents of this publication may not be reproduced in any form without permission of Xerox Corporation. XEROX®, XEROX and Design®, CentreWare®, Phaser® and WorkCentre™ are trademarks of Xerox Corporation in the United States and/or other countries. PostScript® 3™ is a registered trademark of Adobe Systems, Incorporated. PCL® is a registered trademark of Hewlett-Packard. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. All other trademarks are the property of their respective manufacturers. The information in this brochure is subject to change without notice. 10/12 332BR-01EA

