

# Xerox® VersaLink® C415 Color Multifunction Printer



Xerox® VersaLink® C415 Color Multifunction Printer is built on Xerox® ConnectKey® Technology. For more information, go to [ConnectKey.com](https://connectkey.com).

| System Specification                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Speed<sup>1</sup></b>                                                     | <b>Color:</b> Up to 42/40 ppm Letter/A4; <b>Black-and-White:</b> Up to 42/40 ppm Letter/A4                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Monthly Duty Cycle<sup>2</sup></b>                                        | Up to 125,000 pages                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Processor/Memory/<br/>Hard Drive</b>                                      | Quad Core 1.2GHz/2 GB system memory/32GB eMMC/ <b>Optional:</b> 500+GB HDD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Connectivity</b>                                                          | Gigabit Ethernet 10/100/1000, Hi-Speed USB 2.0 (Type A), Hi-Speed USB (Type B), NFC, <b>Optional:</b> Wi-Fi/ Wi-Fi Direct with Xerox Wireless Network Adapter (802.11 b/g/n/ac + BLE)                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Controller Features</b>                                                   | Unified Address Book, Remote Control Panel, Configuration Cloning, Fleet Orchestrator, Configuration Watchdog, Security Dashboard                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Copy and Print                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Copy and Print Resolution</b>                                             | <b>Copy:</b> Up to 600 x 600 dpi; <b>Print:</b> Up to 1200 x 1200 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>First-Print-Out Time</b><br>(as fast as)                                  | 6.8 seconds color/6.2 seconds black-and-white                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>First-Copy-Out Time</b><br>(as fast as) (from platen/<br>warmed-up state) | 7.0 seconds color/6.2 seconds black-and-white                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Page Description Language</b>                                             | Adobe® PostScript® 3™, Adobe® PDF, PCL® 5c/PCL® 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Print Features</b>                                                        | Print from USB, Print from Cloud Repositories (Dropbox, OneDrive, and Google Drive), Encrypted Secure Print, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Layout, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Hold All Jobs, Print Around, Print on Alternate Paper                                                                                                                                                                         |
| Mobile and Cloud Ready                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Universal Print Ready</b>                                                 | Native Microsoft Universal Print is a cloud print service, available to Microsoft 365 subscribers. It removes the need for on-site print servers and leverages the built-in drivers included in the Windows 10 and 11 PCs. You can enjoy the benefits of cloud hosting with a driverless setup for all Windows 10 and 11 clients. Utilize the Xerox Print Support App (PSA) to gain access to the Xerox Print Properties user interface.                                                                                                                              |
| <b>Mobile Connectivity</b>                                                   | <b>Optional:</b> Wi-Fi Direct, Wi-Fi (802.11 b/g/n/ac) AirPrint (iOS) including iBeacon <sup>3</sup> (Bluetooth) for AirPrint Discovery                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Mobile Printing</b>                                                       | Mopria® Print, Apple® AirPrint®, Xerox® Print Service (Android), Xerox @PrintByXerox App; <b>Optional:</b> Xerox® Workplace App (iOS/Android) iBeacon <sup>3</sup> (Bluetooth) for AirPrint Discovery                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Mobile Scanning</b>                                                       | Mopria® Scan, Apple® AirPrint® Scan (macOS only), <b>Optional:</b> Xerox® Workplace Mobile App (iOS/Android), Scan to Microsoft OneDrive, Google Drive and Dropbox <sup>4</sup>                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Mobile Apps and<br/>Xerox App Gallery</b>                                 | Automate everyday processes with apps that translate, redact, eSign, personalize, print, convert, route, collaborate, and communicate. Visit <a href="https://xerox.com/WorkplaceApps">xerox.com/WorkplaceApps</a> to find apps by industry or workflow. Software and services: Xerox® DocuShare® Content Management Platform ( <a href="https://xerox.com/ecm">xerox.com/ecm</a> ), XMPie® ( <a href="https://xerox.com/XMPie">xerox.com/XMPie</a> ), Xerox® Workplace Solutions ( <a href="https://xerox.com/WorkplaceSolutions">xerox.com/WorkplaceSolutions</a> ) |
| <b>Xerox® Workflow<br/>Central Platform</b>                                  | <b>Optional:</b> One-platform consistency for seamless productivity across computers, mobile devices and printers. With Workflow Central's ever-expanding suite of cloud-based workflows you can change documents into audio files for easy listening, convert PDF or image files to popular Microsoft formats for shareability with a wider audience, turn handwriting into legible, editable and shareable text, translate to/from over 40 different languages, and automatically redact Personal Identifiable Information using set words or phrases               |

## Xerox® VersaLink® C415 Color Multifunction Printer

|                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Xerox® Workplace Suite and Xerox® Workplace Cloud</b> | <b>Optional:</b> Xerox® Workplace Suite is a modular set of workflows designed to save customers time and money by providing effective control over their print fleet, while enabling worker productivity and mobility through a set of robust workflows. Xerox enables ultimate customer flexibility by offering these capabilities in both an on-premises server version (Workplace Suite) and with a cloud based-version (Workplace Cloud) of this solution                                                                                                                                                                                                                                                                                                                     |
| <b>Cloud Identity Provider (IdP) Integration</b>         | Use your desktop, laptop, or mobile login credentials to log in to your VersaLink® MFPs with direct connections to popular cloud identity providers Okta, Ping Identity, and Microsoft® Azure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Scan</b>                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Standard Features</b>                                 | <b>Destinations:</b> Scan to USB/Email/Network SFTP, SMB, HTTP, HTTPS, FTP destinations; <b>File Formats:</b> PDF, PDF/A, JPEG, TIFF; <b>Convenience Features:</b> Scan to Home, Single/Multi-Page PDF/TIFF, Password-protected PDF, Unified Address Book, Scan to Folder, 1-Touch Apps, TWAIN Support, Touchless Workflow Accelerators                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Optional Features</b>                                 | Scan to Cloud Repositories (Dropbox, OneDrive, and Google Drive), Xerox® Scanning App for DocuShare®, other solutions available through various Xerox® Business Innovation Partners at <a href="http://xerox.com/Software-Solutions">xerox.com/Software-Solutions</a> , Print from and Scan to Xerox® DocuShare® Go Content Management Platform                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Fax</b>                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Standard Features</b>                                 | Fax Build Job, Network Server Fax Enablement, Walk-up Fax includes LAN Fax, Direct Fax, Fax Forward to Email, or SMB Share                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Security</b>                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Standard Features</b>                                 | 802.1x, IPsec, HTTPS, SFTP and Encrypted Email, Firmware Verification, Security Manager, LogRhythm SIEM integration, Splunk SIEM integration, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS1.1/1.2/1.3, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, Local Authentication (Internal Database), User Access, Port/IP/Domain Filtering, Audit Log, Access Control, User Permissions, Configuration Watchdog, Trusted Platform Module (TPM 2.0), Trusted Boot, AES 256-bit Encryption, FIPS 140, Job Level Encryption via HTTPS and Drivers, Signed Email, Common Criteria Certification <sup>5</sup> , Secure Print, Image Overwrite for optional hard disks <sup>6</sup> |
| <b>Optional Features</b>                                 | Xerox® RFID Card Reader, Hard Disk (AES 256-bit) with multi-pass Image Overwrite <sup>6</sup> , Xerox® Workplace Cloud/Suite Print Management and Content Security; learn more at <a href="http://xerox.com/WorkplaceSolutions">xerox.com/WorkplaceSolutions</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Print Management</b>                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Standard Features</b>                                 | Xerox® Standard Accounting Feature (Copy, Print, Scan, Fax, Email), Network Accounting Enablement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Optional Features</b>                                 | Xerox® Workplace Cloud/Suite, other network accounting solutions available through various Xerox® Business Innovation Partners. Xerox® Virtual Print Management Service; learn more at <a href="http://xerox.com/PrintManagement">xerox.com/PrintManagement</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

# Xerox® VersaLink® C415 Color Multifunction Printer

## Features and Accessories



**Single-Pass Duplex Automatic Document Feeder (DADF)** saves time by simultaneously scanning both sides of two-sided documents with up to 104/98 ipm Letter/A4. High paper capacity drives productivity, especially for tasks that require large batches of scanned or copied documents.



**The intuitive, tablet-like, 7-inch tiltable touch screen** allows you to personalize your experience to get more done in fewer taps. Gain access to an array of productivity boosting apps through the Xerox App Gallery.

**The Manual Feed Slot** handles a single sheet at a time and supports sizes from 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm.

**The 250-Sheet Tray** handles media sizes from 3.8 x 5.8 in to 8.5 x 14 in/97 x 148 mm to 216 x 356 mm.

### OPTIONAL PAPER FEEDING

#### 550+100-Sheet Tray

Add 1 550+100-Sheet Tray (Includes 550-sheets standard capacity and additional 100-sheet bypass tray)



#### 550-Sheet Tray

Add up to 1 additional 550-sheet tray for a total paper capacity of up to 1,451 pages. (Requires 550+100-Sheet Tray)



### XEROX® EASY ASSIST APP

With businesses moving to a more flexible work environment, workers need the right technology in place to keep productive and get back to what really matters. Xerox Easy Assist App allows you to easily and securely manage your device right from your mobile phone, with real-time monitoring of printer performance and instant access to self-support services - all without the need for any IT support. Learn more at [xerox.com/EasyAssist](http://xerox.com/EasyAssist).



### OPTIONAL ACCESSORIES

#### The Convenience Stapler

For simple stapling needs, the Convenience Stapler provides offline stapling of printed output and original documents. Staples up to 20 sheets 20 lb/75 gsm.



#### Wireless Network Adapter



#### Printer Stand



#### 500+GB Hard Disk

#### RFID Card Reader Kits

# Xerox® VersaLink® C415 Color Multifunction Printer

| Device Specification                        |                                                                                                                                                                                                                                                                      |                                                                                                   |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| Control Panel Languages                     | US English, International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Turkish, Greek, Russian, Czech, Polish, Hungarian, Romanian, Catalan, Arabic, Croatian, Ukrainian |                                                                                                   |
| Accessories                                 |                                                                                                                                                                                                                                                                      |                                                                                                   |
| Optional                                    | Convenience Stapler<br>Wireless Network Adapter<br>500+GB HDD<br>Scan To Cloud Enablement Kit <sup>4</sup><br>Unicode Font Kit                                                                                                                                       |                                                                                                   |
| Electrical Requirements                     |                                                                                                                                                                                                                                                                      |                                                                                                   |
| North America                               | Voltage: 110–127 VAC +/-10%<br>Frequency: 57/63Hz +/- 3 %, 10A                                                                                                                                                                                                       |                                                                                                   |
| Europe                                      | Voltage: 220–240 VAC +/-10%<br>Frequency: 57/63Hz +/- 3 %, 5A                                                                                                                                                                                                        |                                                                                                   |
| Power Consumption                           |                                                                                                                                                                                                                                                                      |                                                                                                   |
| Running (Average)                           | 7.0A, 100-110V<br>3.6A, 220-240V                                                                                                                                                                                                                                     |                                                                                                   |
| Typical Electricity Consumption (kWh)       | 0.57                                                                                                                                                                                                                                                                 |                                                                                                   |
| Standby Mode                                | 29W                                                                                                                                                                                                                                                                  |                                                                                                   |
| Sleep Mode                                  | 1.3W<br>(Default time to sleep mode = 1 minute)                                                                                                                                                                                                                      |                                                                                                   |
| Warm-up (from Off)                          | 124 seconds                                                                                                                                                                                                                                                          |                                                                                                   |
| Recovery from Sleep                         | As fast as 2.8 seconds                                                                                                                                                                                                                                               |                                                                                                   |
| Operating Environment                       |                                                                                                                                                                                                                                                                      |                                                                                                   |
| Required Temperature Range                  | 50 to 90°F/10 to 32.2°C                                                                                                                                                                                                                                              |                                                                                                   |
| Required Relative Humidity                  | 15 to 80% RH                                                                                                                                                                                                                                                         |                                                                                                   |
| Sound Power Levels                          | Operating: 6.8 B(A) or less<br>Standby: 3.1 B(A) or less                                                                                                                                                                                                             |                                                                                                   |
| Sound Pressure Levels                       | Operating: 54 db(A) or less<br>Standby: 14 db(A) or less                                                                                                                                                                                                             |                                                                                                   |
| Dimensions and Weight                       | Packaged                                                                                                                                                                                                                                                             | Unpackaged                                                                                        |
| Printer                                     | Width: 22.6 in/575 mm<br>Depth: 25.0 in/636 mm<br>Height: 23.6 in/600 mm<br>Weight: 71.0 lb/32.3 kg                                                                                                                                                                  | Width: 18.9in/478 mm<br>Depth:18.7 in/475 mm<br>Height: 19.3 in/491 mm<br>Weight: 59.5lb/27.1 kg  |
| 550+100-Sheet Tray                          | Width: 8.6 in/218 mm<br>Depth: 20.0 in/508 mm<br>Height: 18.8 in/478 mm<br>Weight: 11.45 lb/5.2 kg                                                                                                                                                                   | Width: 16.7 in/424 mm<br>Depth: 16.4 in/416 mm<br>Height: 5.2 in/133 mm<br>Weight: 9.3 lb/4.2 kg  |
| 550-Sheet tray                              | Width: 8.6 in/218 mm<br>Depth: 20.0in/508 mm<br>Height: 18.8 in/478 mm<br>Weight: 11.45 lb/5.2 kg                                                                                                                                                                    | Width: 16.7 in/424 mm<br>Depth: 16.4 in/416 mm<br>Height: 5.2 in/133 mm<br>Weight: 8.6 lb/3.9 kg  |
| Printer Stand                               | Width: 20.7 in/525 mm<br>Depth: 22.2 in/565 mm<br>Height: 9.2 in/235 mm<br>Weight: 37.7 lb/17.1 kg                                                                                                                                                                   | Width: 18.2 in/463 mm<br>Depth: 20 in/510 mm<br>Height: 17.3 in/440 mm<br>Weight: 32.7 lb/14.8 kg |
| System Certifications/Regulatory Compliance |                                                                                                                                                                                                                                                                      |                                                                                                   |
| Certifications                              | To view the latest list of certifications, go to <a href="http://xerox.com/OfficeCertifications">xerox.com/OfficeCertifications</a>                                                                                                                                  |                                                                                                   |

## Xerox® VersaLink® C415 Color Multifunction Printer

| Paper Handling                                                                                           |                                                                                                                                                                                     |
|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Single-Pass Duplex Automatic Document Feeder (DADF)                                                      |                                                                                                                                                                                     |
| Capacity <sup>7</sup>                                                                                    | 100 sheets                                                                                                                                                                          |
| Speed (Up to)                                                                                            | 104/98 ipm duplex, 52/49 ppm simplex (black-and-white) Letter/A4<br>84/80 ipm duplex, 42/40 ppm simplex (color) Letter/A4                                                           |
| Paper Sizes                                                                                              | 8.2 x 9.8 to 8.5 x 14 in/<br>210 x 250 mm to 216 x 356 mm                                                                                                                           |
| Weights                                                                                                  | 14 to 32 lb bond/52 to 120 gsm                                                                                                                                                      |
| Manual Feed Slot                                                                                         |                                                                                                                                                                                     |
| Capacity <sup>7</sup>                                                                                    | 1 sheet                                                                                                                                                                             |
| Sizes                                                                                                    | <b>Custom Sizes:</b> 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm                                                                                                            |
| Weights                                                                                                  | 16 to 53 lb bond/60 to 216 gsm                                                                                                                                                      |
| Media Types                                                                                              | Plain Paper, Light Paper, Heavy Paper, Letterhead, Cardstock, Recycled, Bond, Labels, Glossy, Vinyl, Pre-Printed, Envelopes, Colored Paper, Rough Cotton, Custom                    |
| Trays 1 (Standard)                                                                                       |                                                                                                                                                                                     |
| Capacity <sup>7</sup>                                                                                    | 250 sheets                                                                                                                                                                          |
| Sizes                                                                                                    | <b>Tray 1:</b> Custom Sizes: 3.8 x 5.8 in to 8.5 x 14 in/97 x 148 mm to 216 x 356 mm                                                                                                |
| Weights                                                                                                  | 16 to 53 lb bond/60 to 216 gsm                                                                                                                                                      |
| Media Types                                                                                              | Plain Paper, Light Paper, Heavy Paper, Letterhead, Cardstock, Recycled, Bond, Labels, Glossy, Vinyl, Pre-Printed, Envelopes, Colored Paper, Rough Cotton, Custom                    |
| Optional 550+100-Sheet Tray (Includes 550-Sheets Standard Capacity and Additional 100-Sheet Bypass Tray) |                                                                                                                                                                                     |
| 550+100-Sheet Tray – 100-Sheet Bypass Tray                                                               |                                                                                                                                                                                     |
| Sizes                                                                                                    | 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm                                                                                                                                 |
| Weights                                                                                                  | 16 to 43 lb bond/60 to 176 gsm                                                                                                                                                      |
| Media Types                                                                                              | Plain Paper, Light Paper, Heavy Paper, Letterhead, Cardstock, Recycled, Bond, Labels, Glossy, Vinyl, Pre-Printed, Envelopes, Colored Paper, Rough Cotton, Custom                    |
| 550+100-Sheet Tray – 550-Sheet Tray                                                                      |                                                                                                                                                                                     |
| Sizes                                                                                                    | 5.8 x 8.3 in to 8.5 x 14 in/ 148 x 210 mm to 216 x 356 mm                                                                                                                           |
| Weights                                                                                                  | 16 to 43 lb bond/60 to 176 gsm                                                                                                                                                      |
| Media Types                                                                                              | Plain Paper, Light Paper, Heavy Paper, Letterhead, Cardstock, Recycled, Bond, Labels, Glossy, Vinyl, Pre-Printed, Envelopes, Colored Paper, Rough Cotton, Custom                    |
| Total Capacity                                                                                           |                                                                                                                                                                                     |
| Device Total Capacity <sup>7</sup>                                                                       | <b>Base Model:</b> 251 sheets<br><b>550+100-Sheet Tray:</b> Add 1 550+100-Sheet Tray<br><b>550-Sheet Tray:</b> Add up to 1 additional 550-Sheet Trays (requires 550+100-Sheet Tray) |
| Paper Output                                                                                             | 150 sheets                                                                                                                                                                          |

## Xerox® VersaLink® C415 Color Multifunction Printer

| Copy                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>First-Copy-Out Time</b><br>(from platen/warmed up<br>Color/Black-and-White) | As fast as 7.0 seconds color letter<br>As fast as 6.2 seconds black-and-white letter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Sides (input-output)</b>                                                    | 1-1, 1-2, 2-2, 2-1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Quantity</b>                                                                | 1 to 9,999                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Resolution (max)</b>                                                        | Up to 600 x 600 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Reduction/Enlargement</b>                                                   | Variable zoom from 25 % to 400 % in 1 % increments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Concurrency</b>                                                             | Program-ahead to allow job to be queued while initial job is processed (Copy, Print, Fax and Scan. Adding the optional 500+GB HDD dramatically increases available storage for concurrent processing of copy, print and scan jobs.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Copy Features</b>                                                           | Annotation and Bates stamping (with color capability and font size adjustment)<br>Authentication for Services (i.e., Color Copy)<br>Auto Paper Select<br>Auto Reduction & Enlargement (to fit selected paper size)<br>Auto Tray Switching<br>Automatic 2-sided/Duplex Booklet Creation<br>Build Job (Enables page-level programming and also lets you proof each section or delete last section as the job is built) Build Job is supported for all Copy (500+GB HDD is required) and ScanTo/Email/Workflow Scanning/Server Fax/Embedded Fax (500+GB HDD is not required)<br>Collation<br>Covers (Front only, front and back, back only, printed inside and out: Blank or Printed)<br>Dividers (blank)<br>Edge Erase<br>Features Help (Intuitive text and graphic descriptions)<br>ID Card Copy<br>Image Quality Adjustments<br>Image Shift (with Auto Center option)<br>Invert Image (negative or mirror image)<br>Large Job Interrupt<br>Multi-up (up to 15 columns by 15 rows)<br>Sample Set<br>Save Job Settings<br>Touchless Workflow Accelerators |

# Xerox® VersaLink® C415 Color Multifunction Printer

| Print                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Resolution</b> (up to)                          | 1200 x 1200 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Print Features</b>                              | Application Defaults<br>Banner Sheet Enable/Disable<br>Booklet Layout<br>Cover Selection<br>User Permissions<br>Fit to New Paper Size<br>Hold All Jobs<br>Image Options (Resolution (Enhanced, High)<br>Job Identification (Print ID or Banner, Print ID in margins on first page only or all pages)<br>LAN Fax (requires optional Fax Kit)<br>Layout/Watermark<br>N-up (up to 16 pages per sheet)<br>Paper Selection by Attribute<br>Sample Set<br>Print From Cloud Repositories (Dropbox, OneDrive, and Google Drive)<br>Saved Job (color jobs can be printed as black-and-white)<br>Secure Print with Timed Deletion<br>Special Pages (exception page programming: covers, inserts, exception pages)<br>Store and Recall Driver Settings<br>Sustainability Features (Xerox® Earth Smart, Duplex, N-up, Turn-off Banner and Print ID, Smart Sample Set, Hold All Jobs)<br>Two-sided Printing (as default) |
| <b>Print from USB</b>                              | Allows walk-up printing from Type A USB port on front panel<br>Supports direct printing from computer via Type B USB port<br>Supported file formats: PDF, JPEG, TIFF, PS, PCL<br>Color jobs can be printed as black-and-white                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Operating Systems</b>                           | Windows Server 2012 and R2<br>Windows Server 2016<br>Windows Server 2019<br>Windows Server 2022<br>Windows 8.1<br>Windows 10<br>Windows 11<br>Mac OS 13.x, 12.x, 11.x<br>Fedora® Core<br>Ubuntu®<br>iOS<br>Android<br><b>Note:</b> For latest supported versions please visit our Drivers & Downloads page and specify your device at <a href="https://support.xerox.com">support.xerox.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Network Protocols</b>                           | TCP/IP: HTTP/HTTPS, IPP/PPS, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD<br>Microsoft Windows Networking over IP<br>Support for Microsoft Universal Print<br>Bonjour®, AirPrint®, Mopria®, ThinPrint<br>Most protocols not in use can be disabled                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Font Capability</b>                             | PCL: 93 scalable fonts, line printer, and bitmap font (including Cyrillic font support) PostScript 3: 173 Type 1 fonts, 2 Multiple Master fonts                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Xerox® Global Print Driver®</b>                 | A truly universal print driver that lets IT administrators install, upgrade, and manage Xerox® Devices and non-Xerox devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls and simplifying print services management.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Xerox® Pull Print Driver</b>                    | Makes it easy for IT managers to qualify, deploy, and manage all print devices using a single driver in a Pull Print environment. Uses a single queue and single driver. The Xerox® Pull Print Driver extends convenience across a broad range of printing assets. IT administrators no longer need to manage and configure multiple drivers. Used in conjunction with many third-party print solutions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Unified Address Book for Fax, Email and Scan to... |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Features</b>                                    | Services supported: Fax, Email, Scan to<br>Maximum contacts: 5,000<br>Contacts: Supports 1 or more destinations<br>Favorites for quick access of all services supported                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## Xerox® VersaLink® C415 Color Multifunction Printer

| Scan                                         |                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Concurrency</b>                           | Scan while the system is printing, copying, or while it is transferring scan to network or fax jobs (priority is for return of scanned originals and printing concurrent jobs. Adding the optional 500+GB HDD dramatically increases available storage for concurrent processing of copy, print and scan jobs.)                                                                                                               |
| <b>Input Speed (up to)</b>                   | 104/98 ipm duplex, 52/49 ppm simplex (black-and-white) Letter/A4<br>84/80 ipm duplex, 42/40 ppm simplex (color) Letter/A4                                                                                                                                                                                                                                                                                                     |
| <b>Resolution</b>                            | 200 x 200 dpi up to 600 x 600 dpi                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Bit Depth</b>                             | 1-bit (black-and-white), 8-bit (grayscale), 24-bit (color)                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Maximum Scan Area</b>                     | 8.5 x 14 in (216 x 355.6 mm), Legal                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Platen</b>                                | Up to 8.5 x 14 in (216 x 356 mm)<br>Document Feeder: Up to 8.5 x 14 in (216 x 356 mm)                                                                                                                                                                                                                                                                                                                                         |
| <b>Scan Template Management</b>              | Support 250 scan templates<br>Create Xerox® Embedded Web Server (EWS) scan templates and share via device cloning to other multifunction printers' confirmation sheet options                                                                                                                                                                                                                                                 |
| <b>Network Protocols</b>                     | SFTP, FTP, SMB, HTTP, HTTPS                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>File Compression</b>                      | Color TIFF (TIFF 6.0 or TTN2 with JPEG, LZW)<br>Black-and-white TIFF (G3MH, G4 MMR compression – single or multiple pages)<br>PDF/A-1b (MRC, JPEG, G3 MH, G4 MMR, JBIG 2 Huffman, JBIG Arithmetic Compression, Deflate (for black-and-white and within MRC))<br>Linearized PDF/PDF/A                                                                                                                                          |
| <b>Document Management Fields (Metadata)</b> | Features only available in Network Scan to File Templates:<br><ul style="list-style-type: none"> <li>• 1 to 6 user programmable metadata fields per network scan to file templates and unlimited fields within the template – Metadata field consists of field name, default value, and other configurations</li> <li>• Customized fields viewed on user interface for variable data input</li> </ul>                         |
| <b>Scan Features</b>                         | Auto Background and Shadow Suppression<br>Bound Originals<br>Compression Quality/File Size Control<br>Edge Erase<br>Mixed Size Originals Scan Build Job<br>Original Type (Photo and Text, Photo, Text, Newspaper/Magazine)<br>Reduction/Enlargement<br>Scan Build Job<br>Single Touch Scan buttons (up to 10)<br>Size for Size (for mixed size originals)<br>Touchless Workflow Accelerators<br>TWAIN Support/WIA 2.0 Support |
| Scan to Email (Standard)                     |                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Scan Features</b>                         | Auto send to self<br>Email signatures (6 lines each of 128 character max), email message body (user configurable), email Embedded Web Server confirmation sheet options<br>Email signing (requires Smart Card option)<br>Scan to Email S/MIME Encryption<br>Touchless Workflow Accelerators                                                                                                                                   |
| <b>Directory Access</b>                      | Address list via LDAP (Windows Active Directory, Exchange, Notes, Domino), Device Address Book                                                                                                                                                                                                                                                                                                                                |
| Scan To                                      |                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Standard Features</b>                     | Scan to Email<br>Scan to Home<br>Scan to Mailbox<br>Scan to Network (using Secure FTP/HTTP/HTTPS)<br>Scan to Network Folder (using Secure FTP/HTTP/HTTPS)<br>Scan to PC/Server Client (SMB or FTP)<br>Scan to USB                                                                                                                                                                                                             |
| <b>Optional Features</b>                     | Native Scan to Cloud Repositories (Dropbox, OneDrive, and Google Drive)*                                                                                                                                                                                                                                                                                                                                                      |
| Workflow Scanning (Optional features)        |                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Scanning Apps and Xerox App Gallery</b>   | Scan to: Dropbox, Google Drive, Microsoft OneDrive, Microsoft Office 365, Box, Xerox® Workplace Mobile App (iOS/Android)<br>See the full list of apps available in the Xerox App Gallery: <a href="http://xerox.com/AppGallery">xerox.com/AppGallery</a>                                                                                                                                                                      |

# Xerox® VersaLink® C415 Color Multifunction Printer

| Security |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Features | <ul style="list-style-type: none"> <li>• Audit Log</li> <li>• Cisco® Identity Services Engine (ISE) compatible</li> <li>• Configuration Watchdog (Monitors and remediates security settings in the following areas):             <ul style="list-style-type: none"> <li>- 802.1x</li> <li>- Admin Password</li> <li>- Audit Log</li> <li>- Automatic Software Upgrade</li> <li>- Email Alerts</li> <li>- Fax Passcode Length</li> <li>- FIPS</li> <li>- Hold All Jobs</li> <li>- Infrared Security</li> <li>- Installation Policies</li> <li>- Job Data Removal/Immediate Job Overwrite/Schedule Disk Overwrite (depending on HDD or SSD)</li> <li>- Personally Identifiable Information (PII)</li> <li>- Postscript Passwords</li> <li>- Remote Services Enablement</li> <li>- Remote Start (AirPrint or Mopria)</li> <li>- Remote Start (TWAIN)</li> <li>- Reprint Saved Jobs</li> <li>- Scan to Mailbox (Internal Storage)</li> <li>- Secure Print Device Policies (Conceal Job Names only)</li> <li>- SIEM</li> <li>- SNMP</li> <li>- Timeout and Resume</li> <li>- USB (Print from USB)</li> <li>- USB (Scan to USB)</li> <li>- USB Port Management</li> </ul> </li> <li>• Expanded Authentication             <ul style="list-style-type: none"> <li>- Digitally signed PDF (when using Smart Card authentication)</li> <li>- Encrypted and authentication to SMTP server for Scan to Email</li> <li>- Encrypted/Password Protected PDF (when using Email and Network Scan Templates only)</li> <li>- FIPS 140 256 bit Hard Disk Encryption<sup>6</sup>, TLS 1.1/1.2/1.3, IPPS, HTTPS, SFTP, SNMPv3</li> <li>- Immediate Image Overwrite/Securely delete jobs using approved algorithms<sup>6</sup></li> <li>- Local Authentication (internal database)</li> <li>- Network authentication to access device and/or device services via Kerberos (UNIX/Windows Server 2008), SMB (Windows Server 2008, Windows server 2012), NDS, LDAP authentication</li> <li>- On Demand Image Overwrite (Scheduled, Manual), includes sanitation of unused area of disk<sup>6</sup></li> <li>- Smart Card authentication – 144k CAC/PIV Card Support (2048 bit certificate key)/.NET</li> <li>- Secure Data</li> <li>- Secure Print (up to 10 digit PIN or Network Authentication)</li> </ul> </li> <li>• Expanded Authorization             <ul style="list-style-type: none"> <li>- Authorization per user per service</li> <li>- SA access based on network credentials</li> <li>- Secure Network Access</li> <li>- User Permissions required to access Print and Print Features (e.g., color access, or time restrictions) reflects in the print driver</li> </ul> </li> <li>• Hide Print Job Names</li> <li>• IP Filter, IPsec, IPv6, TLS V1.0, V1.2, V1.3, SNMP V1/V2/V3, HTTPS, 802.1X, SFTP</li> <li>• Port disablement including USB ports,</li> <li>• LogRhythm SIEM integration</li> <li>• Splunk SIEM integration</li> </ul> |

# Xerox® VersaLink® C415 Color Multifunction Printer

| Fax                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Walk-up Fax Features                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Compatibility                                                          | ITU (CCITT) Group 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Speed/Modems                                                           | Single V.34 modem: V.34 33600 – 2400 BPS. Less than 4 seconds per page transmission time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Compression/Speed                                                      | MH/G3, MR/G3, MMR/SG3, JBIG/SG3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Resolution                                                             | <b>Walkup Send:</b><br><b>BW Resolution</b><br>200 x 100 dpi, 204 x 98 dpi (Receive)<br>Fine 200 x 200 dpi (Send) 200 x 200 dpi, 204 x 196 dpi (Receive)<br>300 x 300 dpi, 204 x 391 dpi (Receive)<br>UltraFine 600 x 600 dpi (Send) 600 x 600 dpi, 400 x 400 dpi, 408 x 391 dpi (Receive)<br><b>Receive:</b> Accepts all sizes                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Fax Send Features                                                      | LAN Fax (fax from print driver)<br>Auto Fax Transmission Reduction<br>Page-by-page Job Status at the Machine<br>Delay Start, Build Job, Favorites<br>Automatic Memory Resend<br>Automatic Cover Sheets<br>PSTN Fax<br>Device Address Book (up to 5,000 contacts)<br>Touchless Workflow Accelerators                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Fax Receive Features                                                   | One- or Two-sided Printing<br>Receive Print Mode – Manual (size, margin, stock, header)/Auto<br>Output Tray Selection<br>Secure Receive<br>Receive Timestamp<br>Auto Answer Delay                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Fax Forward                                                            | Forward to Email or SMB Location<br>Fax Forward on Receive Only                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Fax Reports                                                            | Activity, Transmission Confirmation, Pending Fax, Options Report, On Demand Overwrite <sup>6</sup> Report, Broadcast Report                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Directory Access                                                       | Utilizes the Unified Address Book<br>Group fax available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Auto Redial                                                            | Up to 14 attempts (per country requirements)<br>1 to 25 minute intervals                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Auto Resend                                                            | Up to 5 attempts                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Device Management                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Administrative Protocols                                               | DHCP, BOOTP, SNMP, HTTP, HTTPS, AutoIP (Self Assigned Address)DHCP Autonet, TLS, NTP, DNS, SMB, SMTP/POP3, WSD, LDAP, Multicast DNS, Bonjour                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Management Support                                                     | SNMP Version 1, SNMP Version 2c and SNMP Version 3 trap over TCP/IP and IP<br>MIB access (IETF-MIBII RFC 1213)<br>Host Resources MIB RFC 2790, Printer MIB RFC 3805, PWG-Imaging-System-Power MIB, Fleet Orchestrator, Configuration Watchdog                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Xerox® Easy Assist App                                                 | <b>Xerox Easy Assist App</b> allows you to easily and securely manage your device right from your mobile phone, with real-time monitoring of printer performance and instant access to self-support services – all without the need for any IT support                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Xerox® CentreWare® Web Software                                        | A Web-based server application for network administrators that permits Web browser-based device management from any workstation, whether running on Windows, UNIX, or any other operating system: <ul style="list-style-type: none"> <li>• Works with any SNMP-managed printer from any manufacturer</li> <li>• Remote configuration of SNMP v3</li> <li>• Provides help with device discovery and installation, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management</li> <li>• Auto-detect Xerox® CentreWare® Web server and download configurations files for touchless remote install</li> </ul>                                                                                              |
| Xerox® Device Manager                                                  | Xerox® Device Manager collects and manages the data that drives fact-based decisions for your enterprise device management environment. It is a single tool to install print queues and configure, manage, monitor, and report on both networked and locally connected devices – regardless of vendor – across your enterprise. Xerox® Device Manager provides: <ul style="list-style-type: none"> <li>• Device monitoring and troubleshooting</li> <li>• Remote configuration of SNMP v3</li> <li>• Extensive reporting and discovery of new devices</li> <li>• Usage collection, chargeback, and billing capabilities</li> <li>• Auto-detect Xerox® Device Manager server and download configurations files for touchless remote install</li> </ul> |
| Xerox® Workplace Cloud                                                 | Remote management to set and audit device configuration data with Xerox® Workplace Cloud, eliminating the need for an on-site server                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Fleet Orchestrator                                                     | Fleet Orchestrator feature offers the ability to create a group of devices that share information with each other via a secure peer-to-peer connection. The following data can be shared: Software update files, clone files, and 1-Touch App files. Auto-assembly feature allows a new VersaLink® to automatically set itself up on the network to be automatically configured                                                                                                                                                                                                                                                                                                                                                                       |
| Xerox® Device Types for SAP Environment                                | Xerox, together with SAP through our Gold-level membership in the SAP Printer Vendor Program, provides seamless connectivity between SAP systems and your Xerox® Printers and Multifunction Printers. As an SAP customer, you benefit from having SAP-certified Xerox® Device types available right from SAP's online delivery model. SAP-certified device types for Xerox® Printers and Multifunction Printers are available to download.<br><a href="http://office.xerox.com/Software-Solutions">office.xerox.com/Software-Solutions</a>                                                                                                                                                                                                            |
| Xerox® Device Types for SAP R/3 Intelligent Barcode Utility (optional) | Provides built-in process intelligence that allows the printing of barcodes on any appropriately configured PostScript printer in specific versions of SAP environment and within Latin-1 (ISO8859-1) SAP system code pages only. Used in conjunction with Xerox® PostScript Device Types for SAP environment and Xerox® Font Center Barcode Fonts. Information available at <a href="http://office.xerox.com/Software-Solutions">office.xerox.com/Software-Solutions</a>                                                                                                                                                                                                                                                                             |

# Xerox® VersaLink® C415 Color Multifunction Printer

| Xerox® Embedded Web Server – Integrated Device Web Pages Provided by the Device                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Device Status</b>                                                                            | Web server embedded in Network Controller: <ul style="list-style-type: none"> <li>• Tray status/contents</li> <li>• Consumables status</li> <li>• Alerts</li> <li>• Remote Control Panel</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Job Submission</b>                                                                           | Print-ready files: PS, PCL, TIFF, PDF, JPG, TXT, PRN<br>Output feature selection (2-sided, output color, collate, orientation, output destination) Delivery options (Immediate, sample set, delay, secure, save job for reprint)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Device Administration</b>                                                                    | Allows simple, remote installation setting of configuration options and management of the device, Fleet Orchestrator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Browsers</b>                                                                                 | Microsoft Edge<br>Safari<br>Mozilla Firefox<br>Opera<br>Chrome<br>Brave Browser                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Support</b>                                                                                  | Install print/scan drivers and online support available via <a href="https://support.xerox.com">support.xerox.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Languages Supported</b>                                                                      | International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Russian, Arabic, Croatian, Ukrainian                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Remote Services</b>                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Automatic Meter Readings (AMR)</b>                                                           | Automates the process of collecting and submitting meter reads for tracking and billing of Xerox® Device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Automatic Supplies Replenishment (ASR)</b>                                                   | Automatically orders supplies for Xerox® Devices based on actual usage, eliminating the need to manually manage supplies inventory                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Workplace Cloud Direct</b>                                                                   | Embedded device agent technology allows your printer to connect directly with Xerox Workplace Cloud for a zero network footprint offering a 'true' cloud-only Print Management and Mobile solution.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Accounting</b>                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Xerox® Standard Accounting (Standard)                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Tracking</b>                                                                                 | Copy, Print, Fax, Scan and Email usage                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Accounting</b>                                                                               | Up to 2,495 User Accounts (User ID)<br>Up to 500 General Accounts (Client)<br>Up to 498 Group Accounts (Department)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Features</b>                                                                                 | Administrator can manage the feature via the Web User Interface or device control panel in tools<br>Administrator has the ability to import or export User Accounts, Group Accounts, General Accounts, and User Limits via an industry standard CSV file                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Accounting Options – Network Accounting (Allows central server to manage all accounting)</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                                                                                                 | Enhanced network accounting with up-to-the-minute data on how the system is being used<br>Comprehensive management and enterprise-scale tracking and reporting of device usage of copy, print, scan, and server fax<br>Numerous solutions are available through Xerox Alliance Partners. For details, visit <a href="https://xerox.com">xerox.com</a><br>Security enhancements with the addition of HTTPS protocol support<br>Device requests account authentication from third-party server enabling larger databases of users and accounts<br>Accept Authentication Login at control panel and pass to third-party Networking Account<br>Interface with third-party accounting terminal for accounting user interface |
| <b>Installation Considerations</b>                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Clear Area around the device is necessary for access and ventilation</b>                     | Below is the recommended area needed on each side for correct installation.<br>Top: 12 in/304.8 mm<br>Rear: 4 in/101.6 mm<br>Left: 3 in/76.2 mm<br>Right: 3 in/76.2 mm<br>Front: 3 in/76.2 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>What's In The Box</b>                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>All items contained in the box:</b>                                                          | VersaLink® C415 Multifunction Printer<br>AC Power Cord<br>Installation Guide<br>Product Information Flyer<br>Product Safety Sheet<br>Software Update Flyer<br>Software and Documentation CD<br>One of each (Cyan, Magenta, Yellow) 2,000 print capacity <sup>8</sup> ; Black cartridge: 2,400 print capacity <sup>8</sup>                                                                                                                                                                                                                                                                                                                                                                                               |

# Xerox® VersaLink® C415 Color Multifunction Printer

| Xerox® Supplies and Accessories                                                                                                        | North America and Europe* | All other regions |
|----------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-------------------|
| Genuine Xerox Black Standard Capacity Toner Cartridge, Xerox® VersaLink® C415 Color Multifunction Printer (2,400 Pages) <sup>8</sup>   | 006R04677                 | 006R04677         |
| Genuine Xerox Cyan Standard Capacity Toner Cartridge, Xerox® VersaLink® C415 Color Multifunction Printer (2,000 Pages) <sup>8</sup>    | 006R04678                 | 006R04678         |
| Genuine Xerox Magenta Standard Capacity Toner Cartridge, Xerox® VersaLink® C415 Color Multifunction Printer (2,000 Pages) <sup>8</sup> | 006R04679                 | 006R04679         |
| Genuine Xerox Yellow Standard Capacity Toner Cartridge, Xerox® VersaLink® C415 Color Multifunction Printer (2,000 Pages) <sup>8</sup>  | 006R04680                 | 006R04680         |
| Genuine Xerox Black High Capacity Toner Cartridge, Xerox® VersaLink® C415 Color Multifunction Printer (10,500 Pages) <sup>8</sup>      | 006R04685                 | 006R04764         |
| Genuine Xerox Cyan High Capacity Toner Cartridge, Xerox® VersaLink® C415 Color Multifunction Printer (7,000 Pages) <sup>8</sup>        | 006R04686                 | 006R04765         |
| Genuine Xerox Magenta High Capacity Toner Cartridge, Xerox® VersaLink® C415 Color Multifunction Printer (7,000 Pages) <sup>8</sup>     | 006R04687                 | 006R04766         |
| Genuine Xerox Yellow High Capacity Toner Cartridge, Xerox® VersaLink® C415 Color Multifunction Printer (7,000 Pages) <sup>8</sup>      | 006R04688                 | 006R04767         |
| Genuine Xerox Waste Toner Bottle, Xerox® VersaLink® C415 Color Multifunction Printer (30,000 Pages) <sup>9</sup>                       | 008R13325                 | 008R13325         |
| Genuine Xerox Black Imaging Kit, Xerox® VersaLink® C415 Color Multifunction Printer (125,000 Pages) <sup>10</sup>                      | 013R00700                 | 013R00700         |
| Genuine Xerox 3 Color Imaging Kit, Xerox® VersaLink® C415 Color Multifunction Printer (125,000 Pages) <sup>10</sup>                    | 013R00701                 | 013R00701         |
| Xerox Staple Cartridge (5,000 Staples)                                                                                                 | 008R13347                 | 008R13347         |
| Optional Xerox® Accessories                                                                                                            |                           |                   |
| 550+100-Sheet Tray                                                                                                                     | 097N02468                 |                   |
| 550-Sheet Tray                                                                                                                         | 097N02465                 |                   |
| Wireless Network Adapter                                                                                                               | 097N02470                 |                   |
| 500+GB Hard Disk                                                                                                                       | 097N02466                 |                   |
| Xerox Convenience Stapler (110v)                                                                                                       | 097N02442                 |                   |
| Xerox Convenience Stapler (220v)                                                                                                       | 097N02463                 |                   |
| Xerox Printer Stand                                                                                                                    | 097S05244                 |                   |

\* North America (NA): U.S., Canada  
 Europe (XE): U.K., France, Germany, Spain, Italy, Netherlands, Belgium, Norway, Sweden, Finland, Denmark, Iceland, Luxembourg, Austria, Switzerland, Portugal, Ireland Andorra, Azores, Corsica, Greenland, Iceland, Lichtenstein, Luxembourg, Madeira, San Marino

- <sup>1</sup> Declared in accordance with ISO/IEC 24734.  
<sup>2</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.  
<sup>3</sup> Requires Wireless Network Adapter  
<sup>4</sup> Not available in all geographies  
<sup>5</sup> Undergoing evaluation.  
<sup>6</sup> Requires 500+GB Hard Disk.  
<sup>7</sup> Paper capacities are based on 20 lb/75 gsm stock; capacities will vary with different weight stocks.  
<sup>8</sup> Average standard pages. Declared in accordance with ISO/IEC 19798. Toner yield can vary due to many factors, including but not limited to, image area coverage, image content, media size, media orientation, run mode, application types, monthly print volumes, and image quality set-points.  
<sup>9</sup> Waste Toner Container yield will vary depending on type of image, area coverage %, and Job run length.  
<sup>10</sup> Average drum yield is based on a run length of 5 pages of 8.5 x 11 in/A4 LEF pages, with split of 35% color/65% black-and-white pages.  
<sup>11</sup> Not all countries support Green World Alliance. Please check local legislation.

Return spent imaging supplies through the Xerox® Green World Alliance® collection/reuse/recycling program.<sup>11</sup>  
 Visit [xerox.com/About-Xerox/Recycling](https://xerox.com/About-Xerox/Recycling).

For more information, visit us at [xerox.com/Office](https://xerox.com/Office).