Version : N°1 (02/08/2018) Newell Rubbermaid UK Limited

### BEROL WASHABLE COLORING INK BLACK - DS BK 01 R2

Date: 06/08/2018 Page 1/8

Revision: N°1 (02/08/2018)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: BEROL WASHABLE COLORING INK BLACK

Product code: DS BK 01 R2.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

BEROL: ColourBroad, ColourFine, Colour Markers, Handwriting pens

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

No labelling requirements for this mixture.

## 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

## **Composition:**

Identification	(EC) 1272/2008	Note	%
CAS: 57-55-6		[1]	$10 \le x \% < 25$
EC: 200-338-0			
MONOPROPYLENE GLYCOL			

Version : N°1 (02/08/2018) Newell Rubbermaid UK Limited

### BEROL WASHABLE COLORING INK BLACK - DS BK 01 R2

Date: 06/08/2018 Page 2/8

Revision: N°1 (02/08/2018)

CAS: 56-81-5		[1]	2.5 <= x % < 10
EC: 200-289-5		[1.1]	2.3
GLYCERIN			
CAS: 3567-69-9	GHS07		$2.5 \le x \% < 10$
EC: 222-657-4	Wng		
	Skin Irrit. 2, H315		
C.I. ACID RED 14	Eye Irrit. 2, H319		
	STOT SE 3, H335		
CAS: 2783-94-0	GHS07		$0 \le x \% < 2.5$
EC: 220-491-7	Wng		
	Skin Irrit. 2, H315		
DISODIUM	Eye Irrit. 2, H319		
6-HYDROXY-5-[(4-SULPHONATOPHENYL)	STOT SE 3, H335		
AZO]NAPHTHALENE-2-SULPHONATE			

(Full text of H-phrases: see section 16)

### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

No data available.

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## 5.3. Advice for firefighters

No data available.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

Version : N°1 (02/08/2018) Newell Rubbermaid UK Limited

### BEROL WASHABLE COLORING INK BLACK - DS BK 01 R2

Date: 06/08/2018 Page 3/8

Revision: N°1 (02/08/2018)

## **6.2. Environmental precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

## **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

## **Packaging**

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

## Occupational exposure limits:

# - ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3					

### - Germany - AGW (BAuA - TRGS 900, 29/01/2018) :

		,	<i>)</i> ·	
CAS	VME:	VME:	Excess	Notes
56-81-5		200 E mg/m <sup>3</sup>		2(I)

### - France (INRS - ED984:2016):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-

## - UK / WEL (Workplace exposure limits, EH40/2005, 2011):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
57-55-6	150 ppm	- ppm			
	$474 \text{ mg/m}^3$	- mg/m <sup>3</sup>			

Version : N°1 (02/08/2018) Newell Rubbermaid UK Limited

### BEROL WASHABLE COLORING INK BLACK - DS BK 01 R2

Date: 06/08/2018 Page 4/8

Revision: N°1 (02/08/2018)

_					1
	56-81-5	- ppm	- ppm		
		10 mg/m	- 111g/111		

## 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

## - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended:

- Natural latex

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

### **General information:**

Physical state: Fluid liquid.

## Important health, safety and environmental information

pH: Not stated.

Slightly basic.

Boiling point/boiling range : Not relevant.
Flash point interval : Not relevant.

Vapour pressure (50°C): Below 110 kPa (1.10 bar).

Density: = 1

Water solubility:

Melting point/melting range:

Not relevant.

Self-ignition temperature:

Not relevant.

Decomposition point/decomposition range:

Not relevant.

## 9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

Version : N°1 (02/08/2018) Newell Rubbermaid UK Limited

### BEROL WASHABLE COLORING INK BLACK - DS BK 01 R2

Date: 06/08/2018 Page 5/8

Revision: N°1 (02/08/2018)

### 10.4. Conditions to avoid

No data available.

## 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

## Acute toxicity:

C.I. ACID RED 14 (CAS: 3567-69-9)

Oral route : LD50 > 10000 mg/kg

Species: Rat

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 = 12600 mg/kg

Species: Rat

 $Dermal \ route: \\ LD50 > 10000 \ mg/kg$ 

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

Inhalation route (Dusts/mist) : LC50 > 317 mg/l

Species: Rat

### 11.1.2. Mixture

No toxicological data available for the mixture.

## Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 3844-45-9: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans. CAS 3567-69-9: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans. CAS 2783-94-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Version : N°1 (02/08/2018) Newell Rubbermaid UK Limited

### BEROL WASHABLE COLORING INK BLACK - DS BK 01 R2

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 = 51400 mg/l

Species : Pimephales promelas Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity: EC50 = 43500 mg/l

Species : Daphnia magna Duration of exposure : 48 h

OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Date: 06/08/2018 Page 6/8

Revision: N°1 (02/08/2018)

Algae toxicity: ECr50 = 24200 mg/l

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

## 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

Version: N°1 (02/08/2018) Newell Rubbermaid UK Limited

### BEROL WASHABLE COLORING INK BLACK - DS BK 01 R2

Date: 06/08/2018 Page 7/8

Revision: N°1 (02/08/2018)

## German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

### 14.1. UN number

## 14.2. UN proper shipping name

14.3. Transport hazard class(es)

## 14.4. Packing group

### 14.5. Environmental hazards

## 14.6. Special precautions for user

## **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2017/776 (ATP 10)

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### 15.2. Chemical safety assessment

No data available.

Version : N°1 (02/08/2018) Newell Rubbermaid UK Limited

BEROL WASHABLE COLORING INK BLACK - DS BK 01 R2

Date: 06/08/2018 Page 8/8

Revision: N°1 (02/08/2018)

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Wording of the phrases mentioned in section 3:

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.