

SAFETY DATA SHEET

JOY RED LHF-64

Date of Issue: Mar.20, 2018

Page:1/4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

Product Name : JOY RED LHF-64
Product Description : Red liquid and slight odor
Use of the Substance/Preparation : For industrial use only
Supplier : Mikuni Color Ltd.
67 Kokubunji, Mikunino-Cho, Himeji, Japan
Emergency Telephone No. : +(81)-792-52-0783

2. HAZARDOUS IDENTIFICATION

Classification of the mixture

Classification in accordance with EC No 1272/2008:

Skin Irrit.2: H315

Eye Irrit.2 : H319

Special Notice

Contains 1,2-benzisothiazol-3(2H)-one and 2,2',2''-nitrioltriethanol.
May produce an allergic reaction.

[GHS LABEL ELEMENTS]

Pictogram :



Signal Word : Warning

Hazard Statement : H315: Causes skin irritation
: H319: Causes serious eye irritation

Precautionary Statement

[Prevention]

: P264: Wash hands thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/
face protection.

[Emergency Response]

: P302+P352: IF ON SKIN: Wash with plenty of water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for
several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
P332+P313: If skin irritation occurs: Get medical advice/ attention.
P337+P313: If eye irritation persists,: Get medical advice/ attentio
P362: Take off contaminated clothing and wash before reuse.

[Disposal]

: Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

Hazardous Component(s)

Component(s)	CAS No.	EU No.	%(W/W)	Pictograms	Hazard Statement Code(s)	Hazard Class and Category Code(s)
Ethane-1,2-diol	107-21-1	203-473-3	20-30		H302	Acute Tox.4
2,2',2''-nitrilotriethanol	102-71-6	203-049-8	0.1-1		H315	Skin Irrit.2
					H319	Eye Irrit.2
					H317	Skin Sens. 1
					H335	STOT SE 3
Ammonia, aqueous solution (25%)	1336-21-6	215-647-6	0.1-1		H314	Skin Corr.1B
					H400	Aquatic Acute 1
Propan-2-ol	67-63-0	200-661-7	0.1-1		H225	Flam.Liq.2
					H319	Eye Irrit.2
					H336	STOT SE 3
Potassium hydroxide	1310-58-3	215-181-3	0.1-1		H302	Acute Tox.4
					H314	Skin Corr.1A
1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9	<0.05		H302	Acute Tox.4
					H315	Skin Irrit.2
					H317	Skin Sens. 1
					H318	Eye Dam.1
					H400	Aquatic Acute 1

4. FIRST AID MEASURES**General information**

: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Eye Contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists, Get medical advice/ attention.

Skin Contact

: If skin irritation occurs: Get medical advice/ attention.

Inhalation

: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

: Get medical attention immediately.

Ingestion

: If swallowed, wash out the mouth. Never give anything by mouth to an unconscious person.

: Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

- Fire Fighting** : Remove all sources of ignition and extinguish with the designated extinguisher.
- Extinguish Media** : Water spray, foam, dry chemical powder, carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

- In case of small quantity** : Wipe with the materials such as waste cloth.
- In case of large quantity** : Pick up to the container after leading to the safer place by using sand, earth, other appropriate barriers.
- : Prevent from spreading or entering drains, ditches or rivers.

7. HANDLING AND STORING

- Handling** : Avoid the damage to the container.
- Storage** : Must be stored in a well-ventilated area, away from sunlight, ignition sources and other sources of heat.
- : Stir the product before use when stored for a long time.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Exposure Limits** : ACGIH : 100mg/m³ (aerosol, upper) (Ethane-1,2-diol)
- Equipment** : Install the local exhaust ventilator and eyewash stations.
- Personal Protection** : Wear safety eyewear, protective gloves and protective mask.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : Red liquid
- Flash Point** : Not available
- Explosion Limit** : Lower: Not available Upper: Not available
- Boiling Point** : Approx. 100°C
- Density** : Not available
- Solubility** : Soluble in water
- Volality** : Not available

10. STABILITY AND REACTIVITY

- Flammability** : None
- Combustibility** : Not applicable
- Oxidizing Properties** : Not applicable
- Self-reactivity/explosibility** : Not applicable
- Dust Explosibility** : Not applicable
- Stability** : Stable under normal conditon of use.
- Other Properties** : Not available

11. TOXICOLOGICAL INFORMATION**INFORMATION ON TOXICOLOGICAL EFFECTS**

- Acute Toxicity (Oral)** : Classification not possible
- Acute Toxicity (Skin)** : Classification not possible
- Acute Toxicity (Inhalation)** : Classification not possible
- Skin Irritation** : Causes skin irritation
- Eye Irritation** : Causes serious eye irritation
- Respiratory sensitization** : Classification not possible
- Skin sensitization** : Classification not possible

Carcinogenicity	:	Classification not possible
Germ cell mutagenicity	:	Classification not possible
Reproductive toxicity:	:	Classification not possible
Specific target organ toxicity (STOT) – single exposure	:	Classification not possible
Specific target organ toxicity (STOT) – repeated exposure	:	Classification not possible
Aspiration hazard	:	Classification not possible

12. ECOLOGICAL INFORMATION

Decomposition Nature	:	Not available
Accumulative Properties	:	Not available
Fish Toxicity	:	LC50 (96h, Oryzias latipes) : >100mg/L (as Ethane-1,2-diol)

13. DISPOSAL CONSIDERATIONS

Product	:	Do not dump this material into sewers, on the ground or into any body of water. Comply with all relevant regulations. Contact an accredited disposal contractor for the special advice.
----------------	---	--

14. TRANSPORT INFORMATION

Land Transport: ADR/RID		
ADR/RID Class	:	Not applicable/Not regulated
Maritime Transport: IMDG		
IMDG Class	:	Not applicable/Not regulated
Air Transport: ICAO-TI/IATA-DGR		
ICAO-TI/IATA-DGR Class	:	Not applicable/Not regulated

15. REGULATORY INFORMATION

Please refer to any other national measures that may be relevant.

German Water Hazard Class	:	WGK 1 (as Ethane-1,2-diol)
----------------------------------	---	----------------------------

16. OTHER INFORMATION

Uses and Restrictions	:	Use only in industrial manufacturing processes.
Disclaimer	:	The information in this document is based on our current knowledge and is intended to describe the product for the purposes of health, safety, and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.